

2011 Domestic U.S. Price Guide

Effective August 1st, 2011





How to reach Delfield "Live" 800-733-8821

International customers: +1 989-773-7981

Sales and customer support are available from 8:00 a.m. to 5:00 p.m. Eastern time, Monday through Friday.

If you know your parties extension, you may dial it at any time.

By dialing the direct extension that you need, our automated phone system allows you to bypass the operator.

DIAL

(800) 733-8948 +1 989-773-7981

THEN

PRESS 1

to dial by extension (listed to the right)

PRESS 2

for department

PRESS 3

for sales

PRESS 8

for parts

- The system will prompt you if necessary
- PRESS "0" (ZERO) FOR OPERATOR ASSISTANCE.

Customer Service

12510 Jim Johnson Director of Customer Satisfaction **Inside Sales**

12507 Kim Tillotson Internal Sales Team Manager 12505 Kris Frayre Sales Engineering/Team Manager 12534 Jeff Galla Sales Engineering 12508 Karen Kreiner Sales Engineering/Team Manager 12523 Jon Lamont Sales Engineering 12503 Denise Maeder Internal Sales Representative 12520 Dave Mascho Sales Engineering

12511 Deanna Schafer Internal Sales Representative 12606 Kevin Salisbury Sales Engineering/Team Manager

12500 Pam Sharrar Sales Engineering

12509 Julie Shellenbarger Internal Sales Representative 12502 Melissa Sander Internal Sales Representative

12582 Anne Carson Sales Engineering

12652 Debbie Dickman Internal Sales Representative

12517 Bill Lybeer Sales Engineering

12582 Elizabeth Gray Internal Sales Representative

Brent Bazaire Sales Engineering 12586 12568 Julie Fox Sales Administrator 12512

Nancy Paulsen Sales Engineer

Parts

12522 Patty Behrend Parts Supervisor 12504 Shelly Blizzard Parts Technician 12538 Kristi Freed Parts Technician 12530 Justin Nottingham Parts Technician 12529 Liz Gomez Parts Technician 12533 Nathon Lowery Parts Technician

12521 Desiree Evans Parts Technician

12541 Josh Sanders Service Technician

Service

12535 Jeff Boakes Service Technician 12526 Chris McNett Service Technician 12537 Tim Roland Service Technician 12554 Katherine First Warranty Administrator 12589 Aaron Diegel Service Technician 12531 Chervl Witrop Follow-up Coordinator Kevin Cotter Field Service Technician 12514

Installation

12650 Kevin McCormick Installation Supervisor Training

Mike Hutchins Technical Trainer

©2011 The Delfield Company. All rights reserved. Reproduction is prohibited without written permission from The Delfield Company.

The information contained in this publication was accurate as of August 1, 2011. Delfield reserves the right to change specifications and/or pricing without notice.

Delfield is registered trademark, of The Delfield Company. All other trademarks and trade names are the properties of their respective owners, and are used for informational purposes only.

Marketing

12506 Bill Keske Vice President of Marketing

12513 Sara Sunderman-Kirby

- Marketing Project Manager

XXXXX Jon O'Hern Product Manager

- Refrigeration

12608 Tim Wilczak Product Manager

- Fabrication / Engineered Solutions

12610 Marcy Mathews Product Manager

- Serving and Merchandising Systems

XXXXX Steve Willoughby Product Manager - Refrigeration

12632 Amanda Latta Sales & Marketing Administrator

12516 Jason Hartman Graphic Artist

12616 Amy Seaver Technical Writer

Sales

12604 Bill Hoffman Director of Field Marketing Manager

Jeff Michael Field Marketing Manager

XXXXX Jeff Herren Field Marketing Manager

Credit Services

Robert Howes Credit Manager

12544 Belinda Krisel Accounts Receivable Administrator

12539 Luanne Amrhein Accounts Receivable Analyst

Stephanie Rydman Accounts Receivable Specialist

Other Extensions

The operator can connect you to the person you need. Just press "0" (zero).

To access our technical service repair directly, call:

(800) 733–8829

press 1 for Service and press 2 for Parts

Visit us on the web at: www.delfield.com



INDEX BY EQUIPMENT TYPE

An introduction to each product line precedes its pricing section.

Accessories		Heated Units
Reach-Ins		Counters61, 64, 78, 87, 96, 115, 135
Blast Chiller/Shock Freezers	30	Dish Dispensers151-153, 155
Undercounter Refrigerators and Freezers		Display Cases
Refrigerated and Freezer Work Tables	39	Drop Ins Food Wells71, 142-144
Prep Tables		Food Table52
Equipment Stands		Mobile Heated Serving Counters78, 87, 96, 115, 135
E-Chef		Mobile Combo Hot/Cold Serving Counter
Display Cases		Pass-Thrus
Concepts		Roll-Ins
Serving Lines		Roll-Thrus
Milk Coolers		Reach-Ins
Tray Make Up		Kitchen EXCELeration Systems
Drop Inc/Puilt Inc	140	Lettuce and Vegetable Spin Drier
Drop-Ins/Built-Ins		
Mobile Dispensing Equipment		Mark 7 Component Crafted Equipment
Blast Chillers/Shock Freezers	29	Milk Coolers
Built Ins		Milk and Ice Cream Dispensers
Ice Cream Dispensers		Built In Milk and Beverage148
Tray and Rack Dispensers		Free Standing Milk and Beverage94, 103, 130, 131
Milk or Beverage Dispensers		Ice Cream and Milk & Ice Cream82, 94, 103, 132, 133, 143
Milk and ice Cream Dispensers		Prep Tables
Cashier Stands		Rack Dispensers
Concepts™	61-71	Drop-In
Dish Dispensers		Mobile154-157
Drop In	145-146	Radial Drop-Ins144
Mobile Enclosed Frame	151-153	Refrigerators
Display Cases		Air Curtain
Drop In	56-57	Bases32-33, 36-38, 41-45
Heated	122	Bases, Compact32, 36
Refrigerated	56-58, 120-121	Bases, Front Breathing
Drop Ins	······	Bases, Salad Top41, 43
Cold Pans	71 139 140 144 142	Bases, Mega Top42, 44
Cold Slab		Display56-58, 120-121
Combo Hot/Cold		Drop In Food Wells71, 144, 139, 142, 140
Dish Dispensers		Dual Temp14
•		Equipment Stands49
Display Cases		
Freezer		Milk and Beverage94, 103, 130, 131, 148
Frost Tops		Mobile Serving Counter62-63, 65-66, 78-79, 88-89, 91, 97, 98, 100, 116-118
Heated Food Wells		Mobile Combo Hot/Cold Serving Counter79, 89, 98, 117
LiquiTec®		Pass Thru17
Sink, Faucets & Glass Fillers		Reach-In10-11, 13, 18
Tray and Rack Dispenser		Roll In19
Water Station and Ice Storage		Roll Thru20
E-Chef	52-53	Work Table36-38
Equipment Stands		Undercounter
Low Profile Refrigerated and Freezer Base	49	Versa Drawer25
Versa Drawer	25	Serving Counters
FlexiShield Foodshields		All purpose
Freezers		Beverage70, 92, 101
Bases	32-33, 36-37	Combination Hot/Cold
Bases, Compact		Combination Refrigerator/Freezer
Bases, Front Breathing	33.37	Freezer
Drop In		Frost Top
Dual Temp		Heated
Equipment Stands		Heated Display
·		·
Pass-Thrus		Ice Cream82, 94, 103, 132
Reach-Ins	•	Ice Pan53, 62, 65, 79, 91, 100
Roll-ins		Milk94, 103, 132
Serving Lines	•	Refrigerated62, 63, 65, 66, 78, 87, 88, 116
Undercounter		Refrigerated Display56-58, 120-121
Work Tables	36-38	Tray Dispensers
Versa Drawer	25	Drop In/Built In147
Health Care Delivery Systems		Mobile Cantilever Frame154
Freestanding Mobile Air Curtain Refrigerator	136	Mobile Enclosed Frame155
Trim Line Make Up Counters		Mobile Open Frame156-157
,		Stands
		Tray Make Up
		Utility Carts
		Work Tables
		VIOLA 100163

Undercounter.....



Chef's Counters Serving Systems Engineered Products

Infinite possibilities.

See back cover for listing of Delfield Representatives.





What is Delfield Mark 7 Component

Crafted Equipment?

Custom Fabrication With Standard Components



elfield brings a different approach to custom fabrication. With any piece of equipment, such as utility storage, hot food table or glass rack cabinets, similar components are used. This holds true with freezers, refrigerators, prep tables, salad tables and so on. What Delfield has mastered is developing standard components that are consistent from job to job, year to year and month to month. What does this do for you? For one, the ability to purchase equipment that can be installed anywhere in the country and be assured it's the same each and every time. In addition, serviceability is increased due to common parts and labor is saved due to service technician's familiarity with the equipment. By developing common components in custom equipment Delfield is able to provide consistent pricing, no matter what time of year or how busy we happen to be.



Using the component crafted custom fabrication approach allows you to develop thousands of different equipment configurations while maintaining consistency throughout the equipment. Don't think for a minute this technique takes away from the quality of the equipment. It's quite the opposite, Delfield's ability to produce commonality in our equipment is a great value in many ways to our customer.



Delfield allows many of these components to be modified but remain similar in construction. This is the advantage of using Delfield over local custom fabrication. Our solid modeling capabilities, automated part demand flow, leading edge break presses, lasers and punches all give Delfield customers consistent precise products versus antiquated pencil marked, hand braked parts.



DELFIELD MARK 7 COMPONENT CRAFTED EQUIPMENT

Start building your dream counter now! All of these units can be combined under one continuous top (up to 168" long) Each unit can be quickly splined together or field welded, for seamless appearance.

GENERAL

- · HFC-404A refrigerant
- All units can be provided with optional 14-gauge stainless steel tops.
- Special electrical requirements available on all units
- All refrigerators can be supplied remote or self contained

13 SERIES **ICE CREAM CABINETS** Standard 16-gauge tops 32" to 72" length With or without syrup rail Special rail lengths available Sinks and dipperwells available Lid locks available Lexan covers available Draft arms available Drains 14 SERIES HOT FOOD TABLES Standard 16-gauge tops · Available in any length · Electric or gas · Individually controlled or single tank water bath Standard with drains and manifold Optional cutting board Optional auto fill · Optional LP gas regulator 15 SERIES DISPLAY CASES Standard 16-gauge tops Optional additional shelves • 24" or 30" deep under display • Optional mirrored interior section doors Mirror back, single service display with a see through display section with glass doors on both sides. Available in 4' and 6' lengths Optional locks 16 SERIES **UTILITY STANDS** Standard 16-gauge tops Open shelf · Dry drawer · Hinged door · Sliding door Available in any length · Optional door/drawer locks · Optional urn trough 10 year drawer warranty 17 SERIES · Available for bottom **EQUIPMENT STANDS** mounted ventilation Standard 18-gauge tops Full height sides and back Standard maple cutting board for quick assembly into full Open shelf equipment lineup Dry drawer Feature Delfield's exclusive Refrigerated & freezer storage



Optional doors Door/drawer locks


Freezers from 32" to 96" Refrigerators from 36" to 110" Full Extension Plus Drawer

System

DELFIELD MARK 7 COMPONENT CRAFTED EQUIPMENT

GENERAL

- HFC-404A refrigerant
- All units can be provided with optional 14-gauge stainless steel tops
- · Special electrical requirements available on all units
- All refrigerators can be supplied remote or self-contained



Finish your line off with any of the 357 options. Overshelves, finished backs and ends, tray slides, heat lamps, and outlets are all available to dress your counter. Make your vision a reality with Delfield Custom! Contact us at 800-733-8821 for a custom quote or pricing.



HOW TO ORDER DELFIELD MARK 7 EQUIPMENT Need A Quote?

Delfield Sales Al IN:								
Dealer ATTN:								
Field Quote Request								
Project Name:			Bid Date:					
Location: (City/State)			Install Date:					
Consultant:			Phone Number:					
Is Line Up:		☐ Component Crafted Custom Equipment ☐ Shelley						
Refrigerated Units:		$\ \ {\color{red}\square}\ \ {\color{blue} Self-contained}$	Remote					
Hot Food Wells:		■ Individual	Open Bath					
Hot Food Wells:		□ Electric	□ Gas					
Pre Wired to:		☐ Breaker Panel	☐ J-Box					
Are Drawings Available:		□ Plan	Elevation (scale)	☐ Hand Sketch				
Similar to a Job Previously Quote	ed:	■ Name:						
Accessories Supplied and Installe	ed by Delfi	eld: 🖵 Yes	□ No					
Customer Supplied/Installed by D	elfield:	Yes	□ No					
Field Installed by Customer:		Yes	□ No					
Any Size Restrictions for Installat	tion Site:	☐ Max Size _						
Finish of Equipment:		□ S/S	☐ Laminate					
Is this a:		Quote Only	Quote and D	rawing				
Key for labeling drawing:								
A: Dry Storage Unit	Refrig	erated						
B:	Salad	Opening						
C ☐ Hot Food Wells	□ Mega	Top Opening						
D: Pass-thru Storage	Refrig	erated						
E: Dry Drawer	🖵 Roll W	/armer 📮 Refrige	rated Drawers					
F: □ Overshelf	Single	☐ Double W	idth:					
G:		Width:						
H: • Outlets	Heat L	amps 📮 Empty 🛚	Baskets					
I:								
J Production Units								
K: ☐ Top Extension								
L:	□ Sliding	n Door						



6000XL™ - Reach-in refrigerators and freezers

Specification Line® - Reach-in, pass-thru, roll-in and roll-thru refrigerators, freezers and heated units



6000XL™ - REACH-IN REFRIGERATORS 6100XL™ - REACH-IN FREEZERS



Product Information

- For solid door units, casters are installed from factory on two and three section units
- Delrite® ABS interior liner
- Stainless steel exterior front and doors
- · Digital thermometer
- Aluminum exterior sides
- Built in door locks-solid door units only
- Three epoxy coated shelves per section
- 10' cord and plug supplied
- Glass door units shipped flat on pallet with legs for field installation
- One year parts; one year labor; five year compressor, limited lifetime interior liner warranty. Additional warranty available, see below

Specifications and Prices

MODEL NUMBER	DESCRIPTION	D L	IMENSIO D	NS H	STOR. Cu. Ft.	Н.Р.	AMPS	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SOLID DOOR	REFRIGERATORS											
6025XL-S	One section Full height door	25.5"	32.60"	79.5"	20.0	1/4	6.0	115	5-15P	274	110	\$6,659
6025XL-SH	One section Half height door	25.5"	32.60"	79.5"	20.0	1/4	6.0	115	5-15P	274	110	\$7,348
6051XL-S	Two section Full height door	51"	32.60"	79.5"	43.5	1/3	8.0	115	5-15P	454	110	\$8,615
6051XL-SH	Two section Half height door	51"	32.60"	79.5"	43.5	1/3	8.0	115	5-15P	454	110	\$9,308
6076XL-S	Three section Full height door	76.5"	32.60"	79.5"	66.5	1/4,1/3	16.0	115	5-20P	622	110	\$12,592
6076XL-SH	Three section Half height door	76.5"	32.60"	79.5"	66.5	1/4,1/3	16.0	115	5-20P	622	110	\$13,305
MODEL NUMBER	DESCRIPTION	D L	IMENSIO D	NS H	STOR. Cu. Ft.	H.P.	AMPS	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SOLID DOOR	FREEZERS											
6125XL-S	One section Full height door	25.5"	32.60"	79.5"	20.0	1/2	9.0	115	5-15P	274	110	\$7,937
6125XL-SH	One section Half height doors	25.5"	32.60"	79.5"	20.0	1/2	9.0	115	5-15P	274	110	\$8,633
6151XL-S	Two section Full height door	51"	32.60"	79.5"	43.5	3/4	12.0	115	5-15P	454	110	\$10,602
6151XL-SH	Two section Half height doors	51"	32.60"	79.5"	43.5	3/4	12.0	115	5-15P	454	110	\$11,279
6176XL-S	Three section Full height door	76.5"	32.60"	79.5"	66.5	1/2,3/4	20.0	120- 208	14-20P	622	110	\$15,206
6176XL-SH	Three section Half height doors	76.5"	32.60"	79.5"	66.5	1/2,3/4	20.0	120- 208	14-20P	622	110	\$15,909
MODEL NUMBER	DESCRIPTION	D L	IMENSIO D	NS H	STOR. Cu. Ft.	H.P.	AMPS	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
HINGED GLA	SS DOOR REFRIGER	ATORS*	*									
6025XL-G	One section Full height door	25.5"	33.13"	80.5"	20.0	1/4	6.0	115	5-15P	338	110	\$7,885
6025XL-GH	One section Half height doors	25.5"	33.13"	80.5"	20.0	1/4	6.0	115	5-15P	338	110	\$8,679
6051XL-G	Two section Full height door	51"	33.13"	80.5"	43.5	1/3	8.0	115	5-15P	548	110	\$10,207
6051XL-GH	Two section Half height doors	51"	33.13"	80.5"	43.5	1/3	8.0	115	5-15P	548	110	\$10,998
6076XL-G	Three section Full height door	76.5"	33.13"	80.5"	66.5	1/4,1/3	16.0	115	5-20P	774	110	\$14,481
6076XL-GH	Three section Half height doors	76.5"	33.13"	80.5"	66.5	1/4,1/3	16.0	115	5-20P	774	110	\$15,274

^{**}Shipped flat on pallet with legs for field installation.

Additional Warranty

Net Pricing Two year parts and labor contract -- \$523 6000XL Series accessories and modifications can be found on pages 12.



6000XL™-R - REMOTE REACH-IN REFRIGERATORS 6100XL™-R - REMOTE REACH-IN FREEZERS

Product Information

- · Stainless steel exterior front and doors
- · Aluminum exterior sides
- Three epoxy coated shelves per section
- Built in door locks-solid door units only
- · Delrite® ABS interior liner
- Digital thermometer
- 6" legs standard on all remote models
- Remote units supplied with: evaporator coil, solenoid valve, expansion valve and temperature control. Condensing units to be sized and supplied by others
- One year parts; one year labor; limited lifetime interior liner warranty. Additional warranty available, see below



6025XL-GR

Specifications and Prices

MODEL NUMBER	DESCRIPTION	D L	IMENSIO D	ONS H	STOR. Cu. Ft.	Н.Р.	AMPS	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SOLID DOOR	REFRIGERATORS -	REMOT	E									
6025XL-SR	One section Full height door	25.5"	32.60"	80.5"	20.0	1/4	5.0	115	5-15P	274	110	\$6,350
6025XL-SHR	One section Half height door	25.5"	32.60"	80.5"	20.0	1/4	5.0	115	5-15P	274	110	\$7,011
6051XL-SR	Two section Full height doors	51"	32.60"	80.5"	43.5	1/3	5.0	115	5-15P	454	110	\$8,221
6051XL-SHR	Two section Half height doors	51"	32.60"	80.5"	43.5	1/3	5.0	115	5-15P	454	110	\$8,879
6076XL-SR	Three section Full height doors	76.5"	32.60"	80.5"	66.5	1/4,1/3	5.0	115	5-20P	622	110	\$11,442
6076XL-SHR	Three section Half height doors		32.60"	80.5"	66.5	1/4,1/3	5.0	115	5-20P	622	110	\$12,087
MODEL	DESCRIPTION	D	IMENSIC	ONS	STOR.	H.P.	AMPS	VOLTS	NEMA	SHIP	FREIGHT	LIST
NUMBER		L	D	Н	CU. FT.		Aiiii 0	VOLIO	PLUG	WEIGHT	CLASS	PRICE
SOLID DOOR	FREEZERS - REMO	TE										
6125XL-SR	One section Full height door	25.5"	32.60"	80.5"	20.0	1/2	5.0	115	5-15P	274	110	\$7,500
6125XL-SHR	One section Half height door	25.5"	32.60"	80.5"	20.0	1/2	5.0	115	5-15P	274	110	\$8,158
6151XL-SR	Two section Full height doors	51"	32.60"	80.5"	43.5	3/4	5.0	115	5-15P	454	110	\$10,110
6151XL-SHR	Two section Half height doors	51"	32.60"	80.5"	43.5	3/4	5.0	115	5-15P	454	110	\$10,760
6176XL-SR	Three section Full height doors	76.5"	32.60"	80.5"	66.5	1/2,3/4	5.0	115	(2)5-15P	622	110	\$13,945
6176XL-SHR	Three section Half height doors	76.5"	32.60"	80.5"	66.5	1/2,3/4	5.0	115	(2)5-15P	622	110	\$14,589
MODEL	DESCRIPTION	D	IMENSIC	ONS	STOR.	H.P.	AMPS	VOLTS	NEMA	SHIP	FREIGHT	LIST
NUMBER	DESCRIFTION	L	D	Н	CU. FT.	n.r.	AINIFO	VULIS	PLUG	WEIGHT	CLASS	PRICE
HINGED GLAS	SS DOOR REFRIGE	RATORS	- REMO	ΓE**								
6025XL-GR	One section Full height door	25.5"	33.13"	80.5"	20.0	1/4	5.0	115	5-15P	338	110	\$7,166
6025XL-GHR	One section Half height door	25.5"	33.13"	80.5"	20.0	1/4	5.0	115	5-15P	338	110	\$7,883
6051XL-GR	Two section Full height doors	51"	33.13"	80.5"	43.5	1/3	5.0	115	5-15P	548	110	\$9,272
6051XL-GHR	Two section Half height doors	51"	33.13"	80.5"	43.5	1/3	5.0	115	5-15P	548	110	\$9,990
6076XL-GR	Three section Full height doors	76.5"	33.13"	80.5"	66.5	1/4,1/3	5.0	115	5-20P	774	110	\$13,157
6076XL-GHR	Three section Half height doors	76.5"	33.13"	80.5"	66.5	1/4,1/3	5.0	115	5-20P	774	110	\$14,076

^{**}Shipped flat on pallet with legs for field installation.

6000XL Series accessories and modifications can be found on pages 12.

Additional Warranty

Net Pricing Two year parts and labor contract -- \$523



6000XL[™] - REACH-IN REFRIGERATORS ACCESSORIES 6100XL[™] - REACH-IN FREEZERS ACCESSORIES 6000XL[™]-R - REMOTE REACH-IN REFRIGERATORS ACCESSORIES 6100XL[™]-R - REMOTE REACH-IN FREEZERS ACCESSORIES

Accessories and Modifications

Non standard hingingN/C
AS000-AXD-0030 6" legs (1 & 2 section, field installed)\$119
AS000-AXD-0031 6" legs (3 section, field installed)\$119
Casters on glass door units (per section)\$476
AS3978270 Additional one section epoxy coated shelf (or middle of 3 section)\$81
AS3978277 Additional left section epoxy coated shelf\$81
AS3978278 Additional right section epoxy coated shelf\$81
AS3977994 TR-8B Tray rack\$312
XL3105C Stainless steel ends\$1,360
XL3102A Stainless steel back (1 section)\$802
XL3102B Stainless steel back (2 section)\$1,431
XL3102C Stainless steel back (3 section)\$2,150
M3108B Two half height solid doors in lieu of one full height solid door (per section)\$736
M3109B Two half height glass doors in lieu of one full height glass door (per section)\$819
AS000-B88-0031 220/60/1 voltage package
(transformer shipped loose, not installed at factory)\$1,285
M3141A 230/50/1 voltage package\$850
XL3135 Electronic control with Celsius readout\$244





SSR/SAR/SMR - REACH-IN REFRIGERATORS SSRN/SARN/SMRN - NARROW REACH-IN REFRIGERATORS SSRS/SARS/SMRS - SHALLOW REACH-IN REFRIGERATORS

Product Information

- On-board high/low temp alarm
- All series standard with Delrite® ABS interior door
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)
- Built in door locks
- Digital thermometer

- Three wire shelves per section SA/SS standard chrome plated shelves and SM standard with epoxy coated shelves.
- 10' cord and plug standard on all 115 volt units
- Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.



Specifications and Prices

MODEL		OVERA	LL	STOR.	# OF		SHIP	FULL	HALF HEIGHT	FULL	HALF
NUMBER	L	D	Н	CU. FT.	SHLVS.	H.P.	WEIGHT	HEIGHT SOLID	SOLID	HEIGHT GLASS	HEIGHT GLASS
REACH-IN REF	RIGER	ATORS	- HINGE	D DOORS-S	STANDARD W	/IDTH & D	EPTH				
Stainless steel	in and	out									
SSR1	29"	34"	82"	24.96	3	1/4	418	\$12,956	\$13,346	\$13,724	\$14,130
SSR2	56"	34"	82"	51.92	6	1/3	650	\$17,495	\$18,037	\$19,021	\$19,616
SSR3	83"	34"	82"	78.89	9	1/2	830	\$24,068	\$24,781	\$26,366	\$27,159
Stainless steel	out - a	luminur	m in								
SAR1	29"	34"	82"	24.96	3	1/4	418	\$11,691	\$12,003	\$12,504	\$12,827
SAR2	56"	34"	82"	51.92	6	1/3	650	\$15,830	\$16,300	\$17,422	\$17,947
SAR3	83"	34"	82"	78.89	9	1/2	830	\$21,748	\$22,556	\$24,142	\$24,881
Stainless steel	front -	alumin	um sides	and interio	r						
SMR1	29"	34"	82"	24.96	3	1/4	418	\$7,705	\$8,218	\$10,838	\$11,120
SMR2	56"	34"	82"	51.92	6	1/3	650	\$11,068	\$12,326	\$15,100	\$15,555
SMR3	83"	34"	82"	78.89	9	1/2	830	\$15,734	\$17,605	\$21,335	\$21,990
HINGED DOOR	S—NA	RROW	WIDTH								
Stainless steel	in and	out									
SSR1N	25"	34"	82"	20.97	3	1/4	398	\$12,956	\$12,997	\$13,384	\$13,783
SSR2N	48"	34"	82"	43.94	6	1/3	588	\$16,495	\$16,988	\$18,038	\$18,572
Stainless steel	out - a	luminur	m in								
SAR1N	25"	34"	82"	20.97	3	1/4	398	\$11,704	\$12,004	\$12,504	\$12,827
SAR2N	48"	34"	82"	43.94	6	1/3	588	\$14,906	\$15,368	\$16,507	\$17,005
Stainless steel	front -	alumin	um sides	and interio	r						
SMR1N	25"	34"	82"	20.97	3	1/4	398	\$10,345	\$10,610	\$11,051	\$11,336
SMR2N	48"	34"	82"	43.94	6	1/3	588	\$13,173	\$13,580	\$14,308	\$15,028
HINGED DOOR	S—SH	ALLOW	DEPTH								
Stainless steel	in and	out									
SSR1S	29"	26"	82"	18.25	3	1/4	396	\$13,259	\$13,664	\$14,050	\$14,465
SSR2S	56"	26"	82"	37.96	6	1/3	586	\$16,928	\$18,037	\$19,021	\$19,615
SAR1S	29"	26"	82"	18.25	3	1/4	396	\$11,981	\$12,289	\$12,803	\$13,132
SAR2S	56"	26"	82"	37.96	6	1/3	586	\$15,259	\$15,731	\$16,896	\$17,410
SMR1S	29"	26"	82"	18.25	3	1/4	396	\$10,589	\$10,862	\$11,313	\$11,606
SMR2S	56"	26"	82"	37.96	6	1/3	586	\$13,486	\$13,903	\$14,931	\$15,386
SLIDING DOOR	RS										
Stainless steel	in and	out									
SSR2	56"	34"	82"	51.92	6	1/3	670	\$22,277	\$22,958	\$22,277	\$22,958
SSR2S	56"	26"	82"	37.96	6	1/3	670	\$22,277	\$22,958	\$22,277	\$22,958
SAR2	56"	34"	82"	51.92	6	1/3	670	\$21,298	\$21,936	\$21,298	\$21,936
SAR2S	56"	26"	82"	37.96	6	1/3	670	\$21,298	\$21,936	\$21,298	\$21,936
SMR2	56"	34"	82"	51.92	6	1/3	670	\$18,822	\$19,387	\$18,459	\$19,013
SMR2S	56"	26"	82"	37.96	6	1/3	670	\$18,822	\$19,387	\$18,822	\$19,387



SSD/SAD/SMD - REACH-IN & PASS-THRU DUAL TEMP UNITS



SSDRL2-SH

Product Information

- · On-board high/low temp alarm
- All series standard with Delrite® ABS interior door liner
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)
- Built in door locks
- Digital thermometer
- Three wire shelves per section SA/SS standard chrome plated shelves and SM standard with epoxy coated shelves.

- 10' cord and plug standard on all 115 volt units
- Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.

Specifications and Prices

MODEL NUMBER	L	OVERALL D	Н	STOR. Cu. Ft.	# OF SHLVS.	SHIP WEIGHT	H.P.	FULL HEIGHT SOLID	HALF HEIGHT SOLID	FULL HEIGHT GLASS	HALF HEIGHT GLASS
		-	REEZE	R COMBIN	ATIONS - D	UAL TEMPS	-HINGED DOOF	RS-STANDARD	WIDTH & DEP	TH	
Stainless s			00"	11 50*	4	F0F	D 4/F F 1/0		¢4€ AEE		ė00 040
SSDTR1	29"	34"	82"	11.52*	4	525	R-1/5, F-1/3	-	\$16,455	•	\$20,849
SSDBR1	29"	34"	82"	11.52*	4	525	R-1/5, F-1/3	-	\$16,455	-	\$20,849
SSDRL2	56"	34"	82"	24.96*	6	730	R-1/4, F-1/2	\$21,632	\$22,282	\$22,472	\$24,227
SSDFL2	56"	34"	82"	24.96*	6	730	R-1/4, F-1/2	\$21,632	\$22,282	\$22,472	\$24,227
Stainless s	teel ou	t - aluminu	m in								
SADTR1	29"	34"	82"	11.52*	4	525	R-1/5, F-1/3	-	\$14,603	-	\$18,953
SADBR1	29"	34"	82"	11.52*	4	525	R-1/5, F-1/3	-	\$14,603	-	\$18,953
SADRL2	56"	34"	82"	24.96*	6	730	R-1/4, F-1/2	\$19,183	\$19,755	\$20,100	\$21,769
SADFL2	56"	34"	82"	24.96*	6	730	R-1/4, F-1/2	\$19,183	\$19,755	\$20,100	\$21,769
Stainless s	teel fro	nt - alumin	um sid	es and inte	rior						
SMDTR1	29"	34"	82"	11.52*	4	525	R-1/5, F-1/3	-	\$13,154	-	\$17,073
SMDBR1	29"	34"	82"	11.52*	4	525	R-1/5, F-1/3	-	\$13,154	-	\$17,073
SMDRL2	56"	34"	82"	24.96*	6	730	R-1/4, F-1/2	\$17,282	\$17,796	\$18,108	\$19,611
SMDFL2	56"	34"	82"	24.96*	6	730	R-1/4, F-1/2	\$17,282	\$17,796	\$18,108	\$19,611
MODEL NUMBER	L	OVERALL D	Н	STOR. Cu. Ft.	# OF SHLVS.	SHIP WEIGHT	Н.Р.	FULL HEIGHT SOLID	HALF HEIGHT SOLID		
PASS-THR	U REFF	RIGERATOF	R/FREEZ	ZER COMBI	NATIONS -	DUAL TEMI	PS -HINGED DO	ORS-STANDAR	D WIDTH & DE	PTH	-
Stainless s							5 4/4 5 5 11	400.055	407.704		
SSDRP2	56"	36.25"	82"	24.96*	6	730	R-1/4, F-3/4	\$26,952	\$27,731		
SSDFP2	56"	36.25"	82"	24.96*	6	730	R-1/4, F-3/4	\$26,952	\$27,731		
Stainless s	56"	t - aluminu 36.25"	82"	24.96*	6	730	R-1/4, F-3/4	\$26,098	\$26,873		
SADFP2	56"	36.25"	o2 82"	24.96*	6	730	R-1/4, F-3/4	\$26,098	\$26,873		
		nt - alumin				700	11 1/7, 1 0/7	Ψ20,030	Ψ20,010		
SMDRP2	56"	36.25"	82"	24.96*	6	730	R-1/4, F-3/4	\$23,510	\$24,203		
SMDFP2	56"	36.25"	82"	24.96*	6	730	R-1/4, F-3/4	\$23,510	\$24,203		
Glass door n		-	s door	on one sid	e and a sol	id door on th	ne other.				

*Each sections capacity



SSH/SAH/SMH - REACH-IN HOT FOOD CABINETS SSHPT/SAHPT/SMHPT - PASS-THRU HOT FOOD CABINETS

Product Information

- On-board high/low temp alarm
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior
- Built in door locks
- Digital thermometer
- Three chrome plated wire shelves per section
- 10' cord and plug standard on all 115 volt units
- Environmentally friendly HFC-404A refrigerant

- All Specification Line models have a freight class
- Two year parts labor warranty; five year compressor warranty.



SSH2-S

Specifications and Prices

MODEL NUMBER	L	OVERAL. D	L H	STOR. Cu. Ft.	# OF SHLVS.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID	FULL HEIGHT GLASS	HALF HEIGHT GLASS
						RD WIDTH &				
Stainless sto										
SSH1	29"	34"	82"	24.96	3	418	\$10,984	\$11,313	\$11,771	\$12,439
SSH2	56"	34"	82"	51.92	6	650	\$15,982	\$16,446	\$17,550	\$18,891
SSH3	83"	34"	82"	78.89	9	830	\$22,444	\$23,300	\$24,796	\$26,808
Stainless st	eel out -	aluminun	n in							
SAH1	29"	34"	82"	24.96	3	418	\$9,921	\$10,248	\$10,710	\$11,388
SAH2	56"	34"	82"	51.92	6	650	\$14,433	\$14,872	\$16,018	\$17,371
SAH3	83"	34"	82"	78.89	9	830	\$20,185	\$20,868	\$22,558	\$24,589
Stainless st	eel front	- aluminu	ım sides	and interio	r					
SMH1	29"	34"	82"	24.96	3	418	\$7,302	\$8,167	\$9,109	\$9,686
SMH2	56"	34"	82"	51.92	6	650	\$10,599	\$11,109	\$13,624	\$14,774
SMH3	83"	34"	82"	78.89	9	830	\$17,165	\$17,751	\$19,185	\$20,910
HINGED DO	ORS-NA	RROW W	IDTH							
Stainless st	eel in an	d out								
SSH2N	48"	34"	82"	43.94	6	588	\$17,880	\$18,344		
Stainless st	eel out -	aluminun	n in							
SAH2N	48"	34"	82"	43.94	6	588	\$16,516	\$16,953		
Stainless st	eel front	- aluminu	ım sides	and interio	r					
SMH2N	48"	34"	82"	43.94	6	588	\$14,046	\$14,418		
MODEL NUMBER	L	OVERAL. D	L H	STOR. Cu. Ft.	# OF SHLVS.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID		
PASS THRU	HOT FO	OD CABI	NETS-H	INGED DOO	RS-STAND	ARD WIDTH	& DEPTH			
Stainless st	eel in an	d out								
SSHPT1	29"	36.25"	82"	26.96	3	398	\$13,099	\$13,592		
SSHPT2	56"	36.25"	82"	51.92	6	650	\$19,431	\$20,011		
Stainless st	eel out -	aluminun	n in							
SAHPT1	29"	36.25"	82"	26.96	3	398	\$11,735	\$12,094		
SAHPT2	56"	36.25"	82"	51.92	6	650	\$17,401	\$17,934		
Stainless sto	eel front	- aluminu	ım sides	s and interio	or					
SMHPT1	29"	36.25"	82"	26.96	3	398	\$10,373	\$10,688		
SMHPT2	56"	36.25"	82"	51.92	6	650	\$15,382	\$15,850		
Glass door	models h	nave a gla	ss door	on one side	and a soli	d door on the	e other.			



SSF/SAF/SMF - REACH-IN FREEZERS SSFN/SAFN/SMFN - NARROW REACH-IN FREEZERS SSFS/SAFS/SMFS - SHALLOW REACH-IN FREEZERS



Product Information

- · On-board high/low temp alarm
- All series standard with Delrite® ABS interior door liner
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)
- Built in door locks
- Digital thermometer
- Three wire shelves per section SA/SS standard chrome plated shelves and SM standard with epoxy coated shelves.

- 10' cord and plug standard on all 115 volt units
- Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.

Specifications and Prices

- -											
MODEL NUMBER		OVERA		STOR. Cu. Ft.	# OF SHLVS.	H.P.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID	FULL HEIGHT GLASS	HALF HEIGHT GLASS
REACH-IN I	L	De e	H				WLIGHT	JOLID	JOLID	ULAGO	- ULAGO
Stainless st			IANDAI	1D WIDIII	Q DLI III						
SSF1	29"	34"	82"	24.96	3	S-1/2, G-3/4	440	\$14,757	\$15,188	\$16,921	\$17,578
SSF2	56"	34"	82"	51.92	6	S-3/4, G-1	710	\$19,600	\$20,210	\$23,927	\$25,239
SSF3	83"	34"	82"	78.89	9	S-1,G-1	960	\$27,984	\$28,850	\$29,189	\$31,261
Stainless st	eel out	- alumi	num in			- 1,- 1		, ,,,	+ ==,===	1 _0,:50	4 01,201
SAF1	29"	34"	82"	24.96	3	S-1/2,G-3/4	440	\$13,068	\$13,474	\$15,213	\$15,863
SAF2	56"	34"	82"	51.92	6	S-3/4,G-1	710	\$17,383	\$17,913	\$21,668	\$22,966
SAF3	83"	34"	82"	78.89	9	S-1,G-1	960	\$24,829	\$25,579	\$26,071	\$28,123
Stainless st	eel fror	ıt - alur	ninum s	sides and in	nterior	,					
SMF1	29"	34"	82"	24.96	3	S-1/2,G-3/4	440	\$10,092	\$10,603	\$13,441	\$14,015
SMF2	56"	34"	82"	51.92	6	S-3/4,G-1	710	\$13,870	\$14,891	\$19,144	\$20,292
SMF3	83"	34"	82"	78.89	9	S-1,G-1	960	\$19,134	\$20,665	\$23,033	\$24,847
MODEL		OVERA	LL	STOR.	# 0F	<i>u</i> n	SHIP	FULL HEIGHT	HALF HEIGHT		
NUMBER	L	D	Н	CU. FT.	SHLVS.	H.P.	WEIGHT	SOLID	SOLID		
REACH-IN I	FREEZE	RS - N	ARROW	/ WIDTH							
Stainless st	eel in a	nd out									
SSF1N	25"	34"	82"	20.97	3	1/2	408	\$14,757	\$15,188		
SSF2N	48"	34"	82"	43.94	6	3/4	680	\$19,135	\$19,722		
Stainless st	eel out	- alumi	num in								
SAF1N	25"	34"	82"	20.97	3	1/2	408	\$13,068	\$13,474		
SAF2N	48"	34"	82"	43.94	6	3/4	680	\$16,960	\$17,513		
Stainless st											
SMF1N	25"	34"	82"	20.97	3	1/2	408	\$11,547	\$11,905		
SMF2N	48"	34"	82"	43.94	6	3/4	680	\$14,986	\$15,472		
MODEL NUMBER	L	OVERAI D	LL H	STOR. Cu. Ft.	# OF SHLVS.	H.P.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID		
REACH-IN I	FREEZE	RS - SI	HALLOV	N DEPTH							
Stainless st	eel in a	nd out									
SSF1S	29"	26"	82"	18.25	3	1/2	406	\$15,105	\$15,531		
SSF2S	56"	26"	82"	37.96	6	3/4	676	\$19,588	\$20,441		
Stainless st	eel out	- alumi	num in								
SAF1S	29"	26"	82"	18.25	3	1/2	406	\$13,378	\$13,792		
SAF2S	56"	26"	82"	37.96	6	3/4	676	\$17,363	\$17,930		
Stainless st	eel fror	ıt - alur	ninum s	sides and in	nterior						
SMF1S	29"	26"	82"	18.25	3	1/2	406	\$11,820	\$12,186		
SMF2S	56"	26"	82"	37.96	6	3/4	676	\$15,341	\$15,841		



SSRPT/SARPT/SMRPT - PASS-THRU REFRIGERATORS SSRPTS/SARPTS/SMRPTS - SHALLOW PASS-THRU REFRIGERATORS SSFPT/SAFPT/SMFPT - PASS-THRU FREEZERS

Product Information

- On-board high/low temp alarm
- All series standard with Delrite® ABS interior door
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)

Built in door locks

Digital thermometer

- Three wire shelves per section SA/SS standard chrome plated shelves and SM standard with epoxy coated shelves.
- 10' cord and plug standard on all 115 volt units
- Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.



SSRPT1-S (shown with optional casters)

Specifications and Prices

MODEL NUMBER	L	OVERALL D	н	STOR. CU. FT.	# OF SHLVS.	H.P.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID	FULL HEIGHT GLASS	HALF HEIGHT GLASS
PASS-THRU	J REFR	IGERATOR	S -HINO	GED DOOF	RS-STAND	ARD WIDTH				·	
Stainless st	eel in a	ind out									
SSRPT1	29"	36.25"	82"	26.64	3	S-1/4,G-1/3	455	\$15,068	\$15,536	\$16,596	\$17,111
SSRPT2	56"	36.25"	82"	55.42	6	1/2	700	\$22,265	\$22,934	\$25,333	\$26,111
SSRPT3	83"	36.25"	82"	84.19	9	S-1/2,G-3/4	972	\$30,393	\$31,288	\$34,995	\$36,038
Stainless or	ıt - Alu	minum in									
SARPT1	29"	36.25"	82"	26.64	3	S-1/4,G-1/3	455	\$13,493	\$13,907	\$15,075	\$15,540
SARPT2	56"	36.25"	82"	55.42	6	1/2	700	\$19,935	\$20,536	\$23,092	\$23,795
SARPT3	83"	36.25"	82"	84.19	9	S-1/2,G-3/4	972	\$27,212	\$28,031	\$32,013	\$32,922
Stainless st	eel froi	nt - aluminu	m side	s and inte	rior						
SMRPT1	29"	36.25"	82"	26.64	3	S-1/4,G-1/3	455	\$12,038	\$12,409	\$13,451	\$13,867
SMRPT2	56"	36.25"	82"	55.42	6	1/2	700	\$17,789	\$18,325	\$20,604	\$21,233
SMRPT3	83"	36.25"	82"	84.19	9	S-1/2,G-3/4	972	\$23,427	\$24,156	\$27,710	\$28,520
MODEL NUMBER	L	OVERALL D	Н	STOR. CU. FT.	# OF SHLVS.	Н.Р.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID		
PASS-THRU	J REFR	IGERATOR	S -HINC	GED DOOF	RS-SHALL	OW DEPTH					
Stainless st	eel in a	ind out									
SSRPT1S	29"	28.25"	82"	18.25	3	1/3	455	\$15,425	\$15,905		
SSRPT2S	56"	28.25"	82"	37.96	6	1/2	700	\$22,303	\$22,974		
Stainless ou	ıt - Alu	minum in									
SARPT1S	29"	28.25"	82"	18.25	3	1/3	455	\$13,811	\$14,234		
SARPT2S	56"	28.25"	82"	37.96	6	1/2	700	\$19,990	\$20,565		
Stainless st	eel froi	nt - aluminu	m side	s and inte	rior						
SMRPT1S	29"	28.25"	82"	18.25	3	1/3	455	\$12,322	\$12,702		
SMRPT2S	56"	28.25"	82"	37.96	6	1/2	700	\$17,836	\$18,353		
MODEL NUMBER	L	OVERALL D	Н	STOR. Cu. Ft.	# OF SHLVS.	H.P.	SHIP WEIGHT	FULL HEIGHT SOLID	HALF HEIGHT SOLID		
PASS-THRU			ED DO	ORS-STAN	NDARD W	IDTH					
Stainless st											
SSFPT1	29"	36.25"	82"	26.64	3	3/4	672	\$16,748	\$17,176		
SSFPT2	56"	36.25"	83"	55.42	6	1	1001	\$24,945	\$25,564		
SSFPT3	83"	36.25"	85"	84.19	9	1 1/2	1268	\$35,820	\$37,098		
Stainless ou	ıt - Alu	minum in									
SAFPT1	29"	36.25"	82"	26.64	3	3/4	672	\$15,111	\$15,536		
SAFPT2	56"	36.25"	83"	55.42	6	1	1001	\$22,999	\$23,843		
SAFPT3	83"	36.25"	85"	84.19	9	1 1/2	1268	\$34,001	\$35,268		
Stainless st	eel froi	nt - aluminu	m side	s and inte	rior						
SMFPT1	29"	36.25"	82"	26.64	3	3/4	672	\$13,352	\$13,727		
SMFPT2	56"	36.25"	83"	55.42	6	1	1001	\$20,320	\$21,065		
SMFPT3	83"	36.25"	85"	84.19	9	1 1/2	1268	\$30,038	\$31,162		
Glass door	models	have a gla	ss doni	on one s	ide and a	solid door on t	he other.				

Glass door models have a glass door on one side and a solid door on the other.



SSRFF - FISH DRAWER REACH-INS

Product Information



SSRFF2

- On-board high/low temp alarm
- All series standard with Delrite® ABS interior door liner
- · Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)
- Built in door locks
- Digital thermometer
- 10' cord and plug standard on all 115 volt units

- Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.

Specifications and Prices

MODEL		OVERA	LL	STOR.	# OF	H.P.	SHIP	FULL HEIGHT
NUMBER	L	D	Н	CU. FT.	SHLVS.	n.r.	WEIGHT	SOLID
FISH DRAWE	R REA	CH-IN -	FOUR FIS	SH DRAWERS	PER SECTION	ON		
Stainless stee	el in an	d out						
SSRFF1	29"	34"	82"	24.96	N/A	1/4	418	\$17,099
SSRFF2	56"	34"	82"	51.92	N/A	1/3	650	\$25,859

Specification Line Series accessories and modifications can be found on pages 21-23. No electrical options available for models on this page.



^{*} Limited accessories available for fish file units - please contact factory.

^{**} Connection to floor drain required by operator.

SSRRI/SARRI/SMRRI - ROLL-IN REFRIGERATORS SSFRI/SAFRI/SMFRI - ROLL-IN FREEZERS SSHRI/SAHRI/SMHRI - HOT FOOD ROLL-INS

Product Information

- On-board high/low temp alarm
- All series standard with Delrite® ABS interior door liner (refrigerator & freezer units only)
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)
- Built in door locks

- Digital thermometer
- 10' cord and plug standard on all 115 volt units
- New lower ramp height
- Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.



SSRRI2-S

Specifications and Prices

MODEL NUMBER	0 L	VERA D	LL H	STOR. Cu. Ft.	# OF SHLVS.	H.P.	SHIP WEIGHT	FULL HEIGHT SOLID	FULL HEIGHT GLASS
ROLL-IN REF	RIGER	ATOI	RS						
Stainless steel	in an	d ou	t						
SSRRI1	34"	34"	89"	36.15	N/A	S-1/4,G-1/3	476	\$12,603	\$14,048
SSRRI2	66"	34"	89"	74.72	N/A	S-1/3,G-1/2	768	\$17,178	\$20,071
SSRRI3	98"	34"	89"	113.28	N/A	S-1/2,G-3/4	1044	\$23,252	\$28,594
Stainless out -	alum	inum	ı in						
SARRI1	34"	34"	89"	36.15	N/A	S-1/4,G-1/3	476	\$12,196	\$13,756
SARRI2	66"	34"	89"	74.72	N/A	S-1/3,G-1/2	768	\$16,612	\$19,737
SARRI3	98"	34"	89"	113.28	N/A	S-1/2,G-3/4	1044	\$22,475	\$28,246
Stainless steel	front	- alu	ıminı	ım sides a	ınd interio	or			
SMRRI1	34"	34"	89"	36.15	N/A	S-1/4,G-1/3	476	\$10,278	\$11,592
SMRRI2	66"	34"	89"	74.72	N/A	S-1/3,G-1/2	768	\$14,686	\$17,449
SMRRI3	98"	34"	89"	113.28	N/A	S-1/2,G-3/4	1044	\$18,939	\$23,802

MODEL	0	VERA	ILL	STOR.	# OF		SHIP	FULL HEIGHT
NUMBER	L	D	Н	CU. FT.	SHLVS.	H.P.	WEIGHT	SOLID
ROLL-IN FREE	ZERS	;						
Stainless steel	in an	d ou	t					
SSFRI1	34"	34"	89"	36.15	N/A	1/2	497	\$17,154
SSFRI2	66"	34"	91"	74.72	N/A	1	824	\$25,518
SSFRI3	98"	34"	90"	113.28	N/A	1-1/2	1128	\$33,629
Stainless out -	alum	inum	ı in					
SAFRI1	34"	34"	89"	36.15	N/A	1/2	497	\$15,484
SAFRI2	66"	34"	91"	74.72	N/A	1	824	\$22,639
SAFRI3	98"	34"	90"	113.28	N/A	1-1/2	1128	\$29,827
Stainless steel	front	- alı	ıminı	ım sides a	and interio	r		
SMFRI1	34"	34"	89"	36.15	N/A	1/2	497	\$13,951
SMFRI2	66"	34"	91"	74.72	N/A	1	824	\$20,394
SMFRI3	98"	34"	90"	113.28	N/A	1-1/2	1128	\$25,835

MODEL NUMBER	0	VERA D	LL H	STOR. Cu. Ft.	# OF SHLVS.	MAX WATTS	SHIP WEIGHT	FULL HEIGHT SOLID	FULL HEIGHT GLASS
HOT FOOD RO	11-11			00.11.	UIILUU.	WALL	WEIGHT	OULID	ULNOU
Stainless steel			t						
SSHRI1	34"	34"	89"	36.15	N/A	2160	459	\$12,886	\$14,106
SSHRI2	66"	34"	89"	74.72	N/A	3840	704	\$17.745	\$20,181
SSHRI3			89"	113.28	N/A	4272	1008	\$24,087	\$27,745
Stainless out -				113.20	IV/A	4212	1000	φ 24 ,007	φ21,14J
SAHRI1	34"	34"	89"	36.15	N/A	2160	459	\$11,542	\$12,761
SAHRI2	66"	34"	89"	74.72	N/A	3840	704	\$15,890	\$18,328
Stainless steel	front	- alı	ıminı	ım sides a	ind interior				
SMHRI1	34"	34"	89"	36.15	N/A	2160	459	\$10,201	\$11,279
SMHRI2	66"	34"	89"	74.72	N/A	3840	704	\$14,585	\$16,822



SSRRT/SARRT/SMRRT - ROLL-THRU REFRIGERATORS SSHRT/SAHRT/SMHRT - HOT FOOD ROLL-THRUS



SSRRT1-S

Product Information

- · On-board high/low temp alarm
- All series standard with Delrite® ABS interior door liner (refrigerator & freezer units only)
- Stainless steel interior and exterior (SS)
- Stainless steel exterior/aluminum interior (SA)
- Stainless steel front/aluminum sides and interior (SM)
- Built in door locks

- · Digital thermometer
- 10' cord and plug standard on all 115 volt units
 - New lower ramp height
 - Environmentally friendly HFC-404A refrigerant
- All Specification Line models have a freight class of 110
- Two year parts and labor warranty; five year compressor warranty.

Specifications and Prices

MODEL	(OVERALL		STOR. # OF			SHIP	FULL HEIGHT		
NUMBER	L	D	Н	CU. FT.	SHLVS.	H.P.	WEIGHT	SOLID		
ROLL-THU	REFRI	GERAT	DRS 1	IINGED DO	ORS					
Stainless sto	eel in	and out								
SSRRT1	34"	36.25"	89"	38.58	N/A	1/3	514	\$17,263		
SSRRT2	66"	36.25"	91"	79.74	N/A	1/2	776	\$24,676		
SSRRT3	98"	36.25"	91"	120.90	N/A	3/4	1116	\$32,282		
Stainless sta	eel ou	t - Alum	inum	in						
SARRT1	34"	36.25"	89"	38.58	N/A	1/3	404	\$15,454		
SARRT2	66"	36.25"	91"	79.74	N/A	1/2	736	\$22,098		
SARRT3	98"	36.25"	91"	120.90	N/A	3/4	1056	\$28,904		
Stainless sta	eel fro	nt - aluı	minur	n sides and	Interior					
SMRRT1	34"	36.25"	89"	38.58	N/A	1/3	404	\$13,787		
SMRRT2	66"	36.25"	91"	79.74	N/A	1/2	736	\$22,018		
SMRRT3	98"	36.25"	91"	120.90	N/A	3/4	1056	\$28,803		

MODEL	(OVERAL	L	STOR.	# OF		SHIP	FULL HEIGHT			
NUMBER	L	D	Н	CU. FT.	SHLVS.	BTU	WEIGHT	SOLID			
ROLL-THRU HOT FOOD CABINETS											
Stainless st	eel in	and out									
SSHRT1	34"	36.25"	89"	38.58	N/A	N/A	519	\$15,722			
SSHRT2	66"	36.25"	89"	79.74	N/A	N/A	836	\$22,116			
SSHRT3	98"	36.25"	89"	120.90	N/A	N/A	985	\$29,344			
Stainless st	eel ou	t - Alum	inum	n in							
SAHRT1	34"	36.25"	89"	38.58	N/A	N/A	504	\$14,088			
SAHRT2	66"	36.25"	89"	79.74	N/A	N/A	806	\$19,818			
SAHRT3	98"	36.25"	89"	120.90	N/A	N/A	940	\$26,335			
Stainless st	eel fro	nt - aluı	minu	m sides and	l interior						
SMHRT1	34"	36.25"	89"	38.58	N/A	N/A	504	\$12,453			
SMHRT2	66"	36.25"	89"	79.74	N/A	N/A	806	\$17,518			



REACH-IN REFRIGERATORS/FREEZERS/HOT FOOD CABINETS PASS-THRU REFRIGERATORS/FREEZERS/HOT FOOD CABINETS DUAL TEMPS – OPTIONS

Doors -	Please contact factory for available door options on our pass-thru offering
SLARP3108B	Half height solid stainless stell door pair in lieu of one full height hinged solid door\$446
SLARPF3108B	Half height solid stainless stell door pair in lieu of one full height hinged solid door\$445
SLARP3111A	Full height hinged glass door in lieu of one full height solid stainless steel hinged door-refrigerator & hot food Full size and shallow only\$761
SLARPF3111A	Full height hinged glass door in lieu of one full height solid stainless steel door - freezer\$968
SLARP3115A	Half height hinged glass door pair in lieu of one full height hinged stainless steel door - refrigerator & hot food Full size and shallow only\$1,457
SLARPF3115A	Half height hinged glass door pair in lieu of one full height hinged stainless steel door - freezer Full size only\$1,452
SLARP3109A	One half height hinged glass door in lieu of one half height hinged stainless steel door - refrigerator & hot food Full size and shallow only\$371
SLARPF3109A	One half height hinged glass door in lieu of one half height hinged stainless steel door - freezer Full size only\$727
SLARP3113B	Half height sliding glass doors in lieu of two half height stainless steel doors (1 set) - refrigerator only Full size and shallow only\$2,124
SLARP3113C	Half height sliding glass doors in lieu of two half height hinged glass doors (1 set) - refrigerator only Full size and shallow only\$558
SLARP3110	Stainless steel fixed panel in lieu of half height hinged stainless steel doors
	A-1 section
SLARP3139	Three drawers (holds (2) 12"x 20"x 6" pans) in lieu of one half height stainless steel doors Full size only\$2,876
AS000-AB9-02	5KStainless steel interior door liner in lieu of ABSN/C
Cabinet SLARP3102	Options Stainless steel back with stainless steel louver A-1 section
SLARP3103	Stainless steel rear louver \$293 A-1 section
SLARP3114	Front or rear stainless steel kickplate A-1 section\$727 B-2 section
OL ADDC444	C-3 section
SLARP3114	Laminate front or rear kickplate D-1 section\$567 E-2 section\$1,191 F-3 section\$1,786
4" high stainle	ASO00-B6R-0030: 1 section\$565

SLARP3151	Stainless steel end kickplate\$357
SLARP3152	Heat shield end\$721
AS000-BYT-00	30 Stainless steel banking strip\$263
ACOOD DVT OO	04 Chainlean ahaal wall huim 07 wide
A9000-B11-00	31 Stainless steel wall trim 8" wide A-1 piece\$174
	B-2 pieces\$336
	D 2 piccos 4000
SLARP3106	Laminate door panel (standard laminates)
	A-Full door\$1,097
	B-Half door\$649
SLARP3107	Laminate upper shroud (standard laminates)
	A-1 section\$738
	C-2 section\$987
	E-3 section\$1,231
01 4000404	Laurington bank (standard laurington)
SLARP3104	Laminate back (standard laminates) A-1 section\$1.392
	A-1 Section\$1,392 B-2 section\$2,793
	6-2 section
	0-3 Section \$4,103
SLARP3105B L	aminate sides, per side (standard laminates)\$1,340
SLARP3135	Electronic control with Celsius readout\$239
Leg/Cas	ter Options
6" polyurethan	e casters in lieu of legs (not available on glass door units)
	AS000-AXD-0054 (1&2 section units)\$335
	AS000-AXD-0055 (3 section units)\$503
6" flanged fee	et in lieu of standard legs
	AS000-BGP-0030 (1&2 section units)\$469 AS000-BGP-0031 (3 section unit)\$705
	A3000-BGP-0031 (3 Section unit)3703
Special 2" hig	h stainless steel leg channel in lieu of legs for curb mount
opeciai 2 IIIy	AS000-BEZ-0030 1 section\$544
	ASOOO-BEZ-0030 1 Section \$344 ASOOO-BEZ-0031 2 section \$1.185
	ASO00-BEZ-0001 2 section
	7,172
SLARP3122H-1	Shipped with legs or casters mounted
	from factory (2 and 3 section only)Add \$224/section





AS000-B6R-0032: 3 section-----\$1,696

REACH-IN REFRIGERATORS/FREEZERS/HOT FOOD CABINETS/DUAL TEMPS/PASS-THRU REFRIGERATORS/FREEZERS/HOT FOOD CABINETS/DUAL TEMPS – OPTIONS

Shelf Options
Additional chrome plated shelf & clips
Hot Food-
AS000-B17-0031 (Standard)\$97
AS000-B17-0035 (Shallow)\$97
A\$000-B17-0033 (Narrow)\$97
Refrigerator/Freezer
AS000-B17-0030 (Standard)\$97
AS000-B17-0034 (Shallow)\$97
AS000-B17-0032 (Narrow)\$97
Stainless steel shelf & clips
AS000-B17-0039 (Standard)\$369
AS000-B17-0041 (Shallow)\$369
AS000-B17-0040 (Narrow)\$369
Chrome plated wine shelf
AS000-B17-0042 (Standard)\$258
A\$000-B17-0043 (Narrow)\$258
Epoxy coated wire shelf (SM refrigerator and freezer models only)
AS000-B17-0036 (Standard)\$79
AS000-B17-0037 (Shallow)\$68
AS000-B17-0038 (Narrow)\$68
Incandescent light for glass door models only (not available on heated units)
SLARP3159A - 1 section\$857
SLARP3159B - 2 section\$1,288
SLARP3159C - 3 section\$1,631
Slide Options
Not available for narrow or shallow width cabinets
NUL AVAITABLE TUI HATTUW UL SHAHUW WIULH GAUTHELS
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support AS000-B17-0057\$55/pair
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support
TS1 - One pair 18"x26" pan flange support

3116 Deduction for epoxy coated shelf -----\$70 each

	tion System/Electrical Opt Systems (condensing unit by others)	ions
	systems (condensing unit by others) 4, 1/3, 1/2 horsepower units	Doduot ¢620
	4, 1/3, 1/2 norsepower units	
	sepower units	
1 110136	spower units	Deauct 4903
	oled refrigeration systems	
	4, 1/3, 1/2 horsepower units	
	sepower units	
1 horse	epower units	Add \$2,789
M3141A 230-50	-1 Electrical	Add \$850
AS000-B88-0030	220-60-1 Electrical (refrigerator/freezer only)	Add \$1,260
(transfori	mer shipped loose, not installed at factory)	
SLARP3144 Bot	tom mount electrical	Add \$536
<i>-</i>	15 1 0 1	
Correctio	nal Package Options	
SLARP3129A Me	sh screen over top of unit	\$373
SLARP3129D Sec	curity screws	\$167
01 4 5 5 5 4 6 6 11 6 1		
SLARP3129H Sin	gle or double locking hasp clip (per door)	\$464
Coverless hinge		N/C
B	Lie wiese	
Pan slide welded	in place ide price	¢197/nair
Auu to si	ide price	\$121/pail
Miss Ont		
Misc. Opt	ions	
Misc. Opt Unit set up for fie	IONS eld rehingeability from factory	N/C
Misc. Opt Unit set up for fie 000-BZP-0040	EIO ITS Eld rehingeability from factory KIT, REVERSE HINGING, REF/FRZ/HTD, SPEC-LII	



ROLL-IN REFRIGERATORS/FREEZERS/HOT FOOD CABINETS/ DUAL TEMPS/ROLL-THRU REFRIGERATORS/FREEZERS/ HOT FOOD CABINETS/DUAL TEMPS – OPTIONS

Doors	
####	One full height hinged stainless steel Reach-In door on roll-through
	in lieu of one roll-in door\$279
инии .	Tue helf heimht himmed steinless steel Deach In deans on well through
	Two half height hinged stainless steel Reach-In doors on roll through in lieu of one roll in door\$698
	III IIEN OI OIIE LOII III NOOL
SI ARP311	1A One full height hinged glass door in lieu of one full height solid
	stainless steel door - refrigerator & hot food only\$761
	7. o.
ASOOO-AB	9-025K Stainless steel interior door liner in lieu of ABSN/C
Cahin	et options
	2 Stainless steel back with stainless steel louver
3LANN3 IU	A-1 section\$928
	B-2 section \$1.863
	C-3 section \$2,791
	,
SLARR310	3 Stainless steel rear louver
	A-1 section\$293
	B-2 section\$599
	C-3 section\$888
SLARR315	2 Heat shield end (per end)\$721
ACOOO DV	F-0030 Stainless steel banking strip\$263
A9000-B1	-0030 Stainless steel banking strip\$203
V6UUU-BA	F-0031 Stainless steel wall trim 8" wide
A0000-D1	A-1 piece\$174
	B-2 pieces\$336
	·
SLARR310	6A Laminate door panel (standard laminates)\$1,097
SLARP310	5B Laminate sides, per side (standard laminates)\$1,340
SLARR310	7 Laminate upper shroud (standard laminates) A-1 section\$736
	A-1 section\$736 B-2 section\$996
	C-3 section \$1,243
SI ARR310	4 Laminate back (standard laminates)
GLAIIII	A-1 section\$1,392
	B-2 section \$2,793
	C-3 section \$4,182
117-AFJ-0	D41 Flat ramp in lieu of inclined rampN/C
SLARP313	5 Electronic control with Celsius readout\$239
Shelf	Options
	7-0066 Half section chrome plated shelf kit
	(shelf supports, 2 shelves & clips)\$844
AS000-B1	7-0065 Full section chrome plated shelf kit
	(shelf supports, 4 shelves & clips) \$1,410
A 1	shows a lated should 0 silve
Additional Hot F	chrome plated shelf & clips
	oou- AS000-B17-0031 (Standard)\$97
	igerator/Freezer
11011	ASOOO-B17-0030 (Standard)\$97
	Ψοί
	steel shelf & clips
	AS000-B17-0039 (Standard)\$369
	ed wire shelf
AS	000-B17-0036 (SM refrigerator and freezer models only)\$79

Refrigeration System/Electrical Opt	ions
Remote Systems (condensing unit by others)	
1/5, 1/4, 1/3, 1/2 horsepower units	
3/4 horsepower units	Deduct \$765
1 horsepower units	Deduct \$905
1 1/2 horsepower units	Deduct \$1,053
Water cooled refrigeration systems	
1/5, 1/4, 1/3, 1/2 horsepower units	Add \$1.395
3/4 horsepower units	
1 horsepower units	
1 1/2 horsepower units	
M3141A 230-50-1 Electrical	Add \$850
AS000-B88-0030 220-60-1 Electrical (refrigerator/freezer only) (transformer shipped loose, not installed at factory)	
Correctional Package Options SLARR3129A Mesh screen over top of unit	\$373
	*
SLARR3129D Security screws	\$167
SLARR3129H Single or double locking hasp clip (per door)	\$464
Coverless hinge	N/C





18600VD - Freestanding Undercounter Multi-Temperature Refrigeration System

F2900VD - Freestanding Equipment Stand Multi-Temperature Refrigeration System



18600VD SERIES FREESTANDING MULTI-TEMPERATURE REFRIGERATION F2900VD SERIES FREESTANDING MULTI-TEMPERATURE REFRIGERATION

Product Information

All Versa Drawer Units

- 4 temperature operation-each drawer is completely independent and can operate as a refrigerator, freezer, chiller or thaw cabinet at any time
- Easy to use microprocessor control with push button function selection
- HACCP electronic record keeping, alarm notifications, and service diagnostics
- Heavy-gauge stainless steel top
- Mechanical access on compressor end of unit
- 32" heavy duty full extension drawers with (2) 12"x20"x6" pan capacity per drawer
- NSF 7 certified
- High density polyurethane foam throughout
- Dart style quick change gaskets
- 8' long electrical cord
- Environmentally friendly HFC-404A refrigerant
- One year parts, one year labor and 5 year compressor warranty

18600 Series Only

- Standard on 6" casters
- · Standard with stainless steel finished ends
- Standard at 34" ADA height
- Standard flat worktop

F2900VD Series Only

- Standard on 6" casters
- Standard with stainless steel finished ends
- Standard at 26" height
- Standard with full perimeter marine edge top

CE Models Only

• CE approved and listed



F2984VDL

10-year Warranty on Delfield's Full Extension Drawer System Track!

VDL - Left hand condensing unit. VDR - Right hand condensing unit.

Specifications and Prices

Freestanding - 18600VD and F2900VD Series

Model Number	Description	L	Overall D	Н	32" Drawers	Н.Р.	Electrical	Amps	Nema Plug	Ship Weight Ibs.	Freight Class	List Price
18650VDL	Worktop	50"	31.5"	34"	2	1/3	115/60/1	6.0	5-15	520	110	\$14,399
18650VDR	Worktop	50"	31.5"	34"	2	1/3	115/60/1	6.0	5-15	520	110	\$14,536
18682VDL	Worktop	82"	31.5"	34"	4	(2) 1/3	115/60/1	12.0	5-15	720	110	\$24,659
18682VDR	Worktop	82"	31.5"	34"	4	(2) 1/3	115/60/1	12.0	5-15	720	110	\$24,659
F2984VDL	Equipment Stand	84"	31.5"	26"	2	1/3	115/60/1	6.0	5-15	520	110	\$17,008
F2984VDR	Equipment Stand	84"	31.5"	26"	2	1/3	115/60/1	6.0	5-15	520	110	\$17,008
18650VDL-CE	Worktop	50"	31.5"	34"	2	1/3	230/50/1	3.6	BST1373	520	110	\$15,546
18650VDR-CE	Worktop	50"	31.5"	34"	2	1/3	230/50/1	3.6	BST1373	520	110	\$15,546
18682VDL-CE	Worktop	82"	31.5"	34"	4	(2) 1/3	230/50/1	7.2	BST1373	720	110	\$25,668
18682VDR-CE	Worktop	82"	31.5"	34"	4	(2) 1/3	230/50/1	7.2	BST1373	720	110	\$25,668
F2984VDL-CE	Equipment Stand	84"	31.5"	26"	2	1/3	230/50/1	3.6	BST1373	520	110	\$18,017
F2984VDR-CE	Equipment Stand	84"	31.5"	26"	2	1/3	230/50/1	3.6	BST1373	520	110	\$18,017





F18RC119-ES1 -119" Pizza Production Center



KITCHEN EXCELERATION™ SYSTEMS

Product Information

Standard Features

- Top is constructed of heavy-duty stainless steel
- High density environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane foam throughout unit
- Snap-in dart style vinyl magnetic gaskets
- Recessed black plastic handle held in with a positive lock system
- 6.12" casters
- 8' long electrical cord
- 36" standard work height
- · Composite cutting board
- Environmentally friendly HFC-404A refrigerant
- Built-in Lincoln CTI (Counter Top Impingment) oven

- Open shelf section for additional storage in base
- Overstructure with ambient topping rack and double tier landing area
- Ambient pan slides accomodate 18"x26" sheet pans

Warranty

- One year parts and labor standard warranty
- Five year compressor warranty



Pizza System

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERALL D	Н	H.P.	AMPS	NEMA PLUG	SHIP WEIGHT	LIST PRICE
F18RC119-ES1I	119" pizza production center, product workflow to the left	119" (302cm)	32" (81cm)	60" (152cm)	1/3	41.0	14-60	980lbs (445kg)	\$35,332
F18RC119-ES1F	119" pizza production center, product workflow to the right	119" (302cm)	32" (81cm)	60" (152cm)	1/3	41.0	14-60	980lbs (445kg)	\$35,332





T Series - Blast Chiller/Shock Freezers



T SERIES BLAST CHILLER/SHOCK FREEZER

Product Information

- Blast chill food product from 200°F to 38°F in approximately 90 minutes
- Shock freeze food product from 200°F to 0°F in approximately 240 minutes
- On board integral printer-date, temperatures and times during all chilling cycles printed
- Automatic hot gas defrost
- Electronic control with 99 program capability and **HACCP** memory
- Time chill or temperature chill
- 1 core temperature probe
- Stainless steel exterior and interior
- Soft chill cycle for delicate foods

- Rehingable doors on T5 and T14D models
- T5 and T14D models have self-contained refrigeration systems
- T24C and T40 are supplied without condensing unit (condensing unit optional)
- T40 cabinet shipped "Knocked-down", field assembly required
- Not available in 230/50/1
- Standard 1 year parts and labor, 5 year compressor warranty



T5



T14D





T24C



T40

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERALL D	Н	CHILL CAPACITY	FREEZE Capacity	CONDENSING UNIT	SHIP WEIGHT	LIST PRICE
T5	Blast Chiller/Shock Freezer	31.5"	27.5"	37"-40"*	44lbs	26lbs	Self contained	275	\$20,083
T14D	Blast Chiller/Shock Freezer	31.5"	43.5"	71.7"	154lbs	120lbs	Self contained	650	\$40,265
T24C	Blast Chiller/Shock Freezer	49.25"	43.25"	60.25"	242	200	Remote	550	\$48,482
T40	Blast Chiller/Shock Freezer	61"	54"	89.5"	440	385	Remote	850	\$65,604
Optional Con	densing Units								
T24CU	Condensing unit T24C	38.4"	30"	29.1"	-	-	Condensing unit	600	\$26,279
T40CU	Condensing unit T40	48"	36"	31"	-	-	Condensing unit	750	\$36,440
T24CUW	Water cooled condensing unit T24C	17"	39.9"	28"	-	-	Condensing unit	600	\$25,198
T40CUW	Water cooled condensing unit T40	17"	46"	30"	-	-	Condensing unit	750	\$34,937

^{*}Unit height 32" - 5" legs adjustable up to 8".

T SERIES BLAST CHILLER/SHOCK FREEZER OPTIONS



Accessories and Modifications

Trolly Guide for T14D allows use of ConvoTherm 6.20 or 10.10 rack (AS323957	78)\$1,348
Condensing unit weatherproof hood - (CUHOOD)	\$3,970
ConvoTherm adapter mount for T5 model (AS3239579) For use when 6.10 oven is mounted on top of the unit	\$816
Casters for T5 model (AS000-AXD-0063) Shipped loose for field assembly	\$317
Casters for T14D model (AS000-AXD-0062) Shipped loose for field assembly	\$317





400 Series - Undercounter Refrigerator/ Freezer Bases

UC4000 Series - Undercounter Refrigerator/ Freezer Bases

UC4400 Series - Undercounter Refrigerator/ Freezer Bases

UCD4400 Series - Undercounter Refrigerator/ Freezer Bases with Drawers

UC4500 Series - Undercounter Freezer Bases



400 - UNDERCOUNTER REFRIGERATORS & FREEZERS UC4000 - UNDERCOUNTER REFRIGERATORS & FREEZERS



406-CA



UC4048

Shown with optional casters

Product Information

400 Series

- Features Delfield's exclusive Delrite ABS interior. ABS is extremely durable - it won't dent, chip or corrode and is backed by a limited lifetime warranty
- Stainless steel front, sides and top
- Two epoxy coated wire shelves, standard installed per unit
- Environmentally friendly R404A refrigerant
- Foamed in place polyurethane cuts energy costs
- · Black recessed quick grip handle
- Rugged 6" high heavy duty metal legs (models 406 & 407 only) Units with a "CA" suffix are standard on 3" casters
- All units come standard hinged right and may be changed at the factory at no charge. Indicate when order is placed
- · 7' cord and plug supplied

UC4000 Series

- Features Delfield's exclusive Delrite ABS interior. ABS is extremely durable - it won't dent, chip or corrode and is backed by a limited lifetime warranty
- · Stainless steel front, sides and top
- Environmentally friendly R404A refrigerant
- Four epoxy coated wire shelves standard installed per unit
- · Black recessed quick grip handle
- Rugged 6" high heavy duty metal legs
- Door hinging available on either right or left, right side is standard
- 6' cord and plug supplied
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL Number	DESCRIPTION	L	OVERALL D	Н	STOR Cu. Ft.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
UNDERCO	UNTER REFRIG	ERATOR	BASES	with stai	nless ste	el top						
406	1 door	27.25"	28.5"	35.5"	5.7	1/5	4.0	115	5-15P	176	110	\$3,816
UNDERCO	UNTER FREEZE	R BASES	S with sta	ainless s	teel top							
407	1 door	27.25"	28.5"	35.5"	5.7	1/5	5.8	115	5-15P	176	110	\$4,331
UNDERCO	UNTER REFRIG	ERATOR	OR FRE	EZER wi	th subto	p and	3.75" c	asters				
406-CA	refrigerator	27.25"	27.75"	33.25"	5.7	1/5	4.0	115	5-15P	168	110	\$3,638
407-CA	freezer	27.25"	27.75"	33.25"	5.7	1/5	5.8	115	5-15P	168	110	\$4,145
MODEL NUMBER	OV L	ERALL D	н	STOR. Cu. Ft.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE	
48" UNDE	RCOUNTER RE	FRIGER/	TOR BA	SES with	stainles	s stee	top					•
UC4048	48"	28.5"	35.5"	11.4	1/5	4.0	115	5-15P	236	110	\$5,539	
48" UNDE	RCOUNTER FR	EEZER B	ASES wi	th stainle	ss steel	top						
UC4148	48"	28.5"	35.5"	11.4	1/3	5.8	115	5-15P	236	110	\$6,146	

400 and 4000 accessories and modifications can be found on page 34.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract --\$523

Five year compressor warranty

1/5 H.P. -----\$108 1/3 H.P. -----\$128



UC4400 - UNDERCOUNTER REFRIGERATORS UC4500 - UNDERCOUNTER FREEZERS

Product Information

- All 4400 and 4500 Series units are 100% front breathing, which allows the unit to be pushed against a wall or built into a cabinet or an existing line up
- "D" prefix models feature Delfield's exclusive new drawer system. Drawers are backed by a 10-year warranty on the track assembly
- Durable, rugged stainless steel sides, top and front
- Features Delfield's exclusive Delrite ABS interior.
 ABS is extremely durable it won't dent, chip
 or corrode and is backed by a limited lifetime
 warranty
- · Heavy duty self-closing hinges

- Environmentally friendly R404A refrigerant
- High density foamed in place polyurethane keeps energy costs low
- Black recessed quick grip handle
- Standard on 3" casters for easy cleaning and installation
- Door hinging available on either right or left, right side is standard
- 6' cord and plug supplied
- One epoxy coated wire shelf, standard installed per door section
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



UC4432N



UC4464N

Specifications and Prices

MODEL NUMBER	DESCRIPTION	,	OVERAL D	L H	VOL CU. FT.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
	ERATED UNDE	RCOU			00.77.				7 2 0 0	WEIGHT	OLAGO	THIOL
UC4427N	one door	27"	31.5"	34.25"	5.7	1/5	3.9	115	5-15P	223	110	\$4,281
UCD4427N	two drawers	27"	31.5"	34.25"	5.7	1/5	3.9	115	5-15P	245	110	\$5,908
32" REFRIG	GERATED UNDE	RCOU	NTER									
UC4432N	one door	32"	31.5"	34.25"	6.9	1/5	3.9	115	5-15P	245	110	\$5,250
UCD4432N	two drawers	32"	31.5"	34.25"	6.9	1/5	3.9	115	5-15P	293	110	\$6,827
48" REFRIG	GERATED UNDE	RCOU	NTER									
UC4448N	two doors	48"	31.5"	34.25"	10.7	1/5	3.9	115	5-15P	316	110	\$5,587
UCD4448N	four drawers	48"	31.5"	34.25"	10.7	1/5	3.9	115	5-15P	398	110	\$8,700
60" REFRIC	GERATED UNDE	RCOU	NTER									
UC4460N	two doors	60"	31.5"	34.25"	15.7	1/5	3.9	115	5-15P	411	110	\$6,606
UCD4460N	four drawers	60"	31.5"	34.25"	15.7	1/5	3.9	115	5-15P	495	110	\$9,700
64" REFRIG	GERATED UNDE	RCOU	NTER									
UC4464N	two doors	64"	31.5"	34.25"	16.7	1/5	3.9	115	5-15P	421	110	\$7,184
UCD4464N	four drawers	64"	31.5"	34.25"	16.7	1/5	3.9	115	5-15P	522	110	\$10,285
72" REFRIC	GERATED UNDE	RCOU	NTER									
UC4472N	three doors	72"	31.5"	34.25"	18.7	1/5	3.9	115	5-15P	461	110	\$7,752
UCD4472N	six drawers	72"	31.5"	34.25"	18.7	1/5	3.9	115	5-15P	545	110	\$11,541
32" FREEZE	ER UNDERCOU	NTER										
UC4532N	one door	32"	31.5"	34.25"	6.9	1/3	9.5	115	5-15P	245	110	\$5,945
UCD4532N 60" FREEZE	two drawers	32" NTER	31.5"	34.25"	6.9	1/3+	12.0	115	5-15P	293	110	\$7,528
UC4560N	two doors	60"	31.5"	34.25"	16.9	1/3	12.0	115	5-15P	411	110	\$8,045

 $400\ and\ 4000\ accessories$ and modifications can be found on page 34.

10-year Warranty on Delfield's Drawer System Track!

Additional Warranties
Net Pricing
One year parts and
labor contract --- \$279

Two year parts and
labor contract -- \$523

Five year compressor
warranty
1/5 H.P. ------ \$108
1/3 H.P. ----- \$128
1/2 H.P. ----- \$139



UNDERCOUNTER ACCESSORIES

400 AND U	C4000	
Backs		
420040 400 0	One section stainless steel back	\$530
420043 4000	Two section stainless steel back	\$770
Casters		
	ride height) NSF certified casters (AS000-AX	
Four 5"(6.0" ri	de height) NSF certified casters (AS000-AXD	-0042)\$225
Collar		
Model 409 sta	cking collar (adds 4" to overall combined hei	ght; for use
with models 4	06/407)	\$271
Door Lock (not a	available on glass doors)	
420104 Origin	al order only; not field-installable; per door -	\$293
Electrical		
420021 230 vo	olt, 50 cycle electrical system	\$432
AS000-B88-00	32 220/60/1 Voltage package	\$1,273
Fronts		
Plastic laminate	front (specify color on original order)	
A130147827	27" units	\$293
A130147848	48" units	\$421
Overshelves		*
	ngle-tier overshelf (for field installation)	
27"		\$355
48"		\$559
Shelves		φοσο
	dditional shelf (48", 72")	\$80
AS3078274 Ac	Iditional shelf (27")	900 082
AS3978275 Ac	Iditional shelf (60")	\$80
	Iditional shelf (32", 64")	
Glass Doors	dutional stich (32 , 64)	φου
	t is required, it must be ordered as an option	1)
	GLSDR24 24"	
	GLSDR27 27"	
	GLSDR30	
4400	GLSDR32 32"	\$930
Stainless steel	overshelves	·
Single tier	27"	\$355
	32"	\$385
	48"	
	60"	\$657
	64"	\$732
	72"	
Double tier	27"	
	32"	\$770
	48"	\$1,118
	60"	\$1,314
	64" 72"	\$1,465
Domoto configur	ration (condensing unit by others)	\$1,01/
AAOOLICHT Into	ior incandescent light	22C¢ 1Juugu 22C¢
44UULIUNI IIILUI	IUI IIIGAIIUGSCEIIL IIUIIL	ø/ JZ

UC4400 AND UC4500 ACCESSORIES

UC4400 AND UC4500 ACCESSORIES
Backs
Stainless steel back
420040 27"\$530
A000-B4V-003N 32"\$530
420043 48"
A000-B4V-003T 60"\$972
A000-B4V-003U 64"
A000-B4V-003W 72" \$1,119
Cutting Board
Composite cutting board
27"\$198
32"\$235
48"
60"\$439
64"\$473
72"\$539
Cutting Top
Full size Polyethylene cutting top 44PCB27 27"\$293
44PCB32 32"\$391
44PCB48 48"\$543
44PCB60 60"\$644
44PCB64 64"\$643
44PCB27 72"\$710
Electrical-(transformers shipped loose, not installed at factory)
420021 230 volt, 50 cycle electrical system \$432
AS000-B88-0032 220/60/1 Voltage package \$1,273
Front
Plastic laminate front (specify color on original order)
A130147827 27"\$293
A130147832 32" \$318
A130147832 32"\$318 A130147848 48"\$421
A130147832 32"\$318 A130147848 48"\$421 A130147860 60"\$496
A130147832 32"\$318 A130147848 48"\$421 A130147860 60"\$496 A130147864 64"\$519
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147832 32"
A130147848 48"
A130147848 48"
A130147832 32"
A130147832 32"
A130147848 48"
A130147848 48"
A130147832 32"
A130147832 32"
A130147832 32"
A130147848 48"
A130147832 32"





400 Series - Work Top Refrigerator/ Freezer Bases

4000 Series - Work Top Refrigerator/ Freezer Bases

4400 Series - Flat Top and Work Top Refrigerators

4500 Series - Flat Top and Work Top Freezers

BUCM/BSTM - Refrigerated Work Tables With and Without Backsplash





400 - REFRIGERATED/FREEZER WORK TABLES ST4000 - REFRIGERATED/FREEZER WORK TABLES



402

Product Information

- Features Delfield's exclusive Delrite ABS interior.
 ABS is extremely durable it won't dent, chip or corrode and is backed by a limited lifetime warranty
- Stainless steel front, sides and top
- Environmentally friendly R404A refrigerant
- Foamed in place polyurethane cuts energy costs
- · Black recessed quick grip handle
- Rugged 6" high heavy duty metal legs
- Door hinging available on either right or left, right side is standard
- 60-cycle single phase electrical system
- 6' cord and plug supplied
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

400 Series Only

Two epoxy coated wire shelves, standard installed per unit

ST4000 Series Only

- 4" backsplash has two knockouts with covers for electrical outlets (outlets provided by others)
- Four epoxy coated wire shelves standard per unit

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERAL D	L H	STOR Cu. Ft.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
WORK TOP	REFRIGERATOR	BASES	with s	tainless	steel top	& bac	ksplash					
402	1 door	27"	28.5"	39.5"	5.7	1/5	4.0	115	5-15P	176	110	\$3,875
WORK TOP	FREEZER BASES	3 with s	stainless	s steel to	op & bac	ksplash	1					
403	1 door	27"	28.5"	39.5"	5.7	1/5	5.8	115	5-15P	184	110	\$4,544
MODEL	OVE	RALL		STOR.	μр	ΔМР	VOLTS	NEMA	SHIP	FREIGHT	LIST	
MODEL NUMBER	OVE L	RALL D	Н	STOR. Cu. Ft.	Н.Р.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE	
NUMBER	<i>OVE</i> <u>L</u> Top refrigera	D		CU. FT.				PLUG				
NUMBER	L	D Tor B		CU. FT.				PLUG				
NUMBER 48" WORK ST4048	<i>L</i> Top refrigera	<i>D</i> T OR B 28.5"	ASES w 39.5"	cu. FT. ith stain 11.4	less stee 1/5	I top & 4.0	backspla	<i>PLUG</i> ash	WEIGHT	CLASS	PRICE	

400 and 4000 accessories and modifications can be found on page 39.

Additional Warranties Net Pricing One year parts and labor contract ---\$279

Two year parts and labor contract --\$523

Five year compressor warranty

1/5 H.P. -----\$108



4400N - REFRIGERATED WORK TABLES 4500N - FREEZER WORK TABLES

Product Information

- All 4400 and 4500 Series units are 100% front breathing, which allows the unit to be pushed against a wall or built into a cabinet or an existing line up
- Durable, rugged stainless steel sides, top and front
- Features Delfield's exclusive Delrite ABS interior (on sides). ABS is extremely durable - it won't dent, chip or corrode and is backed by a limited lifetime warranty
- · Heavy duty self-closing hinges
- "ST" prefix models have a 4" stainless steel backsplash
- "D" prefix models feature Delfield's exclusive new drawer system. Drawers are backed by a 10-year warranty on the track assembly

- Environmentally friendly R404A refrigerant
- High density foamed in place polyurethane keeps energy costs low
- Black recessed quick grip handle
- Standard on 5" casters for easy cleaning and installation
- 60-cycle single phase electrical system
- 6' cord and plug supplied
- One epoxy coated wire shelf standard, installed per door section
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



4464N

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L L	Vork Heig D	ht* H	VOL. Cu. Ft.	Н.Р.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
	GERATED FLAT											
4427N	one door	27"	31.5"	36"	5.7	1/5	3.9	115	5-15P	223	110	\$4,281
D4427N	two drawers	27"	31.5"	36"	5.7	1/5	3.9	115	5-15P	245	110	\$5,908
ST4427N	one door	27"	31.5"	36"	5.7	1/5	3.9	115	5-15P	223	110	\$4,496
STD4427N	two drawers	27"	31.5"	36"	5.7	1/5	3.9	115	5-15P	245	110	\$6,128
32" REFRIG	GERATED FLAT	TOP A	ND WO	RK TOP								
4432N	one door	32"	31.5"	36"	6.9	1/5	3.9	115	5-15P	245	110	\$5,250
D4432N	two drawers	32"	31.5"	36"	6.9	1/5	3.9	115	5-15P	293	110	\$6,827
ST4432N	one door	32"	31.5"	36"	6.9	1/5	3.9	115	5-15P	245	110	\$5,486
STD4432N	two drawers	32"	31.5"	36"	6.9	1/5	3.9	115	5-15P	293	110	\$7,071
48" REFRIG	GERATED FLAT	TOP A	ND WO	RK TOP								
4448N	two doors	48"	31.5"	36"	10.7	1/5	3.9	115	5-15P	316	110	\$5,586
D4448N	four drawers	48"	31.5"	36"	10.7	1/5	3.9	115	5-15P	398	110	\$8,700
ST4448N	two doors	48"	31.5"	36"	10.7	1/5	3.9	115	5-15P	316	110	\$5,864
STD4448N	four drawers	48"	31.5"	36"	10.7	1/5	3.9	115	5-15P	398	110	\$9,067
60" REFRIG	GERATED FLAT											
4460N	two doors	60"	31.5"	36"	15.7	1/5	3.9	115	5-15P	411	110	\$6,606
D4460N	four drawers	60"	31.5"	36"	15.7	1/5	3.9	115	5-15P	495	110	\$9,700
ST4460N	two doors	60"	31.5"	36"	15.7	1/5	3.9	115	5-15P	411	110	\$6,928
STD4460N	four drawers	60"	31.5"	36"	15.7	1/5	3.9	115	5-15P	495	110	\$10,027
64" REFRIG	GERATED FLAT	TOP A										
4464N	two doors	64"	31.5"	36"	16.7	1/5	3.9	115	5-15P	421	110	\$7,260
D4464N	four drawers	64"	31.5"	36"	16.7	1/5	3.9	115	5-15P	522	110	\$10,285
ST4464N	two doors	64"	31.5"	36"	16.7	1/5	3.9	115	5-15P	421	110	\$7,527
STD4464N	four drawers	64"	31.5"	36"	16.7	1/5	3.9	115	5-15P	522	110	\$10,630
	GERATED FLAT											
4472N	three doors	72"	31.5"	36"	18.7	1/5	3.9	115	5-15P	461	110	\$7,752
D4472N	six drawers	72"	31.5"	36"	18.7	1/5	3.9	115	5-15P	545	110	\$11,763
ST4472N	three doors	72"	31.5"	36"	18.7	1/5	3.9	115	5-15P	461	110	\$8,125
STD4472N	six drawers	72"	31.5"	36"	18.7	1/5	3.9	115	5-15P	545	110	\$11,915
32" FREEZE	ER FLAT TOP AI	ND W	ORK TOP	•								
4532N	one door	32"	31.5"	36"	6.9	1/3	9.5	115	5-15P	245	110	\$6,002
D4532N	two drawers	32"	31.5"	36"	6.9	1/3+	12.0	115	5-15P	293	110	\$7,528
ST4532N	one door	32"	31.5"	36"	6.9	1/3	9.5	115	5-15P	245	110	\$6,179
STD4532N	two drawers	32"	31.5"	36"	6.9	1/3+	12.0	115	5-15P	293	110	\$7,969
60" FREEZE	ER FLAT TOP A		ORK TOP	•								
4560N	two doors	60"	31.5"	36"	16.9	1/3	12.0	115	5-15P	411	110	\$8,122
ST4560N	two doors	60"	31.5"	36"	16.9	1/3	12.0	115	5-15P	411	110	\$8,372
* ST models a	are 40" overall h	eight										

4400 and 4500 accessories and modifications can be found on page 39.

Additional Warranties
Net Pricing
One year parts and
labor contract --- \$279

Two year parts and
labor contract -- \$523

Five year compressor
warranty
1/5 H.P. ------ \$108
1/3 H.P. ----- \$128
1/2 H.P. ----- \$139



18600BUCM - REFRIGERATED WORK TABLES 18600BSTM - REFRIGERATED WORK TABLES WITH BACKSPLASH



Product Information

- Stainless steel exterior is standard. Optional laminate facing is available
- Compressor is located on right
- · Finished stainless steel ends
- 18-gauge stainless steel top
- BSTM models indicate a 4" high backsplash
- Environmentally friendly HFC-404A refrigerant

Standard on casters

One year parts 90 days labor standard warranty.
 Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	# OF DOORS	L	OVERALI D	<u>!</u> H	STOR Cu. Ft.	Н.Р.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
REFRIGERATE	D WORK TABLE	S										
	ailable — See acce	essory p	ricing.									
Self-Contained	d											
18648BUCM	(1) 27"	48"	31.5"	36"	10.23	1/5	8.0	115	5-15P	390	110	\$7,225
18660BUCM	19" & 27"	60"	31.5"	36"	15.12	1/5	8.0	115	5-15P	435	110	\$8,429
18672BUCM	(2) 27"	72"	31.5"	36"	18.10	1/4	10.0	115	5-15P	495	110	\$9,690
18691BUCM	(2) 27" & 19"	91"	31.5"	36"	24.48	1/4	10.0	115	5-15P	535	110	\$12,239
18699BUCM	(3) 27"	99"	31.5"	36"	27.46	1/3	12.0	115	5-15P	594	110	\$12,837
186114BUCM	(3) 32"	114"	31.5"	36"	37.24	1/3	12.0	115	5-15P	685	110	\$14,789
MODEL	# OF		OVERALI	<u>.</u>	STOR	μр	ΔМР	VOLTS	NEMA	SHIP	FREIGHT	LIST
NUMBER	DOORS	L	D	Н	CU. FT.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
NUMBER REFRIGERATE	DOORS D WORK TABLE	S WITI	D H BACKS	Н	CU. FT.	Н.Р.	AMP	VOLTS				
NUMBER REFRIGERATE Remote units ava	DOORS D WORK TABLE ailable — See acce	S WITI	D H BACKS	Н	CU. FT.	Н.Р.	AMP	VOLTS				
NUMBER REFRIGERATE Remote units ava Self-Contained	DOORS D WORK TABLE ailable — See acce	S WITH essory p	D H BACKS oricing.	H SPLAS	<i>CU. FT.</i> H				PLUG	WEIGHT	CLASS	PRICE
NUMBER REFRIGERATE Remote units ava Self-Contained 18648BSTM	DOORS D WORK TABLE ailable — See acced (1) 27"	S WITI essory p 48"	D H BACKS pricing.	# SPLAS 40"	<i>CU. FT.</i> H	1/5	8.0	115	<i>PLUG</i> 5-15P	<i>WEIGHT</i> 390	110	<i>PRICE</i> \$7,513
NUMBER REFRIGERATE Remote units ava Self-Contained	DOORS D WORK TABLE ailable — See acce 1 (1) 27" 19" & 27"	S WITH essory p	D H BACKS oricing.	H SPLAS	<i>CU. FT.</i> H				PLUG	WEIGHT	CLASS	PRICE
NUMBER REFRIGERATE Remote units ava Self-Contained 18648BSTM	DOORS D WORK TABLE ailable — See acced (1) 27"	S WITI essory p 48"	D H BACKS pricing.	# SPLAS 40"	<i>CU. FT.</i> H	1/5	8.0	115	<i>PLUG</i> 5-15P	<i>WEIGHT</i> 390	110	<i>PRICE</i> \$7,513
NUMBER REFRIGERATE Remote units ava Self-Contained 18648BSTM 18660BSTM	DOORS D WORK TABLE ailable — See acce 1 (1) 27" 19" & 27"	S WITI essory p 48" 60"	D H BACKS pricing. 31.5" 31.5"	# SPLAS 40" 40"	CU. FT. H 10.23 15.12	1/5 1/5	8.0 8.0	115 115	5-15P 5-15P	390 435	110 110	\$7,513 \$8,658
NUMBER REFRIGERATE Remote units ava Self-Contained 18648BSTM 18660BSTM 18672BSTM	DOORS D WORK TABLE ailable — See acce 1 (1) 27" 19" & 27" (2) 27"	8 WITH essory p 48" 60" 72"	DH BACKS oricing. 31.5" 31.5" 31.5"	# SPLAS 40" 40" 40"	CU. FT. H 10.23 15.12 18.10	1/5 1/5 1/4	8.0 8.0 10.0	115 115 115	5-15P 5-15P 5-15P	390 435 495	110 110 110	\$7,513 \$8,658 \$10,070

18600BUCM AND 18600BSTM accessories and modifications can be found on page 39.

Additional Warranties Net Pricing One year parts and labor contract --- \$279 Two year parts and labor contract -- \$523 Five year compressor warranty 1/5 H.P. ------ \$108 1/4 H.P. ----- \$108 1/3 H.P. ----- \$128





WORK TABLE ACCESSORIES

400/4000/4400N/4500N SERIES	
Casters (only for 400/4000 series units)	
Four 3"(3.75" ride height) NSF certified casters	
(AS000-AXD-0041)\$	265
420104 Door lock original order only; (not available on glass doors)	
not field-installable; 1 section\$	293
420102 Door lock original order only; (not available on glass doors)	
not field-installable; 2&3 section\$	586
Shelves	
AS3978273 Additional shelf (48", 72")	\$80
AS3978274 Additional shelf (27")	\$80
AS3978275 Additional shelf (60")	\$80
AS3978276 Additional shelf (32", 64")	\$80
Electrical-(transformers shipped loose, not installed at factory)	
420021 230 volt, 50 cycle electrical system \$	432
AS000-B88-0032 220/60/1 Voltage package \$1,	273
4400EXTHERM Exterior thermometer (44/4500 door models only) - \$	488
Stainless steel overshelves	
Single tier 27"\$	355
32"	385
48"	559
64"\$	55/
72"\$	
Double tier 27"\$	0U9 711
32"\$	7 1 1 770
48"\$1,	118
60"\$1	314
64"\$1,	465
72"\$1,	617
Non-standard pan cutout locations Add \$	558
(see accessory sheet for possible locations)	
Plastic laminate front (specify color on original order)	
A130147827 27" \$	293
A130147832 32" \$	318
A130147848 48"\$	421
A130147860 60"\$	496
A130147864 64"\$	519
A130147872 72"\$	569
Plastic laminate back (specify color on original order)	
A130147827B 27" \$	293
A130147832B 32"\$	318
A130147848B 48"	421
A130147860B 60"	
A130147864B 64" \$	519
A130147872B 72"\$	569
Stainless steel back	
0420040 27"\$	530
A000-B4V-003N 32"\$	530
0420043 48"\$	77N
A000-B4V-003T 60"\$	972
A000-B4V-003U 64"\$1,	
A000-B4V-003W 72"\$1,	119
4400LIGHT Interior incandescent light\$	732

BUCM & BSTM MODELS

BOOM & BOTH MODELO
Stainless steel back (per linear foot)\$25
Laminate facing for BUCM & BSTM units; per linear foot \$12
(Laminate facing for rear of BUCM & BSTM units requires stainless
steel back)
Cutting board (20" wide x 1/2" thick) (BUCM & BSTM)
`48"\$91
60"\$1,06
72"\$1,28
91"\$1,57
99"\$1,82
114"\$2,09
18" wide single tier overshelf (BUCM & BSTM)
48" \$86
60"\$1,08
72"\$1,30
91"\$1,65
99"\$1,79
114"\$2,07
Electrical-(transformers shipped loose, not installed at factory)
230 volt, 50 cycle electrical system\$1,18
220/60/1 Voltage package\$1,18
Drawers 19", 3 high, hold one 12" x 20" x 4" deep pan
per drawer (BUCM & BSTM)\$3,20
Drawers 19", 2 high, hold one 12" x 20" x 6" deep pan
per drawer (BUCM & BSTM)\$2,48
Drawers 27", 2 high, hold two 12" x 20" x 6" deep pans
Drawers 27", 3 high, hold two 12" x 20" x 4" deep pans
per drawer\$3,33 Drawers 27", 3 high, hold two 12" x 20" x 4" deep pans per drawer\$2,62
Drawers 32", 2 high, hold two 12" x 20" x 6" deep pans per drawer\$3,33
per drawer\$3,33
Drawers 32", 3 high, hold two 12" x 20" x 4" deep pans
per drawer\$2,62
Remote refrigeration (BUCM & BSTM)
Overall unit length remains the same.
Delete 1/4, 1/3 and 1/2 horsepower system CREDIT \$61
Delete 1/4, 1/3 and 1/2 horsepower system CREDIT \$61 Delete 3/4 horsepower system CREDIT \$75
TR9B tray rack (base support style for 18" x 26" trays; 2" centers)
(BUCM & BSTM) \$31










4400N Series - Salad Top Compact Prep Tables

18000PTBM - Standard Pizza Prep Tables

18600PTL - LiquiTec® Pizza Prep Tables

18600PDL - Dual Rail Pizza Prep Tables

CTP-NB - Counter Top Prep Rails





4400N - SALAD TOP PREP TABLES

Product Information

- Patented air screen ensures product stays cold without drying it out
- All 4400 Series units are 100% front breathing, which allows the unit to be pushed against a wall or built into a cabinet or an existing line up
- Durable, rugged stainless steel sides, top and front
- Features Delfield's exclusive Delrite ABS interior (on sides). ABS is extremely durable - it won't dent, chip or corrode and is backed by a limited lifetime warranty
- Delfield supplies 1/6 size pans and adapter bars for top opening
- Salad top refrigerators are standard with 10" wide, dishwasher safe polyethylene cutting board with antimicrobial treatment
- "D" prefix models feature Delfield's new drawer system. Drawers are backed by a 10-year warranty on the track assembly

- Environmentally friendly R404A refrigerant
- High density foamed in place polyurethane keeps energy costs low
- Black recessed quick grip handle
- Standard on 5" casters for easy cleaning and installation
- 6' cord and plug supplied
- One epoxy coated wire shelf standard, installed per door section
- "ST" prefix models have a 4" stainless steel backsplash
- · ACT solid state electronic control
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



4427N-6Shown with optional hinged cover



4464N-16



Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERALL D	Н	VOL. Cu. Ft.	1/6 PAN CAP.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
27" SALAD TO	D DEEDIGEDA			п	60.11.	UAI.				7 LUU	WLIGITI	ULAUU	THICL
4427N-6	one door	27"	31.5"	36"	5.7	6	1/5	7.2	115	5-15P	223	110	\$4,340
4427N-0 D4427N-6	two drawers	27"	31.5"	36"	5.7	6	1/5	7.2	115	5-15P	245	110	\$5,912
48" SALAD TO				30	5.7	U	1/3	1.2	113	3-13F	240	110	φυ,91 2
40 SALAD 10 4448N-8	two doors	48"	31.5"	36"	10.7	8	1/5	7.2	115	5-15P	316	110	\$5,840
D4448N-8	four drawers	48"	31.5"	36"	10.7	8	1/5	7.2	115	5-15P	398	110	\$8,927
4448N-12	two doors	48"	31.5"	36"	10.7	12	1/5	7.2	115	5-15P	316	110	\$6,312
1446N-12 D4448N-12		46 48"	31.5"	36"	10.7	12	1/5	7.2	115	5-15P	398	110	\$9,422
ST4448N-8	four drawers	48"		36"	10.7		1/5	7.2	115	5-15P			
	two doors	-	31.5"		-	8		7.2			316	110	\$6,186
STD4448N-8	four drawers	48"	31.5"	36"	10.7	8	1/5	7.2	115	5-15P	398	110	\$9,206
	P REFRIGERA			00"	457	0	4 /0	400	445	E 45D	444	440	67 040
4460N-8	two doors	60"	31.5"	36"	15.7	8	1/2	12.0	115	5-15P	411	110	\$7,312
D4460N-8	four drawers	60"	31.5"	36"	15.7	8	1/2	12.0	115	5-15P	495	110	\$10,411
4460N-12	two doors	60"	31.5"	36"	15.7	12	1/2	12.0	115	5-15P	411	110	\$7,650
D4460N-12	four drawers	60"	31.5"	36"	15.7	12	1/2	12.0	115	5-15P	495	110	\$10,75
ST4460N-8	two doors	60"	31.5"	36"	15.7	8	1/2	12.0	115	5-15P	411	110	\$7,637
STD4460N-8	four drawers	60"	31.5"	36"	15.7	8	1/2	12.0	115	5-15P	495	110	\$10,739
	P REFRIGERA												
4464N-8	two doors	64"	31.5"	36"	16.7	8	1/2	12.0	115	5-15P	421	110	\$7,661
D4464N-8	four drawers	64"	31.5"	36"	16.7	8	1/2	12.0	115	5-15P	522	110	\$10,77
4464N-12	two doors	64"	31.5"	36"	16.7	12	1/2	12.0	115	5-15P	421	110	\$8,083
D4464N-12	four drawers	64"	31.5"	36"	16.7	12	1/2	12.0	115	5-15P	522	110	\$11,194
4464N-16	two doors	64"	31.5"	36"	16.7	16	1/2	12.0	115	5-15P	421	110	\$8,518
D4464N-16	four drawers	64"	31.5"	36"	16.7	16	1/2	12.0	115	5-15P	522	110	\$11,630
ST4464N-8	two doors	64"	31.5"	36"	16.7	8	1/2	12.0	115	5-15P	421	110	\$7,925
STD4464N-8	four drawers	64"	31.5"	36"	16.7	8	1/2	12.0	115	5-15P	522	110	\$11,041
ST4464N-12	two doors	64"	31.5"	36"	16.7	12	1/2	12.0	115	5-15P	421	110	\$8,351
STD4464N-12	four drawers	64"	31.5"	36"	16.7	12	1/2	12.0	115	5-15P	522	110	\$11,463
72" SALAD TO	P REFRIGERAT	TOR B	ASES										
4472N-12	three doors	72"	31.5"	36"	18.7	12	1/2	12.0	115	5-15P	461	110	\$8,735
D4472N-12	six drawers	72"	31.5"	36"	18.7	12	1/2	12.0	115	5-15P	545	110	\$12,773
4472N-18	three doors	72"	31.5"	36"	18.7	18	1/2	12.0	115	5-15P	461	110	\$8,928
D4472N-18	six drawers	72"	31.5"	36"	18.7	18	1/2	12.0	115	5-15P	545	110	\$12,974
ST4472N-12	three doors	72"	31.5"	36"	18.7	12	1/2	12.0	115	5-15P	461	110	\$9,109
STD4472N-12	six drawers	72"	31.5"	36"	18.7	12	1/2	12.0	115	5-15P	545	110	\$13,157

4400N Series accessories and modifications can be found on page 46.

Additional Warranties Net Pricing One year parts and labor contract --- \$279 Two year parts and labor contract -- \$523 Five year compressor warranty 1/5 H.P. ------- \$108

1/2 H.P. ----- \$139




4400NM - MEGA TOP PREP TABLES

Product Information

- Patented air screen design ensures product stays cold without drying it out
- All 4400 Series units are 100% front breathing, which allows the unit to be pushed against a wall or built into a cabinet or an existing line up
- Durable, rugged stainless steel sides, top and front
- Features Delfield's exclusive Delrite ABS interior (on sides). ABS is extremely durable - it won't dent, chip or corrode and is backed by a limited lifetime warranty
- Delfield supplies 1/6 size plastic pans and adapter bars for top opening
- Heavy duty self-closing hinges
- Mega top refrigerators are standard with 8" wide, dishwasher safe polyethylene cutting board with antimicrobial treatment
- "D" prefix models feature Delfield's exclusive new

- drawer system. Drawers are backed by a 10-year warranty on the track assembly (Great for fast replenishment!)
- Environmentally friendly R404A refrigerant
- High density foamed in place polyurethane keeps energy costs low
- Black recessed quick grip handle
- Standard on 5" casters for easy cleaning and installation
- 60-cycle single phase electrical system
- 6' cord and plug supplied
- One epoxy coated wire shelf standard, installed per door section
- "ST" prefix models have a 4" stainless steel backsplash
- ACT solid state electronic control
- One year parts and 90 day labor standard warranty. Additional warranties available.





4432N-12M



4464N-24M



Additional **Warranties**

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty

1/5 H.P. -----\$108 1/2 H.P. -----\$139



STD4472N-18M

STD4472N-24M

ST4472N-24M

72" 31.5"

72" 31.5

4400N Series accessories and modifications can be found on page 46

31.5"

six drawers

three doors

six drawers 72"

36'

36'

36"

18.7

18.7

18.7

18

24

24

1/2 12.0

1/2 12.0

1/2 12.0 115

115

115

5-15P

5-15P

5-15P

545

461

545

110

110

110

\$13,765

\$9,890

\$13,961

UC4400N - REDUCED WORK HEIGHT SALAD TOP PREP TABLES

Product Information

- Patented air screen ensures product stays cold without drying it out
- All 4400 Series units are 100% front breathing, which allows the unit to be pushed against a wall or built into a cabinet or an existing line up
- Durable, rugged stainless steel sides, top and front
- Features Delfield's exclusive Delrite ABS interior (on sides). ABS is extremely durable - it won't dent, chip or corrode and is backed by a limited lifetime warranty
- Delfield supplies 1/6 size pans and adapter bars for top opening
- Salad top refrigerators are standard with 10" wide, dishwasher safe polyethylene cutting board with antimicrobial treatment
- "D" prefix models feature Delfield's new drawer system. Drawers are backed by a 10-year warranty on the track assembly

- Environmentally friendly R404A refrigerant
- High density foamed in place polyurethane keeps energy costs low
- Black recessed quick grip handle
- Standard on 3" casters for easy cleaning and installation
- · 6' cord and plug supplied
- One epoxy coated wire shelf standard, installed per door section
- · ACT solid state electronic control
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



UC4427N-6Shown with optional hinged cover

Specifications and Prices

•			_										
MODEL NUMBER	DESCRIPTION	L	OVERAL D	L H	VOL. Cu. Ft.	1/6 PAN CAP.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
27" SALAD TO	P REFRIGERATO	OR BA	SES										
UC4427N-6	one door	27"	31.5"	34.25"	5.7	6	1/5	7.2	115	5-15P	223	110	\$4,340
UCD4427N-6	two drawers	27"	31.5"	34.25"	5.7	6	1/5	7.2	115	5-15P	245	110	\$5,912
48" SALAD TO	P REFRIGERAT(OR BA	SES										
UC4448N-8	two doors	48"	31.5"	34.25"	10.7	8	1/5	7.2	115	5-15P	316	110	\$5,840
UCD4448N-8	four drawers	48"	31.5"	34.25"	10.7	8	1/5	7.2	115	5-15P	398	110	\$8,927
UC4448N-12	two doors	48"	31.5"	34.25"	10.7	12	1/5	7.2	115	5-15P	316	110	\$6,312
UCD4448N-12	four drawers	48"	31.5"	34.25"	10.7	12	1/5	7.2	115	5-15P	398	110	\$9,422
60" SALAD TO	P REFRIGERAT(OR BA	SES										
UC4460N-8	two doors	60"	31.5"	34.25"	15.7	8	1/2	12.0	115	5-15P	411	110	\$7,312
UCD4460N-8	four drawers	60"	31.5"	34.25"	15.7	8	1/2	12.0	115	5-15P	495	110	\$10,411
UC4460N-12	two doors	60"	31.5"	34.25"	15.7	12	1/2	12.0	115	5-15P	411	110	\$7,650
UCD4460N-12	four drawers	60"	31.5"	34.25"	15.7	12	1/2	12.0	115	5-15P	495	110	\$10,755
64" SALAD TO	P REFRIGERATO	OR BA	SES										
UC4464N-8	two doors	64"	31.5"	34.25"	16.7	8	1/2	12.0	115	5-15P	421	110	\$7,661
UCD4464N-8	four drawers	64"	31.5"	34.25"	16.7	8	1/2	12.0	115	5-15P	522	110	\$10,771
UC4464N-12	two doors	64"	31.5"	34.25"	16.7	12	1/2	12.0	115	5-15P	421	110	\$8,083
UCD4464N-12	four drawers	64"	31.5"	34.25"	16.7	12	1/2	12.0	115	5-15P	522	110	\$11,194
UC4464N-16	two doors	64"	31.5"	34.25"	16.7	16	1/2	12.0	115	5-15P	421	110	\$8,518
UCD4464N-16	four drawers	64"	31.5"	34.25"	16.7	16	1/2	12.0	115	5-15P	522	110	\$11,630
72" SALAD TO	P REFRIGERATO	OR BA	SES										
UC4472N-12	three doors	72"	31.5"	34.25"	18.7	12	1/2	12.0	115	5-15P	461	110	\$8,735
UCD4472N-12	six drawers	72"	31.5"	34.25"	18.7	12	1/2	12.0	115	5-15P	545	110	\$12,773
UC4472N-18	three doors	72"	31.5"	34.25"	18.7	18	1/2	12.0	115	5-15P	461	110	\$8,928
UCD4472N-18	six drawers	72"	31.5"	34.25"	18.7	18	1/2	12.0	115	5-15P	545	110	\$12,974

UC4400N Series accessories and modifications can be found on page 46.



UC4464N-16

10-year Warranty on Delfield's Drawer System Track!

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

warranty 1/5 H.P. ----- \$108 1/2 H.P. ----- \$139

Five year compressor



UC4400NM - REDUCED WORK HEIGHT MEGA TOP PREP TABLES

Product Information

- Patented air screen design ensures product stays cold without drying it out
- All 4400 Series units are 100% front breathing, which allows the unit to be pushed against a wall or built into a cabinet or an existing line up
- Durable, rugged stainless steel sides, top and front
- Features Delfield's exclusive Delrite ABS interior (on sides). ABS is extremely durable it won't dent, chip or corrode and is backed by a limited lifetime warranty
- Delfield supplies 1/6 size plastic pans and adapter bars for top opening
- Heavy duty self-closing hinges
- Mega top refrigerators are standard with 8" wide, dishwasher safe polyethylene cutting board with antimicrobial treatment

- "D" prefix models feature Delfield's exclusive new drawer system. Drawers are backed by a 10-year warranty on the track assembly (Great for fast replenishment!)
- Environmentally friendly R404A refrigerant
- High density foamed in place polyurethane keeps energy costs low
- Black recessed quick grip handle
- Standard on 3" casters for easy cleaning and installation
- · 60-cycle single phase electrical system
- 6' cord and plug supplied
- One epoxy coated wire shelf standard, installed per door section
- · ACT solid state electronic control
- One year parts and 90 day labor standard warranty.
 Additional warranties available.



UC4432N-12M



UC4464N-24M

10-year Warranty on Delfield's Drawer System Track!

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERA D	LL H	VOL. Cu. Ft.	1/6 PAN CAP.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
27" MEGA TOP F	RONT BREATH	ERS											
UC4427N-9M	one door	27"	31.5"	34.25"	5.7	9	1/5	7.2	115	5-15P	223	110	\$5,053
UCD4427N-9M	two drawers	27"	31.5"	34.25"	5.7	9	1/5	7.2	115	5-15P	245	110	\$6,630
UC4427N-12M	one door	27"	31.5"	34.25"	5.7	12	1/5	7.2	115	5-15P	223	110	\$5,171
UCD4427N-12M	two drawers	27"	31.5"	34.25"	5.7	12	1/5	7.2	115	5-15P	245	110	\$6,720
32" MEGA TOP F	RONT BREATH	IERS											
UC4432N-12M	one door	32"	31.5"	34.25"	6.9	12	1/5	7.2	115	5-15P	245	110	\$6,368
UCD4432N-12M	two drawers	32"	31.5"	34.25"	6.9	12	1/5	7.2	115	5-15P	293	110	\$7,961
48" MEGA TOP F	RONT BREATH	ERS											
UC4448N-18M	two doors	48"	31.5"	34.25"	10.7	18	1/5	7.2	115	5-15P	316	110	\$7,762
UCD4448N-18M	four drawers	48"	31.5"	34.25"	10.7	18	1/5	7.2	115	5-15P	398	110	\$10,867
60" MEGA TOP F													
UC4460N-12M	two doors	60"	31.5"	34.25"	15.7	12	1/2	12.0	115	5-15P	411	110	\$8,105
UCD4460N-12M	four drawers	60"	31.5"	34.25"	15.7	12	1/2	12.0	115	5-15P	495	110	\$11,215
UC4460N-18M	two doors	60"	31.5"	34.25"	15.7	18	1/2	12.0	115	5-15P	411	110	\$8,311
UCD4460N-18M	four drawers	60"	31.5"	34.25"	15.7	18	1/2	12.0	115	5-15P	495	110	\$11,423
UC4460N-24M	two doors	60"	31.5"	34.25"	15.7	24	1/2	12.0	115	5-15P	411	110	\$8,507
UCD4460N-24M	four drawers	60"	31.5"	34.25"	15.7	24	1/2	12.0	115	5-15P	495	110	\$11,619
64" MEGA TOP F													
UC4464N-12M	two doors	64"	31.5"	34.25"	16.7	12	1/2	12.0	115	5-15P	421	110	\$8,694
UCD4464N-12M	four drawers	64"	31.5"	34.25"	16.7	12	1/2	12.0	115	5-15P	522	110	\$11,817
UC4464N-18M	two doors	64"	31.5"	34.25"	16.7	18	1/2	12.0	115	5-15P	421	110	\$8,910
UCD4464N-18M	four drawers	64"	31.5"	34.25"	16.7	18	1/2	12.0	115	5-15P	522	110	\$12,027
UC4464N-24M	two doors	64"	31.5"	34.25"	16.7	24	1/2	12.0	115	5-15P	421	110	\$9,107
UCD4464N-24M	four drawers	64"	31.5"	34.25"	16.7	24	1/2	12.0	115	5-15P	522	110	\$12,222
72" MEGA TOP F													
UC4472N-18M	three doors	72"	31.5"	34.25"	18.7	18	1/2	12.0	115	5-15P	461	110	\$9,320
UCD4472N-18M	six drawers	72"	31.5"	34.25"	18.7	18	1/2	12.0	115	5-15P	545	110	\$13,384
UC4472N-24M	three doors	72"	31.5"	34.25"	18.7	24	1/2	12.0	115	5-15P	461	110	\$9,517
UCD4472N-24M	six drawers	72"	31.5"	34.25"	18.7	24	1/2	12.0	115	5-15P	545	110	\$13,578
UC4472N-30M	three doors	72"	31.5"	34.25"	18.7	30	1/2	12.0	115	5-15P	461	110	\$9,714
UCD4472N-30M	six drawers	72"	31.5"	34.25"	18.7	30	1/2	12.0	115	5-15P	545	110	\$13,782

UC4400NM Series accessories and modifications can be found on page 46.

Additional Warranties

Net Pricing One year parts and labor contract ---\$279

Two year parts and labor contract --\$523

Five year compressor warranty

1/5 H.P. -----\$108 1/2 H.P. -----\$139



18600PTBM - STANDARD PIZZA AND PREP STATIONS 18600PTL - LIQUITEC® COOLED PREP TABLES **18600PDL - DUAL RAIL PREP TABLES CTP-NB - COUNTERTOP PREP RAILS**

Product Information

PTBM, PDL & PTL SERIES ONLY

- Top and sides are constructed of stainless steel
- · Back of unit is galvanized
- Pans and adapter bars by others
- High density environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane foam throughout unit
- · Stainless steel removable hinged covers
- Unit on/off switch is located behind the louver
- Front louvered panel has 1.50" hole for rail on/off switch access
- · Protective rubber bumpers are affixed to the back of the unit
- 8' long electrical cord
- Environmentally friendly HFC-404A refrigerant
- · One year parts and 90 day labor standard warranty. Additional warranties available, see below

PTBM SERIES ONLY

- · Mechanically cooled
- Pans are recessed 2"
- · NSF7 certified

MODEL

• Die-stamped openings to accommodate 12" x 20" hotel pans or fractional pans

OVFRALI

STOR

PTL SERIES ONLY

- · LiquiTec® cooled flush mount rail with NSF7 certified performance
- · Pans are flush mounted
- · Standard Polyethylene cutting board

CTP-NB SERIES ONLY

- · HFC-134A refrigerant is used
- 18-gauge exterior
- · Mechanically cooled
- · Pans are recessed 3"
- NSF7 certified
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

PDL ONLY:

- 4.12" casters
- 34" standard work height
- Stainless steel finished ends
- LiquiTec® cooled flush mount rail with NSF7 certified performance
- · Pans are flush mounted
- 17" wide polyethylene cutting board

NEMA

- · Five year compressor warranty
- One year parts and labor standard warranty. Additional warranties available, see below

SHIP

FREIGHT

LIST



18660PTBM



CTP8146NB



18672PDL

Specifications and Prices 1/3 PAN

MECHANICALLY COOLED REFRIGERATED PIZZA & SANDWICH TABLES	WEIGHT CLASS	PRICE
	,	
Remote units available — See accessory pricing.		
Self-Contained		***
18648PTBM 6 48" 31.5" 42" 8.39 1 1/4 10.0 115 5-15P	520 110	\$11,601
18660PTBM 7 60" 31.5" 42" 14.37 2 1/3 12.0 115 5-15P	580 110	\$12,278
18672PTBM 9 72" 31.5" 42" 16.77 2 1/2 14.0 115 5-20P	635 110	\$13,270
18691PTBM 11 91" 31.5" 42" 22.82 3 1/2 14.0 115 5-20P	770 110	\$15,963
18699PTBM 12 99" 31.5" 42" 25.87 3 1/2 14.0 115 5-20P	805 110	\$16,565
186114PTBM 14 114" 31.5" 42" 30.9 3 3/4 16.0 115 5-20P	927 110	\$19,968
MODEL OVERALL 1/3 PAN STOR # OF H.P. AMP VOLTS NEMA NUMBER L D H CAPACITY CU.FT. DOORS H.P. AMP VOLTS PLUG	SHIP FREIGHT WEIGHT CLASS	LIST PRICE
LIQUITEC COOLED PREP TABLES Self-Contained		
18648PTL 48" 31.5" 42" 6 8.39 1 1/4 10 115 5-15P	520 110	\$14,481
18672PTL 72" 31.5" 42" 9 16.77 2 1/2 14 115 5-20P	635 110	\$17,441
18699PTL 99" 31.5" 42" 12 25.87 3 1/2 14 115 5-20P	805 110	\$21,046
MODEL OVERALL H.P. AMPS NEMA PLUG SHIP NUMBER L D H WEIGHT LIS	ST PRICE	
DUAL RAIL LIQUITEC PREP TABLES		
18648PDL 48" 31.50" 52.8" 1/5, 1/3 10.0 5-15P 691 \$	16,731	
40670DD1 72" 31.50" 52.8" 4/5 4/0 40.7 5.00D 0.75 M	19,483	
18672PDL 12 31.50 32.6 1/5, 1/2 12.7 5-20P 875 \$		
	SHIP FREIGI WEIGHT CLASS	
MODEL (183cm) (80cm) (134cm) 1/5, 1/2 12.7 5-20P 8/5 \$ MODEL 1/3 PAN ADAPTER H P AMP VOLTS NEMA		
186/2PUL (183cm) (80cm) (134cm) 1/5, 1/2 12.7 5-20P 8/5 \$ MODEL OVERALL 1/3 PAN ADAPTER H.P. AMP VOLTS NEMA PLUG NUMBER L D H CAPACITY BARS H.P. AMP VOLTS PLUG		
MODEL OVERALL 1/3 PAN ADAPTER H.P. AMP VOLTS NEMA PLUG COUNTERTOP REFRIGERATED PREP RAILS		

18600PTBM, 18600PTL, 18600PDL AND CTP/NB Series accessories and modifications can be found on page 47.


Additional Warranties
Net Pricing One year parts and
labor contract \$279
Two year parts and labor contract \$523
Five year compressor
warranty 1/5 H.P \$108
1/4 H.P \$108
1/3 H.P \$128
1/2 H.P \$139
3/4 H.P \$145



PREP TABLE ACCESSORIES/OPTIONS

Electrical (transformers shipped loose, not installed at factory)			d by Delfield with unit re	ady for field installation
420021 230 volt, 50 cycle electrical system	\$432	(requires stainless stee		*
AS000-B88-0032 220/60/1 Voltage package	\$1,273			\$1,402
omposite cutting board 1/2" thick				\$1,450 \$1,561
27"		48		\$1,561 \$1,630
32"				
48"				\$2,210
60"				\$2,348
64"	7			ready for field installation
72"	\$539	(requires stainless stee		\$1.172
Plastic laminate front (specify color on original order)				\$1,172 \$1.256
A130147827 27"				\$1,250 \$1,451
A130147832 32"		40 60"		\$1,451 \$1,575
A130147848 48"	\$421	64"		\$1,575 \$1,934
A130147860 60"	\$496			\$1,969 \$1,969
A130147864 64"	\$519			
A130147872 72"	\$569	Glass Doors - Available f	ired, it must be ordered a	ac an ontion)
Plastic laminate back (specify color on original order)	Ψοσο			as an option) \$698
A130147827B 27"	\$293	4400GLSDN24 24		\$785
A130147832B 32"		4400GLSDN21 21		\$755 \$875
A130147848B 48"		4400GLSDNS0 30		\$07; \$93(
A130147860B 60"	*	Drawers in place of door		
A130147864B 64"				Add \$1,503 per doo
				Add \$1,503 per doo Add \$1,503 per doo
A130147872B 72"	\$569			Add \$1,503 per doo Add \$1.503 per doo
Stainless steel back		Cutting board on rear in		
A000-B4V-003N 27"		· ·		
A000-B4V-003P 32"		Size	el back option and flat lif Polyethylene	Composite
A000-B4V-003R 48"			\$293	
A000-B4V-003T 60"	\$972		\$295 \$391	
A000-B4V-003U 64"	- \$1,023		\$543	
A000-B4V-003W 72"	- \$1,119		\$644	
helves			\$643	
AS3978273 Additional shelf (48", 72")	\$80		\$043 \$710	
AS3978274 Additional shelf (27")		Pan covers	ΨΙΙΟ	φ1,230
AS3978275 Additional shelf (60")				N
AS3978276 Additional shelf (32", 64")		Hinged flat (Salad ton	unite only)	N
, ,		Hinged flat clide hack	4/27PANHS 27"	\$1
20104 Door lock original order only; (not available on glass doors		(Mega top units only,	44271 ANIIO 27	\$1
not field-installable; 1 section		per pan opening)	1118 02 1 ANTIO 02	\$2
20102 Door lock original order only; (not available on glass doors		per pair opening)	4440FANIIO 40	
not field-installable; 2&3 section				\$2
Remote configuration (condensing unit by others)Dec				\$3
400EXTHERM Exterior thermometer (door models only)	\$488	Stainless steel overshel	-	ψ3
		Single tier	97"	\$3
ray slides		Jiligie del	39" 	
Unit ready for field mounting of tray slides by others	000			
(requires stainless steel back option also)	\$384			
				\$0 \$7
		Double tier	72"	
		Double tier		
				\$1,1 \$1,3
				۰,۱۵ ۱٫۵ ۱ م 1 م

Drawer configurations for 4400N series only.





Non-standard pan cutout locations -----Add \$558

(see accessory sheet for possible locations)


72"-----\$1,617

PREP TABLE ACCESSORIES

PTBM AND PTL MODELS

Stainless steel back (per linear foot)	\$261
Laminate facing for units; per linear foot	\$126
(Laminate facing for rear of units requires stainless steel	
Cheese grates with removable catch pans (per linear foot)	
Door/Drawer locks	\$366/lock
Composite cutting board (20" wide x 1/2" thick)	ψοσο/1οσκ
48"	¢ດວດ
60"	
72"	φ1,007 φ1 212
91"	#1,313
9 "	\$1,617
99"	\$1,856
114"	
Polyethylene cutting board (20" wide x 1/2" thick) Standard on	I PIL &PDL
48"	\$464
60"	
72"	
91"	
99"	
114"	\$1,066
18" wide single tier overshelf	
48"	\$884
60"	\$1,108
72"	\$1,328
91"	\$1.684
99"	\$1.830
114"	\$2 115
Drawers 19", 2 high, hold one 12" x 20" x 6" deep pan	- ,
per drawer (pans supplied by others)	\$2.534
Drawers 19" 3 high hold one 12" v 20" v 4" deen nan	
per drawer (pans supplied by others)	\$3 269
Drawers 27", 2 high, hold two 12" x 20" x 6" deep pans	ψ0,200
per drawer (pans supplied by others)	\$2 678
Drawers 27" 2 high hold two 12" v 20" v 4" doop page	φ2,070
Drawers 27", 3 high, hold two 12" x 20" x 4" deep pans per drawer (pans supplied by others)	¢2 400
Drawers 20" O bigh hold two 10" v 00" v C" doon none	\$3, 4 00
Drawers 32", 2 high, hold two 12" x 20" x 6" deep pans per drawer (pans supplied by others)	#0.070
per drawer (pans supplied by others)	\$2,678
Drawers 32", 3 high, hold two 12" x 20" x 4" deep pans	40.400
per drawer (pans supplied by others)	\$3,400
Remote refrigeration Overall unit length remains the same.	
Delete 1/4, 1/3 and 1/2 horsepower system	CREDIT \$618
Delete 3/4 horsepower system	CREDIT \$751
TR9B tray rack - 24" size door or larger only	
(Base support style for 18" x 26" trays; 2" centers;)	\$322
Electrical-	
230 volt, 50 cycle electrical system	
(allow approximately 4 weeks lead time)	\$431
220/60/1 voltage package	•
(transformers shipped loose not installed at factory)	\$1 204

ELS	
CTP models	
	\$469
	\$696
ectrical system	
veeks lead time)	\$422
3	
	\$1,569
	\$322/door
oard in lieu of standard	
asters	\$350
removable catch pans	\$503/ft
d drawers (2) high,	
deep pans	\$2,678/section
	\$366/lock
ical system	\$431
	\$200/ea
n overall unit length remains the same.	
	CREDIT \$1 329







F26/F27 Series - Standard Low Profile Freezer Base Equipment Stands

F28/F29 Series - Low Profile Refrigerated Base Equipment Stands





F28/F29 SERIES - REFRIGERATOR BASE EQUIPMENT STANDS F26/F27 SERIES - FREEZER BASE EQUIPMENT STANDS

Product Information

- Top is 18-gauge stainless steel, with integral full perimeter marine edge
- · Standard stainless steel ends
- High density polyurethane foam insulation throughout unit
- Refrigerated/freezer base fronts are made of .095" thick ABS plastic backed by rigid polyurethane water blown injection molded frames (NO WOOD)
- Exterior drawer fronts are stainless steel with an Delrite ABS plastic liner
- · Snap-in dart style vinyl magnetic gasket
- Drawer handles are recessed black plastic held in with a positive lock system
- 14-gauge leg rails run the entire length of the unit
- Self-contained refrigerators come standard on 300 pound casters with optional 6.12" adjustable full stainless steel legs and bullet feet
- · Remote units are standard on legs
- · 8' cord and plug supplied
- Base interior cabinet is cooled with mullion style coated blower coil(s) mounted between each door/drawer section for even air and temperature control
- Blower coil enclose refrigeration lines, evaporator coil, expansion valve and fans

- Interior refrigerated base cabinet section to maintain 36° to 40° meeting NSF7 requirements
- · Digital thermometer
- · Electric condensate evaporators are standard
- · Optional 220V-50 cycle available
- · Wall-mounted bracket to prevent tipping
- Full Extension Plus Drawer system is a complete drawer system. Drawer system is sized to hold 12" x 20" x 4" deep hotel pans (by others). The drawer system is all stainless steel construction for maximum durability
- F26/2700 base cabinet will maintain 0° to -5° temperatures at 100° ambient room temperature meeting NSF7 requirements
- When ordering, specify make, model and depth of cooking equipment sitting on the equipment stand
- Height of surface for setting equipment is 25.50"
- Self-contained freezers are standard with a defrost timer
- Environmentally friendly HFC-404A refrigerant
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



F2980 Shown with optional legs



FULL EXTENSION PLUS DRAWER SYSTEM!

10-year Warranty on Delfield's Full Extension Plus Drawer System Track!

Specifications and Prices

MODEL				# OF	PAN	H.P.	AMP	VOLTS	NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	DRAWERS	CAP.				PLUG	WEIGHT	CLASS	PRICE
LOW-PRO	FILE REFR	IGERAT	ED BAS	SE EQUIPMENT ST	ANDS							
Self-Conta	ined NOTE:	Remove t	he "C" on	the model number wher	n ordering	with legs	s. (Exampl	le - F2952).				
F2952C	52.25"	31"	26"	(2) 32"	4	1/5	8.0	115	5-15P	398	110	\$14,041
F2956C	56.25"	31"	26"	(2) 32"	4	1/5	8.0	115	5-15P	405	110	\$14,095
F2962C	62.25"	31"	26"	(2) 27" (2) 19"	6	1/5	8.0	115	5-15P	479	110	\$16,318
F2975C	75.25"	31"	26"	(2) 32" (2) 27"	8	1/4	10.0	115	5-15P	540	110	\$16,868
F2980C	80.25"	31"	26"	(4) 32"	8	1/4	10.0	115	5-15P	578	110	\$17,192
F2987C	87.25"	31"	26"	(4) 27" (2) 19"	10	1/4	10.0	115	5-15P	672	110	\$19,782
F2999C	99.25"	31"	26"	(6) 27"	12	1/4	10.0	115	5-15P	691	110	\$20,074
F29110C	110.25"	31"	26"	(6) 32"	12	1/4	10.0	115	5-15P	766	110	\$20,315
Remote												
F2852	52.25"	31"	26"	(2) 19" (2) 27"	4	N/A	3.0	115	N/A	278	110	\$11,841
F2856	56.25"	31"	26"	(2) 32"	4	N/A	3.0	115	N/A	299	110	\$11,892
F2862	62.25"	31"	26"	(2) 27" (2) 19"	6	N/A	3.0	115	N/A	331	110	\$14,118
F2875	75.25"	31"	26"	(2) 32" (2) 27"	8	N/A	3.0	115	N/A	401	110	\$14,497
F2880	80.25"	31"	26"	(4) 32"	8	N/A	3.0	115	N/A	428	110	\$14,823
F2887	87.25"	31"	26"	(4) 27" (2) 19"	10	N/A	6.0	115	N/A	466	110	\$17,679
F2899	99.25"	31"	26"	(6) 27"	12	N/A	6.0	115	N/A	530	110	\$17,967
F28110	110.25"	31"	26"	(6) 32"	12	N/A	6.0	115	N/A	588	110	\$18,209
LOW-PRO	FILE FREEZ	ZER BA	SE EQU	JIPMENT STANDS								
Self-conta	ined											
F2660	60.25"	31"	26"	(2) 32"	4	1/2	11.0	115	5-15P	418	110	\$17,437
F2694	94.25"	31"	26"	(4) 32"	8	3/4	16.0	115	5-20P	505	110	\$21,122
Remote												
F2748	48.25"	31"	26"	(2) 32"	4	N/A	10.0	115	N/A	295	110	\$15,143
F2776	76.25"	31"	26"	(4) 32"	8	N/A	15.0	115	N/A	375	110	\$18,491


F26, 27, 28, 29 Series accessories and modifications can be found on page 50.

Additional Warranties Net Pricing
One year parts and labor contract \$279
Two year parts and labor contract \$523
Five year compressor warranty
1/5 H.P \$108
1/4 H.P \$108
1/2 H.P \$139
3/4 H.P \$145



EQUIPMENT STAND ACCESSORIES

', F28, F29 SERIES
Stainless steel back per linear inch \$20
Drawer locks (factory installed only; each)\$366
230 volt, 50 cycle electrical system \$1,032
Mechanical housing left side\$374
nly
sters for self-contained low-profile equipment stand add "-C"
el number
Set of 4 casters (F26 Series)\$722
Set of 6 casters (F26 Series)\$1,087
4" casters in lieu of 6" (F29 Series)\$226
of drawers except 32"
19" door, low profile\$631
27" door, low profile\$668
Plastic laminate end\$587
Plastic laminate back per linear inch \$24
Plastic laminate front per linear inch \$15







ECOS - Open Shelf Utility Modules

ECSR24 - Sink Module

EHEI - Hot Food Table Modules

ESOS - Open Shelf Utility Module

EODC - Open Shelf Utility With Double Tier Cantilevered Overshelf Modules

ESIC36 - Ice Pan Module

ESSW36 - Soupwell Module



EHEI-E-CHEF HOT FOOD TABLE ECSR24-E-CHEF SINK MODULE ECOS-E-CHEF OPEN SHELF MODULE



ECOS36

Product Information

All Units

• One year parts and labor warranty **EHEI only**

- Stainless steel top and sides
- Individual wells with infinite controls
- 8" polyetheylene cutting board
- · Drains, manifold and common gate valve
- · Stainless steel plate shelf
- Stainless steel bottom shelf with 3" riser at rear
- Models on casters (C) standard with cord and
- Models on legs (L) must be hard wired in field

Sink Units only

- Stainless steel top and sides
- Stainless steel bottom shelf with 3" riser at the
- Standard on legs
- 10"x13" x6.5" sink with deck mount faucet
- · 3-sided removable sink riser standard

ECOS only

- Stainless steel top and sides
- Stainless steel bottom and center shelf with 3" riser at the rear
- Standard on 6" legs



Specifications and Prices

Hot Food Tables

Model	L	D	Н	# of Wells	Volts	Amps	Nema Plug	Ship Weight	Freight Class	List Price
EHEI36L	36"	31.5"	36"	2	120	17.0	N/A	250	100	\$3,999
EHEI48L	48"	31.5"	36"	3	208/230	15.0	N/A	280	100	\$5,053
EHEI60L	60"	31.5"	36"	4	208/230	20.0	N/A	310	100	\$6,081
EHEI74L	74"	31.5"	36"	5	208/230	24.0	N/A	350	100	\$7,232
EHEI36C	36"	31.5"	36"	2	120	17.0	5-30P	250	100	\$4,197
EHEI48C	48"	31.5"	36"	3	208/230	15.0/16.0	6-20P	280	100	\$5,206
EHEI60C	60"	31.5"	36"	4	208/230	20.0/22.0	6-30P	310	100	\$6,315
EHEI74C	74"	31.5"	36"	5	208/230	24.0/27.0	6-50P	350	100	\$7,425

Chef Side Sink Module

Model	L	D	Н	Ship Weight	Freight Class	List Price
ECSR24	24"	31.5"	36"	200	125	\$3,120

Chef Side Open Shelf Module

Model	L	D	Н	Ship Weight	Freight Class	List Price
ECOS24	24"	31.5"	36"	200	125	\$2,516
ECOS36	36"	31.5"	36"	220	125	\$2,745
ECOS48	48"	31.5"	36"	250	125	\$2,969

Accessories and Options can be found on page 54.

Additional Warranties Net Pricing

Two year parts and labor contract -- \$523



ESSW36 & EODC36S-E-CHEF SOUP WELL MODULE ESIC36 & EODC36I-E-CHEF ICE COOLED COLD PAN MODULE ESOS & EODC-E-CHEF OPEN SHELF MODULES

Product Information

All Units

• One year parts and labor warranty

Soup Well Units only

- Stainless steel top and sides
- · Individual wells with infinite controls
- Drain and gate valve standard
- Stainless steel bottom shelf with 3" riser at the rear
- Standard on flanged feet
- Standard with removable adapter plate to accommodate (2) 8.5" diameter pans

Ice Cooled Pan Units only

- · Stainless steel top and sides
- Stainless steel bottom shelf with 3" riser at rear
- 1" drain is standard
- Removable stainless steel perforated bottom standard
- Standard on flanged feet
- 2" recessed integral pan rest

 Single well ice pan to accommodate (1) 12"x20" pan

ESOS only

- Stainless steel top and sides
- Stainless steel bottom and center shelf with 3" riser at the rear
- Standard on flanged feet

EODC only

Base:

- · Stainless steel top and sides
- Stainless steel bottom and center shelf with 3" riser at the rear
- Standard on flanged feet

Overshelf:

- Double tier cantilevered overshelf welded in place
- Stainless steel shelves and legs
- Integral brace raceway under each shelf for field added components



ESOS27

Specifications and Prices

Server Side Soup Well Module

Model	L	D	Н	# of Soup wells	Volts	Amps	Ship Weight	Freight Class	List Price
ESSW36	36"	20"	34"	1	120	17.0	200	125	\$3,407
Soup Well Module with Double Tier Overshelf									
EODC36S	36"	28"	70"	1	120	17.0	250	125	\$6,638

Server Side Ice Cooled Cold Pan Module

Model	L	D	Н	# of Wells	Ship Weight	Freight Class	List Price
ESIC36	36"	20"	34"	1	200	125	\$2,855
ice Cooled (Cold Pan I	Module wi	th Double	Tier overshel	f		
EODC361	36"	28"	70"	1	250	125	\$5,293

Model	L	D	Н	Ship Weight	Freight Class	List Price
ESOS24	24"	20"	34"	150	125	\$2,352
ES0S27	27"	20"	34"	155	125	\$2,387
ESOS32	32"	20"	34"	160	125	\$2,449
ESOS36	36"	20"	34"	170	125	\$2,496
ESOS48	48"	20"	34"	200	125	\$2,646
ES0S60	60"	20"	34"	230	125	\$2,794
ESOS64	64"	20"	34"	240	125	\$2,844
ES0S72	72"	20"	34"	260	125	\$2,942
ESOS74	74"	20"	34"	265	125	\$2,976

Server Side Open Sh	helf Base with	Double Tier	Overshelt
---------------------	----------------	-------------	-----------

Model	L	Base D	Overshelf D	Н	Snip Weight	Freight Class	List Price
EODC24	24"	20"	28"	70"	200	125	\$3,513
EODC27	27"	20"	28"	70"	225	125	\$3,554
EODC32	32"	20"	28"	70"	240	125	\$3,659
EODC36	36"	20"	28"	70"	250	125	\$3,857
EODC48	48"	20"	28"	70"	280	125	\$4,365
EODC60	60"	20"	28"	70"	320	125	\$4,943
EODC64	64"	20"	28"	70"	330	125	\$5,263
EODC72	72"	20"	28"	70"	360	125	\$5,663
EODC74	74"	20"	28"	70"	370	125	\$6,127

Accessories and Options can be found on page 54.

Additional Warranties

Net Pricing Two year parts and labor contract -----\$523



E-CHEF® OPTIONS & ACCESSORIES

Accessory	
L	ist Price
EOSM24 Overshelf single tier microwave shelf, 24"	\$502
EORW14 Top shelf vertical raceway, 14"	\$197
EORW18 Bottom shelf vertical raceway, 18"	
EORW24 Top shelf to ceiling vertical raceway, 24"	Ψ202 \$212
EORW36 Top shelf to ceiling vertical raceway, 36"	φ∠ 1∠ ¢221
EORW48 Top shelf to ceiling vertical raceway, 30	ቀረህ I
ECDW94 Corver aids beginning vertical receiver, 40	\$202 0140
ESRW24 Server side horizontal raceway, 24" ESRW27 Server side horizontal raceway, 27"	\$142
FCDW22 Converside herizontal receiver 20"	\$144
ESRW32 Server side horizontal raceway, 32" ESRW36 Server side horizontal raceway, 36"	\$147
FORWAR Companied beginned traceway, 30	\$153
ESRW48 Server side horizontal raceway, 48"	
ESRW60 Server side horizontal raceway, 60"	\$1/2
ESRW64 Server side horizontal raceway, 64"	
ESRW72 Server side horizontal raceway, 72"	\$184
ESRW74 Server side horizontal raceway, 74"	
ECFP Stainless steel end filler panel	
ECPB48 Partial stainless steel back for 18648PTB	
ECPB60 Partial stainless steel back for 18660PTB	,
ECPB72 Partial stainless steel back for 18672PTB	
ECPB91 Partial stainless steel back for 18691PTB	
ECPB99 Partial stainless steel back for 18699PTB	
ECPB114 Partial stainless steel back for 186114PTB	
ETM - E-Chef Stainless Steel T-molding, 12' length	
ESSB24- Server side stainless steel back 24"	\$228
ESSB27- Server side stainless steel back 27"	\$253
ESSB32- Server side stainless steel back 32"	\$293
ESSB36- Server side stainless steel back 36"	\$318
ESSB48- Server side stainless steel back 48"	\$406
ESSB60- Server side stainless steel back 60"	\$494
ESSB64- Server side stainless steel back 64"	\$519
ESSB72- Server side stainless steel back 72"	
ESSB74- Server side stainless steel back 74"	
ECSB24- Chef side stainless steel back 24"	
ECSB36- Chef side stainless steel back 36"	
ECSB48- Chef side stainless steel back 48"	\$412
ECSB60- Chef side stainless steel back 60"	\$500
ECSB74- Chef side stainless steel back 74"	\$602
LUDDIA OHOL SIGU SIGHI DUOK 14	ψ002
EHEI Options	
Fill faucet	\$278
208V/60C or 230V/50C electrical (EHEI36L &EHEI36C only)	φ210 Λοςφ
Cord and Plug (units on legs only)	
Composite 8" deep cutting boards in lieu of standard polyethy	φυυυ I ana
36"	
48"	
60"	
0U	დ4ამ





ASM Series - Drop-In Air Screen Merchandisers

F5 Series - Drop-In Display Cases

F15 Series - Serview Display Cases



ASM SERIES - DROP-IN REFRIGERATED AIR SCREEN MERCHANDISER



ASM-48 shown with optional Shelley base

Product Information

- All glass display area and top slim line fluorescent lighting showcases product
- Bottom shelf is a recessed pan, perfect for bottles or taller items
- Three 1" adjustable glass shelves with fluorescent lights standard
- Slide out condensing unit allows for easy serviceability
- · R404A refrigerant
- Shelves can be positioned three ways: completely flat, slanted and full tilt

- Drain requires hard plumbing (unless condensate evaporator option is selected)
- Sliding rear doors make replenishment and loading easy
- Meets NSF7 Type 2 requirements which maintains 33°F to 41°F temperature in 80°F environment with 55% relative humidity
- Standard with two louvers, shipped loose, for proper airflow in base
- One year parts and labor standard warranty

Specifications and Prices

Model Number	L	D	Н	Cutout Dimension	Н.Р	V/Hz/Ph	Amps	NEMA Plug	Ship Weight	List price
DROP-IN A	IR SCREEN	MERCH	ANDISER							
ASM-36	36.25"	26"	63.48"	35.00" x 25.38"	1/2	115V/60Hz/1Ph	10.8	5-15P	350lbs.	\$25,585
ASM-48	48.25"	26"	63.48"	47.00" x 25.38"	3/4	115V/60Hz/1Ph	12.8	5-20P	457lbs.	\$27,064
ASM-60	60.25"	26"	66.48"	59.00" x 25.38"	1	115/208-230V/60Hz/1Ph	12.8	14-20P	593lbs.	\$29,527

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty 1/2 H.P. ----- \$139

3/4 H.P. ----- \$145





F5 SERIES - DROP IN REFRIGERATED DISPLAY CASES

Product Information

- Display exterior sides are made of 18-gauge stainless steel
- ABS plastic interior sides with molded shelf supports
- (4) adjustable epoxy coated wire shelves
- On/off switch for the display section light(s)
- Top mount coil with multiple fans circulating the air throughout the cabinet
- · Display section runs off a thermostat
- ABS plastic drip pan is placed below the coil with a clear drain hose for running the condensation to the lower base mechanical section
- Sliding and removable self-closing .50" thick argon filled, low-E, warm edge insert, thermopane glass doors with left and right vertical gasket

- · High density polyurethane foam throughout unit
- Optional 220V-50 cycle
- "M" units have a single service display section with mirrored back. "S" units have a single service display section with a see-through back. "P" units have Pass-through display section with glass doors on both sides
- Environmentally friendly HFC-404A refrigerant
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



F5SC48N

Specifications and Prices

MODEL NUMBER	L	OVER. D	ALL H	CAP. CU. FT.	SHLVS. SQ. FT.	# OF SHLVS.	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
24"DEEP S	ELF-CO	IATAC	NED DRO	DP-IN RE	FRIGERAT	ED DISPL	AY CA	SE					
F5MC48N	48"	24"	57.5"†	14.3	18.8	4	1/2	12.0	115	5-15P	415	110	\$15,380
F5SC48N	48"	24"	57.5"†	14.3	20.8	4	1/2	12.0	115	5-15P	433	110	\$15,870
F5PC48N	48"	24"	57.5"†	14.3	20.8	4	1/2	12.0	115	5-15P	530	110	\$15,870
F5MC72N	72"	24"	57.5"†	22.2	29.2	4	3/4	16.0	115	5-20P	560	110	\$18,298
F5SC72N	72"	24"	57.5"†	22.2	32.8	4	3/4	16.0	115	5-20P	595	110	\$19,285
F5PC72N	72"	24"	57.5"†	22.2	32.8	4	3/4	16.0	115	5-20P	578	110	\$19,285
†Includes c													
24" DEEP F				FRIGER/	ATED DISP	LAY CASE	S						
F5MR48N	48"	24"	42"	14.3	18.8	4	N/A	4.0	115	N/A	390	100	\$13,640
F5SR48N	48"	24"	42"	14.3	20.8	4	N/A	4.0	115	N/A	408	100	\$14,140
F5PR48N	48"	24"	42"	14.3	20.8	4	N/A	4.0	115	N/A	398	100	\$14,140
F5MR72N	72"	24"	42"	22.2	29.2	4	N/A	4.0	115	N/A	535	110	\$16,560
F5SR72N	72"	24"	42"	22.2	32.8	4	N/A	4.0	115	N/A	570	110	\$17,558
F5PR72N	72"	24"	42"	22.2	32.8	4	N/A	4.0	115	N/A	553	110	\$17,557
30"DEEP S													*
F5MC48D	48"	30"	57.5"†	19.0	26.0	4	1/2	12.0	115	5-15P	590	110	\$17,392
F5SC48D	48"	30"	57.5"†	19.0	28.2	4	1/2	12.0	115	5-15P	640	110	\$17,497
F5PC48D	48"	30"	57.5"†	19.0	28.2	4	1/2	12.0	115	5-15P	609	110	\$17,497
F5MC72D	72"	30"	57.5"†	29.4	40.5	4	3/4	16.0	115	5-20P	790	110	\$20,047
F5SC72D	72"	30"	57.5"†	29.4	44.0	4	3/4	16.0	115	5-20P	818	110	\$21,030
F5PC72D	72"	30"	57.5"†	29.4	44.0	4	3/4	16.0	115	5-20P	815	110	\$21,030
†Includes c													
30" DEEP F													4
F5MR48D	48"	30"	42"	19.0	26.0	4	N/A	4.0	115	N/A	485	110	\$15,056
F5SR48D	48"	30"	42"	19.0	28.2	4	N/A	4.0	115	N/A	540	110	\$15,549
F5PR48D	48"	30"	42"	19.0	28.2	4	N/A	4.0	115	N/A	497	110	\$15,549
F5MR72D	72"	30"	42"	29.4	40.5	4	N/A	4.0	115	N/A	644	110	\$17,819
F5SR72D	72"	30"	42"	29.4	44.0	4	N/A	4.0	115	N/A	680	110	\$18,792
F5PR72D	72"	30"	42"	29.4	44.0	4	N/A	4.0	115	N/A	652	110	\$18,792

F5 Series accessories and modifications can be found on page 59.

Additional Warranties
Net Pricing

One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty 1/2 H.P. ----- \$139

3/4 H.P. ----- \$139



F15 SERIES - REFRIGERATED DISPLAY CASE WITH STORAGE



F15MC48N Shown with optional finished ends

Product Information

DISPLAY CASE

- Display exterior sides are made of 18-gauge stainless steel
- ABS plastic interior sides with molded shelf supports
- (4) adjustable epoxy coated wire shelves
- On/off switch for the display section light(s)
- Top mount coil with multiple fans circulating the air throughout the cabinet
- Display section run off a thermostat
- ABS plastic drip pan is placed below the coil with a clear drain hose for running the condensation to the lower base mechanical section
- Sliding and removable self-closing .50" thick argon filled, low-E, warm edge insert, thermopane glass doors with left and right vertical gasket

BASE

- Standard heavy duty units have unfinished base ends, for finished end options, see page 56
- Base top is constructed of 16-gauge stainless steel
- High density polyurethane foam throughout unit
- Refrigerated base fronts are made of .095" thick ABS plastic backed by rigid polyurethane water blown injection molded frames (NOWOOD)
- Epoxy coated shelf for each door
- Exterior door fronts are stainless steel with ABS plastic liner

F15 Series accessories and modifications can be found on page 59.

Snap-in dart style vinyl magnetic gasket

- Door handles are recessed black plastic and held in with a positive lock system
- 14-gauge leg rails that run the entire length of the unit
- 6.12" adjustable full stainless steel legs and bullet feet
- Base interior cabinet is cooled with mullion style coated blower coil(s) mounted between each door/drawer section for even air and temperature control
- Blower coil encloses refrigeration lines, evaporator coil, expansion valve, thermostat and fans
- Interior refrigerated base cabinet and display section to maintain 36° to 41° meeting NSF requirements
- Optional 220V-50 cycle
- "M" units have a single service display section with mirrored back. "S" units have a single service display section with a see-through back. "P" units have Pass-through display section with glass doors on both sides
- Environmentally friendly HFC-404A refrigerant
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL		OVERAL	_	UPPER	SHLVS.	BASE	H.P.	ΔМР	VOLTS	NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	<u>H</u>	CU. FT.	SQ. FT.	CU. FT.	11.1.		VOLIO	PLUG	WEIGHT	CLASS	PRICE
30" DEEP UP		DISPLAY	SECTION	ON									
Self-containe													
F15MC48D	48"	31.5"	78"	19.0	26.0	8.7	3/4	16.0	115	5-20P	759	110	\$25,118
F15SC48D	48"	33.38"	78"	19.0	28.2	8.7	3/4	16.0	115	5-20P	786	110	\$26,942
F15PC48D	48"	33.38"	78"	19.0	28.2	8.7	3/4	16.0	115	5-20P	807	110	\$27,213
F15MC72D	72"	31.5"	78"	29.4	40.5	15.4	3/4	16.0	115	5-20P	1110	110	\$28,282
F15SC72D	72"	33.38"	78"	29.4	44.0	15.4	3/4	16.0	115	5-20P	1140	110	\$31,891
F15PC72D	72"	33.38"	78"	29.4	44.0	15.4	3/4	16.0	115	5-20P	1159	110	\$32,160
Remote													
F15MR48D	48"	31.5"	78"	19.0	26.0	12.2	N/A	4.0	115	N/A	708	110	\$21,308
F15SR48D	48"	33.38"	78"	19.0	28.2	12.2	N/A	4.0	115	N/A	728	110	\$22,776
F15PR48D	48"	33.38"	78"	19.0	28.2	12.2	N/A	4.0	115	N/A	749	110	\$23,045
F15MR72D	72"	31.5"	78"	29.4	40.5	19.4	N/A	4.0	115	N/A	961	110	\$24,659
F15SR72D	72"	33.38"	78"	29.4	44.0	19.4	N/A	4.0	115	N/A	986	110	\$28,137
F15PR72D	72"	33.38"	78"	29.4	44.0	19.4	N/A	4.0	115	N/A	980	110	\$28,408
24" DEEP UP	PER I	DISPLAY	SECTION	ON									
Self-containe	ed												
F15MC48N	48"	31.5"	78"	14.3	18.8	8.7	3/4	16.0	115	5-20P	748	110	\$23,498
F15SC48N	48"	33.38"	78"	14.3	20.8	8.7	3/4	16.0	115	5-20P	745	110	\$25,327
F15PC48N	48"	33.38"	78"	14.3	20.8	8.7	3/4	16.0	115	5-20P	787	110	\$25,595
F15MC72N	72"	31.5"	78"	22.2	29.2	15.4	3/4	16.0	115	5-20P	1080	110	\$26,661
F15SC72N	72"	33.38"	78"	22.2	32.8	15.4	3/4	16.0	115	5-20P	1108	110	\$30,273
F15PC72N	72"	33.38"	78"	22.2	32.8	15.4	3/4	16.0	115	5-20P	1129	110	\$30,543
Remote													
F15MR48N	48"	31.5"	78"	14.3	18.8	12.2	N/A	4.0	115	N/A	668	110	\$20,031
F15SR48N	48"	33.38"	78"	14.3	20.8	12.2	N/A	4.0	115	N/A	706	110	\$21,507
F15PR48N	48"	33.38"	78"	14.3	20.8	12.2	N/A	4.0	115	N/A	727	110	\$22,510
F15MR72N	72"	31.5"	78"	22.2	29.2	19.4	N/A	4.0	115	N/A	931	110	\$23,396
F15SR72N	72"	33.38"	78"	22.2	32.8	19.4	N/A	4.0	115	N/A	954	110	\$26,859
F15PR72N	72"	33.38"	78"	22.2	32.8	19.4	N/A	4.0	115	N/A	980	110	\$27,128

Additional Warranties
Net Pricing
One year parts and
labor contract --- \$279

Two year parts and
labor contract -- \$523

Five year compressor

warranty



3/4 H.P. ----- \$145

DISPLAY CASES

DISPLAY CASE ACCESSORIES

F5 SI	ERIES
122K	230 volt, 50 cycle electrical system\$1,032
307A	Extra 48" shelf (48" long units only; each)\$276
307B	Extra 72" shelf (72" long units only; each)\$361
303A	Mirrored interior on pass-through doors (48")\$1,122
303B	Mirrored interior on pass-through doors (72")\$1,349
301	Hinged doors in lieu of sliding doors Contact Factory
F15 S	SERIES
307A	Extra 48" shelf (48" long units only; each)\$276
307B	Extra 72" shelf (72" long units only; each)\$361
303A	Mirrored interior on pass-through doors (48")\$1,122
303B	Mirrored interior on pass-through doors (72")\$1,349
122K	230 volt, 50 cycle electrical system\$1,032
109	Condensate evaporator (2 required) remote units\$278
906E	Plastic laminate end \$587
505A	Plastic laminate backper linear inch \$24
505F	Plastic laminate frontper linear inch \$15
818A	14-gauge topper linear inch \$17
505H	Stainless steel backper linear inch \$20
906A	Stainless steel endeach \$482
	SERIES
ASMNC	-36 (not field-installable) Night Security Cover\$2,661
ASMNC	-48 (not field-installable) Night Security Cover \$2,693
ASMNC	-60 (not field-installable)Night Security Cover\$3,505
ASMCE-	-36 (not field-installable) Condensate evaporator
	(Cord spec for ASM-36 w/ condensate evap: Nema 14-20P @
	115-208/230V-60C-1PH-10.8A)\$748
ASMCE-	48 (not field-installable) Condensate evaporator
	(Cord spec for ASM-48 w/ condensate evap: Nema 14-20P @
	115-208/230V-60C-1PH-12.8A) \$748
ASMCE-	-60 (not field-installable) Condensate evaporator
	(Cord spec for ASM-60 w/ condensate evap: Nema 14-50P @
	115/208-230V-60C-1PH-26A)\$1,009
ASM220	
ASML	Laminated sides & top\$799
ASMR	Remote (specify refrigerant)(CREDIT) \$1.730





Concepts™ - Serving Systems

FlexiShield® - Foodshields

Shelleybasic® - Value Serving Systems

Shelleysteel® - Stainless Steel Mobile Serving Equipment

Shelleyglas® - Fiberglass Mobile Serving Equipment

Shelleyspeed® - Speed Line Mobile Serving Equipment



DCBU: CONCEPTS UTILITY SERVING COUNTERS DC-H: CONCEPTS HEATED SERVING COUNTERS

Product Information


DCBU UNITS ONLY

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 36" work height


DC-H UNITS ONLY

- Flush mount die stamped stainless steel heated food well
- 1/2" stainless steel drains
- Heavy duty stainless steel top
- Reinforced stainless steel front and rear with removable panels
- Heavy duty base support structure
- Standard on 6" legs

- Must be hard wired in field
- 11.87" x 19.87" single hot food wells are manifolded together to one main gate valve
 - Wet and dry operation
- Individual infinite temperature controls
- One year parts and labor standard warranty



DCBU-T60



DC-H4 shown with an optional fill faucet

Specifications and Prices

MODEL	DESCRIPTION	C	VERAL	L	SHIP	FREIGHT	LIST
NUMBER	DESCRIFTION	L	D	Н	WEIGHT	CLASS	PRICE
Utility counters	- flat						
DCBU-38	Utility base, 38" length	38"	36"	36"	171 lbs.	100	Contact Factory
DCBU-52	Utility base, 52" length	52"	36"	36"	234 lbs.	100	Contact Factory
DCBU-66	Utility base, 66" length	66"	36"	36"	297 lbs.	100	Contact Factory
DCBU-80	Utility base, 80" length	80"	36"	36"	360 lbs.	100	Contact Factory
DCBU-94	Utility base, 94" length	94"	36"	36"	423 lbs.	100	Contact Factory
DCBU-120	Utility base, 120" length	120"	36"	36"	540 lbs.	100	Contact Factory
Utility counters	- tiered						
DCBU-T38	Utility base, 38" length tiered	38"	36"	36"	171 lbs.	100	Contact Factory
DCBU-T52	Utility base, 52" length tiered	52"	36"	36"	234 lbs.	100	Contact Factory
DCBU-T66	Utility base, 66" length tiered	66"	36"	36"	297 lbs.	100	Contact Factory
DCBU-T80	Utility base, 80" length tiered	80"	36"	36"	360 lbs.	100	Contact Factory
DCBU-T94	Utility base, 94" length tiered	94"	36"	36"	423 lbs.	100	Contact Factory
DCBU-T120	Utility base, 120" length tiered	120"	36"	36"	540 lbs.	100	Contact Factory

MODEL NUMBER	DESCRIPTION	L O	VERAL D	L H	12"x20" Pan Cap.	WATTS	AMP	VOLTS/HERTZ/ PHASE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
Heated co	unters										
DC-H2	Heated unit, two wells	38"	36"	36"	2	2000	16.6	115/60/1	228 lbs.	85	Contact Factory
DC-H3	Heated unit, three wells	52"	36"	36"	3	3000/4000	15.0/16.0	208-230/60/1	312 lbs.	85	Contact Factory
DC-H4	Heated unit, four wells	66"	36"	36"	4	4000/5000	20.0/22.0	208-230/60/1	396 lbs.	85	Contact Factory
DC-H5	Heated unit, five wells	80"	36"	36"	5	5000/6000	24.0/27.0	208-230/60/1	480 lbs.	85	Contact Factory
DC-H6	Heated unit, six wells	94"	36"	36"	6	6000/7200	29.0/32.0	208-230/60/1	564 lbs.	85	Contact Factory

Concepts Series accessories and modifications can be found on page 72-73.

Additional Warranties


Net Pricing
Two year parts and
labor contract --\$523



DC-IC: CONCEPTS ICE COOLED SERVING COUNTERS DC-MC: CONCEPTS MECHANICALLY COOLED SERVING COUNTERS



DC-IC3



DC-MC2

Product Information

DC-IC UNITS ONLY

- NSF-7 certified performance
- Integral V-stamp pan rest
- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 1" drain
- Removable perforated false bottom
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane Keeps energy costs low
- One year parts and labor standard warranty

DC-MC UNITS ONLY

- NSF-7 certified performance
- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- Integral V-stamp pan rest
- 1" drain
- Must be fixed hard wired
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane keeps energy costs low
- Environmentally friendly HFC-134A refrigerant
- Thermostat for temperature control
- One year parts and labor standard warranty

Specifications and Prices

MODEL NUMBER	DESCRIPTION	, (OVERALI	_	12"x20 " PAN CAP.	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
	erving counters	L	D	<u>H</u>	FAN GAF.	WEIGHT	ULASS	FNIGE
ice conien 2	erving counters							
DC-IC2	Ice cooled unit, two wells	38"	36"	36"	2	209 lbs.	85	Contact Factory
DC-IC3	Ice cooled unit, three wells	52"	36"	36"	3	286 lbs.	85	Contact Factory
DC-IC4	Ice cooled unit, four wells	66"	36"	36"	4	363 lbs.	85	Contact Factory
DC-IC5	Ice cooled unit, five wells	80"	36"	36"	5	440 lbs.	85	Contact Factory
DC-IC6	Ice cooled unit, six wells	94"	36"	36"	6	517 lbs.	85	Contact Factory

MODEL	DESCRIPTION	0	OVERALL		12"x20" H.P.		AMP	BTU	VOLTS/HERTZ/	SHIP	FREIGHT	LIST
NUMBER	DESCRIFTION	L	D	Н	PAN CAP.	п.г.	AINIF	LOAD	PHASE	WEIGHT	CLASS	PRICE
Mechanica	lly cooled counter	S										
DC-MC2	Mechanically cooled unit, two wells	38"	36"	36"	2	1/5	4.0	379	115/60/1	323 lbs.	85	Contact Factory
DC-MC3	Mechanically cooled unit, three wells	52"	36"	36"	3	1/5	4.0	569	115/60/1	442 lbs.	85	Contact Factory
DC-MC4	Mechanically cooled unit, four wells	66"	36"	36"	4	1/4	7.0	758	115/60/1	561 lbs.	85	Contact Factory
DC-MC5	Mechanically cooled unit, five wells	80"	36"	36"	5	1/4	7.0	948	115/60/1	680 lbs.	85	Contact Factory
DC-MC6	Mechanically cooled unit, six wells	94"	36"	36"	6	1/4	7.0	1138	115/60/1	799 lbs.	85	Contact Factory

Concepts Series accessories and modifications can be found on page 72-73.

Additional Warranties
Net Pricing
Two year parts and
labor contract --\$523

Five year compressor
warranty
1/5 H.P. -----\$108
1/4 H.P. -----\$128



DC-L: CONCEPTS LIQUITEC® SERVING COUNTERS DC-FT: CONCEPTS FROST TOP SERVING COUNTERS


Product Information

DC-L UNITS ONLY

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- Flush mounted pans
- Individual 0.5" stainless steel drains
- Thermostat for temperature control
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane keeps energy costs low
- Must be hard wired in field
- One year parts and labor standard warranty

DC-FT UNITS ONLY

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 18-gauge stainless steel one piece construction and perimeter trough
- 0.5" stainless steel drain
- Must be hard wired in field
- One year parts and labor standard warranty



DC-L4



DC-FT6

Specifications and Prices

MODEL NUMBER	DESCRIPTION	0 L	VERAL D	L H	12"x20" Pan Cap.	H.P.	AMP	BTU LOAD	VOLTS/HERTZ/ PHASE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
LiquiTec®	counters											
DC-L2	LiquiTec unit, two wells	38"	36"	36"	2	1/4	7.0	379	115/60/1	342 lbs.	100	Contact Factory
DC-L3	LiquiTec unit, three wells	52"	36"	36'	3	1/4	7.0	569	115/60/1	468 lbs.	100	Contact Factory
DC-L4	LiquiTec unit, four wells	66"	36"	36"	4	1/4	7.0	758	115/60/1	594 lbs.	100	Contact Factory
DC-L5	LiquiTec unit, five wells	80"	36"	36"	5	1/4	7.0	948	115/60/1	720 lbs.	100	Contact Factory
DC-L6	LiquiTec unit, six wells	94"	36"	36"	6	1/4	7.0	1138	115/60/1	846 lbs.	100	Contact Factory

MODEL NUMBER	DESCRIPTION	L L	VERAL D	L H	H.P.	AMP	VOLTS/HERTZ/ PHASE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
Frost Top co	ounters									
DC-FT2	Frost top unit, 38" length	38"	36"	36"	1/4	7.0	115/60/1	399 lbs.	100	Contact Factory
DC-FT3	Frost top unit, 52" length	52"	36"	36"	1/4	7.0	115/60/1	546 lbs.	100	Contact Factory
DC-FT4	Frost top unit, 66" length	66"	36"	36"	1/4	7.0	115/60/1	693 lbs.	100	Contact Factory
DC-FT5	Frost top unit, 80" length	80"	36"	36"	1/3	8.0	115/60/1	840 lbs.	100	Contact Factory
DC-FT6	Frost top unit, 94" length	94"	36"	36"	1/3	8.0	115/60/1	987 lbs.	100	Contact Factory

Concepts Series accessories and modifications can be found on page 72-73.

Additional Warranties


Net Pricing Two year parts and labor contract --\$523

Five year compressor warranty 1/5 H.P. -----\$108

1/2 H.P. -----\$139



DCRU: CONCEPTS RADIAL UTILITY SERVING COUNTERS DCRU-H: CONCEPTS RADIAL HEATED SERVING COUNTERS



DCRU-OT



DCRU-H3

Product Information

DCRU UTILITY UNITS ONLY


- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- One year parts and labor standard warranty


DCRU-H UNITS ONLY

- Flush mount die stamped stainless steel heated food well
- 1/2" stainless steel drains
- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure

- Standard on 6" legs
- Must be fixed hard wired
- 11.87" x 19.87" single hot food wells are manifolded together to one main gate valve
- Wet and dry operation
- Individual infinite temperature controls
- One year parts and labor standard warranty

Specifications and Prices





Concepts Series accessories and modifications can be found on page 72-73.

DCRU-H332



DCRU-T32

Additional Warranties Net Pricing Two year parts and labor contract --\$523



DCRU-IC: CONCEPTS RADIAL ICE COOLED SERVING COUNTERS DCRU-MC: CONCEPTS RADIAL MECHANICALLY COOLED SERVING **COUNTERS**

Product Information

DCRU-IC UNITS ONLY

- Stainless steel pan clip
- Removable perforated false bottom

DCRU-MC UNITS ONLY


- Must be fixed hard wired
- Environmentally friendly HFC-134A refrigerant
- Thermostat for temperature control

All Units

- NSF-7 certified performance
- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- Stainless steel pan clip
- 1" drain

density foamed environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane keeps energy costs

One year parts and labor standard warranty



DCRU-IC5





Specifications and Prices

MODEL NUMBER	DESC		0 L	VERA D	LL H		x 20" V CAP.	SHIP WEIGHT	FREIGHT CLASS	LIS PRIO	T E		
Radial ice cod	oled serving cou	nters											
DCRU-IC2	Radial ice coole	d unit, 3	6" co	ld pan	103.3"	36'	36	,	2	540 lbs.	85	Contact F	actory
DCRU-IC3	Radial ice coole	d unit, 5	0" cc	ld pan	103.3"	36'	36	,	3	578 lbs.	85	Contact F	actory
DCRU-IC4	Radial ice coole	d unit, 6	0" co	ld pan	103.3"	36'	36	,	4	616 lbs.	85	Contact F	actory
DCRU-IC5	Radial ice coole	d unit, 7	4" co	ld pan	103.3"	36'	36	,	5	654 lbs.	85	Contact F	actory
DCRU-IC225	Radial ice coo	led unit,	25° a	angle	58.4"	36'	36	,	2	540 lbs.	85	Contact F	actory
DCRU-IC332	Radial ice coo	led unit,	32° a	angle	75.6"	36'	36	,	3	578 lbs.	85	Contact F	actory
DCRU-IC440	Radial ice coo	led unit,	40° a	angle	92.4"	36'	36	,	4	616 lbs.	85	Contact F	actory
MODEL NUMBER	DESCRIPTION	OVE L	ERAL. D	L H	12"x20" Pan Cap.	Н.Р.	AMP	BTU LOAD		TS/HERTZ/ PHASE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
Radial mecha	nically cooled s	erving c	ount	ers									
DCRU-MC2	Radial mechanically cooled unit, 36" cold pan	103.3"	36"	36"	2	1/4	7.5	379	11	15/60/1	604 lbs.	85	Contact Factory
DCRU-MC3	Radial mechanically cooled unit, 50" cold pan	103.3"	36"	36"	3	1/4	7.5	569	11	15/60/1	644 lbs.	85	Contact Factory
DCRU-MC4	Radial mechanically cooled unit, 60" cold pan	103.3"	36"	36"	4	1/4	7.5	758	11	15/60/1	684 lbs.	85	Contact Factory
DCRU-MC5	Radial mechanically cooled unit, 74" cold pan	103.3"	36"	36"	5	1/4	7.5	948	11	15/60/1	724 lbs.	85	Contact Factory
DCRU-MC225	Radial mechanically cooled unit, 25° angle	58.4"	36"	36"	2	1/5	4.0	379	11	15/60/1	410 lbs.	85	Contact Factory
DCRU-MC332	Radial mechanically cooled unit, 32° angle	75.6"	36"	36"	3	1/5	4.0	569	11	15/60/1	525 lbs.	85	Contact Factory
DCRU-MC440	Radial mechanically cooled unit, 40° angle	92.4"	36"	36"	4	1/4	7.5	758	11	15/60/1	640 lbs.	85	Contact Factory

Concepts Series accessories and modifications can be found on page 72-73.



DCRU-IC332




DCRU-MC440

Additional Warranties
Net Pricing
Two year parts and
labor contract\$523
Five year compressor
warranty
1/5 H.P\$108
4/411D 0400



DCRU-L: CONCEPTS LIQUITEC® SERVING COUNTERS



DCRU-L3

Product Information

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- Flush mounted pans
- Individual 0.5" stainless steel drains
- Thermostat for temperature control
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane keeps energy costs
- Must be hard wired in field
- One year parts and labor standard warranty

Specifications and Prices

MODEL NUMBER	DESCRIPTION	OVI L	ERALL D	Н	12"x20" PAN CAP.	H.P.	AMP	BTU LOAD	VOLTS/HERTZ/ PHASE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
LiquiTec®	counters											
DCRU-L1	Radial unit with LiquiTec, one pan	103.3"	36"	36"	1	1/4	7.5	292	115/60/1	633 lbs.	100	Contact Factory
DCRU-L2	Radial unit with LiquiTec, two pans	103.3"	36"	36"	2	1/4	7.5	379	115/60/1	679 lbs.	100	Contact Factory
DCRU-L3	Radial unit with LiquiTec, single pan and double pan	103.3"	36"	36"	1&2	1/4	7.5/ 7.5	292/379	115/60/1	848 lbs.	100	Contact Factory
DCRU-L4	Radial unit with LiquiTec, two double pans	103.3"	36"	36"	2&2	1/4	7.5/ 7.5	379/379	115/60/1	897 lbs.	100	Contact Factory

Concepts Series accessories and modifications can be found on page 72-73.

Additional Warranties

Net Pricing Two year parts and labor contract --\$523

Five year compressor warranty

1/4 H.P. -----\$108



DC-T: CONCEPTS TRANSITION SERVING COUNTERS DCRU-T: CONCEPTS RADIAL TRANSITION SERVING COUNTERS

Product Information

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- One year parts and labor standard warranty



DC-TT45



DCRU-T90

Specifications and Prices


MODEL	DESCRIPTION	0	VERAL	L	SHIP	FREIGHT	LIST
NUMBER	DESCRIFTION	L	D	Н	WEIGHT	CLASS	PRICE
Transition counte	ers						
DC-T22	22 degree transition piece	25.81"	36"	36"	86 lbs.	100	Contact Factory
DC-T45	45 degree transition piece	38.64"	36"	36"	171 lbs.	100	Contact Factory
DC-T90	90 degree transition piece	59.40"	36"	36"	315 lbs.	100	Contact Factory
DC-TT45	45 degree transition piece, tiered	38.64"	36"	36"	171 lbs.	100	Contact Factory
DC-TT90	90 degree transition piece, tiered	59.40"	36"	36"	315 lbs.	100	Contact Factory
Radial transition	counters						
DCRU-T22	Radial 22 degree transition piece	18.92"	36"	36"	86 lbs.	100	Contact Factory
DCRU-T45	Radial 45 degree transition piece	37.12"	36"	36"	171 lbs.	100	Contact Factory
DCRU-T90	Radial 90 degree transition piece	68.59"	36"	36"	315 lbs.	100	Contact Factory
DCRU-TT45	Radial 45 degree transition piece, tiered	37.12"	36"	36"	171 lbs.	100	Contact Factory
DCRU-TT90	Radial 90 degree transition piece, tiered	68.59"	36"	36"	315 lbs.	100	Contact Factory

 $\label{lem:concepts} \textbf{Concepts Series accessories and modifications can be found on page 72-73.}$

Additional Warranties Net Pricing Two year parts and labor contract --\$523



DCCS-SD: CONCEPTS SINGLE DRAWER CASH COUNTERS DCCS-DD: CONCEPTS DUAL DRAWER CASH COUNTERS



DCCS-SDW




DCCS-DDWR


Product Information

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 2" grommet hole in top to allow cord access for cash registers
- Stainless steel locking cash drawer(s) standard
- 120V-15A duplex (GFCI) receptacle, Nema 5-15R 15.0A breaker
- One year parts and labor standard warranty

Specifications and Prices



DCCS-SDRWL



DCCS-DDRWR

MODEL NUMBER	DESCRIPTION	L O	VERAL D	L H	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
Single drawer c	ash counters						
DCCS-SD	Single drawer cashier station	45"	36"	36"	270 lbs.	100	Contact Factory
DCCS-SDW	Single drawer cashier station with wing walls	45"	36"	36"	350 lbs.	100	Contact Factory
DCCS-SDWL	Single drawer cashier station with wing wall left	45"	36"	36"	310 lbs.	100	Contact Factory
DCCS-SDWR	Single drawer cashier station with wing wall right	45"	36"	36"	310 lbs.	100	Contact Factory
DCCS-SDR	Single drawer radial cashier station, 48"	48"	36"	36"	310 lbs.	100	Contact Factory
DCCS-SDRW	Single drawer radial cashier station with wing walls, 48"	48"	36"	36"	390 lbs.	100	Contact Factory
DCCS-SDRWL	Single drawer radial cashier station with wing wall left, 48"	48"	36"	36"	350 lbs.	100	Contact Factory
DCCS-SDRWR	Single drawer radial cashier station with wing wall right, 48"	48"	36"	36"	350 lbs	100	Contact Factory
Dual drawer cas	sh counters						
DCCS-DD	Dual drawer cashier station	72"	36"	36"	540 lbs.	100	Contact Factory
DCCS-DDW	Dual drawer cashier station with wing walls	72"	36"	36"	620 lbs.	100	Contact Factory
DCCS-DDWL	Dual drawer cashier station with wing wall left	72"	36"	36"	580 lbs.	100	Contact Factory
DCCS-DDWR	Dual drawer cashier station with wing wall right	72"	36"	36"	580 lbs.	100	Contact Factory
DCCS-DDR	Dual drawer radial cashier station, 72"	72"	36"	36"	580 lbs.	100	Contact Factory
DCCS-DDRW	Dual drawer radial cashier station with wing walls, 72"	72"	36"	36"	660 lbs.	100	Contact Factory
DCCS-DDRWL	Dual drawer radial cashier station with wing wall left, 72"	72"	36"	36"	620 lbs.	100	Contact Factory
DCCS-DDRWR	Dual drawer radial cashier station with wing wall right, 72"	72"	36"	36"	620 lbs	100	Contact Factory

Concepts Series accessories and modifications can be found on page 72-73.

Additional Warranties Net Pricing

Two year parts and labor contract --\$523



DC-TM: CONCEPTS TOWER END SERVING COUNTERS DCDM: CONCEPTS DISPLAY MERCHANDISER COUNTERS DCHS: CONCEPTS HANDSINK SERVING COUNTERS

Product Information

DC-TM

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" flanged feet, unit must be bolted to the floor
- 36" work height
- Laminated upper
- Removable interior stainless steel panels
- Standard with 5-20 GFCI outlet

DCDM


- Laminated ends, front, back
- Two removable laminated shelves
- Laminated shelves are adjustable and able to be slanted or flat
- Black poly shelf supports

DCHS

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 36" work height
- Three sided removable stainless steel riser
- Deck mount faucet
- Finished stainless steel panels
- Soap dispenser
- On board water pump
- On board 2 1/2 gallon water heater
- (2) 5 gallon fresh water containers
- (2) 7 1/2 gallon waste water containers
- Cord and 5-15P plug
- 9" x 14" x 5" sink

All Units

One year parts and labor standard warranty



DCT-66RI




DCDM-36Shown with radial top, and bottom shelf

Specifications and Prices

Model Number	Description	L	D	Н	Ship Weight	Freight Class	List price
Tower/End Mod	ules						
DCTM-38RI	Roll in (operator side) tower module 38" length	38"	36"	83.62"	350		Contact Factory
DCTM-66RI	Roll in (operator side) tower module 66" length	66"	36"	83.62"	608		Contact Factory
DCTM-RI	Roll in (operator side) tower module	XX	36"	83.63"	10/inch		Contact Factory
Display Mercha	ndiser						
DCDM-24	Display Merchandiser, Full Front (Customer Self Service)	24"	20"	36"	150		Contact Factory
DCDM-36	Display Merchandiser, Full Front (Customer Self Service)	36'	20"	36"	225		Contact Factory
Handsink							
DCHS-DI	Drop In handsink module	31.13"	28"	22"	220		Contact Factory
DCHS-51	Handsink module	51"	36"	36"	454		Contact Factory

 $\label{lem:concepts} \textbf{Concepts Series accessories and modifications can be found on page 72-73.}$



DCHS-51

Additional Warranties Net Pricing Two year parts and labor contract --\$523



DCBU: CONCEPTS RADIAL UTILITY COUNTERS DCBC: CONCEPTS RADIAL BEVERAGE COUNTERS



DCBU-72R

Product Information

- Heavy duty stainless steel top
- Reinforced stainless steel front and rear removable panels
- Heavy duty base support structure
- Standard on 6" legs
- 36" work height
- One year parts and labor standard warranty



DCBC-96R Shown with optional urn trough

Specifications and Prices

Model Number	Description	L	D	Н	Ship Weight	Freight Class	List price
Radial Front Uti	lity Module						
DCBU-48R	Curved utility module, 48"L	48	44	36	297		Contact Factory
DCBU-72R	Curved utility module, 72"L	72	44	36	360		Contact Factory
DCBU-96R	Curved utility module, 96"L	96	44	36	423		Contact Factory
DCBU-120R	Curved utility module, 120"L	12	44	36	540		Contact Factory
Beverage Count	er						
DCBC-48R	Beverage Bar, curved 48" L with hinged locking doors	48	44	36	397		Contact Factory
DCBC-72R	Beverage Bar, curved 72" L with hinged locking doors	72	44	36	460		Contact Factory
DCBC-96R	Beverage Bar, curved 96" L with hinged locking doors	96	44	36	523		Contact Factory
DCBC-120R	Beverage Bar, curved 120"L with hinged locking doors	12	44	36	640		Contact Factory
DCBC-XX	Linear Beverage Bar Module with hinged locking doors	XX	44	36	8/inch		Contact Factory

 $\label{lem:concepts} \textbf{Concepts Series accessories and modifications can be found on page 72-73.}$

Additional Warranties

Net Pricing Two year parts and labor contract --\$523




N8000-R: DROP-IN CURVED ICE COOLED COLD PAN N8100-BR: DROP-IN CURVED MECHANICALLY COOLED COLD PAN N8700-R: DROP-IN CURVED HEATED ELECTRIC FOOD WELLS

Product Information


N8000-R UNITS ONLY

- NSF certified
- A stainless steel holding clip adjusts for pans
- Push-in perimeter gasket
- 1" drain standard
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane keeps energy costs low
- Removable perforated, false bottom
- One year parts and labor standard warranty N8100-BR UNITS ONLY
- NSF-7 certified performance
- A stainless steel holding clip adjusts for pans
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane keeps energy costs low
- Push-in perimeter gasket
- Stainless steel louver provided
- Environmentally friendly HFC-134A refrigerant


- 1" drain standard
- Thermostat for temperature control
- One year parts and labor standard warranty
 N8700-R UNITS ONLY
- Top is constructed of 18-gauge stainless steel
- Flush mounted die stamped drawn 12"x20" individual 20-gauge wells
- Wells depressed slightly into the top to hold condensation
- Standard 1/2" stainless steel drain(s)
- Non-marring press fit top gasket
- Must be hard wired in the field
- Wet and dry operation
- 11.87"x19.87" single hot food wells are manifolded together standard to one main gate valve
- Unit shall be insulated on all sides with 1" of fiberglass and bottom to have 2" of fiberfrax blanket insulation
- Individual infinite temperature controls standard wired to one main control panel with 4' of conduit and wire. Field install control panel at location
- Galvanized exterior body
- One year parts and labor standard warranty



N8059-R



N8176-BR



N8744-R

Specifications and Prices

MODEL NUMBER	L	OVERALL D	Н	12"x20" Pan Cap.	SHIP WEIGHT	FREIGHT CLASS	LIST Price
ice cooled cur	ved drop-i	n					
N8044-R	40.48"	26.05"	10.77"	2	100 lbs.	85	\$2,041
N8059-R	57.22"	26.05"	10.77"	3	118 lbs.	85	\$2,345
N8076-R	73.68"	26.05"	10.77"	4	145 lbs.	85	\$2,739
N8094-R	89 89"	26 05"	10 77"	5	164 lbs	85	\$3,061

MODEL Number	L	OVERALI D	<u>.</u> H	12"x20" Pan Cap.	H.P.	AMP	BTU LOAD	VOLTS/HERTZ/ PHASE	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST Price
Mechanical	ly cooled	curved d	lrop-in									
N8144-BR	40.48"	26.05"	10.77"	2	1/5	4.0	379	115/60/1	5-15P	161 lbs.	85	\$5,231
N8159-BR	57.22"	26.05"	10.77"	3	1/5	4.0	569	115/60/1	5-15P	184 lbs.	85	\$5,971
N8176-BR	73.68"	26.05"	10.77"	4	1/4	7.0	758	115/60/1	5-15P	233 lbs.	85	\$6,416
N8194-BR	89.89"	26.05"	10.77"	5	1/4	7.0	948	115/60/1	5-15P	243 lbs.	85	\$6,976

MODEL NUMBER	L	OVERALI D	L H	12"x20" Pan Cap.	AMP	WATTS	VOLTS/HERTZ/ PHASE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
Heated curv	ed drop	ins								
N8744-R	40.48"	26.05"	9.08"	2	16.6	2000	120/60/1	99 lbs.	85	\$3,252
N8759-R	57.22"	26.05"	9.08"	3	15.0/16.0	3000/4000	208-230/60/1	134 lbs.	85	\$4,606
N8776-R	73.68"	26.05"	9.08"	4	20.0/22.0	4000/4800	208-230/60/1	166 lbs.	85	\$5,989
N8794-R	89 80"	26.05"	9 N8"	5	24 0/27 0	5000/6000	208-230/60/1	186 lbs	85	\$7 368

Additional Warranties

Net Pricing Two year parts and labor contract --\$523

Five year compressor warranty 1/5 H.P. -----\$108

1/4 H.P. -----\$108



CONCEPTS™ ACCESSORIES AND MODIFICATIONS

Trayslides		
DCTS-SV Stainless Steel "V" Tray Slide	Contact F	actory
DCTS-3B 3-Bar S/S Tray Slide		,
DCTS-3BR 3-Bar radial S/S Tray Slide		
DCTS-SS Solid Surface Tray Slide		
DCTS-SSR Solid Surface Tray Slide, with s/s runners		
DCTS-SSE Solid Surface Extension as Tray Slide		ucto.,
with s/s runners	Contact F	actory
DCTS-GT Granite Top Extension as Tray Slide		
DCTS-GTR Granite Top Extension as Tray Slide,		ucto.,
with s/s runners	Contact F	actory
DCTSF-3B-22 3 Bar 22 degree corner filler tray slide		
DCTSF-3B-25 3 Bar 25 degree corner filler tray slide		
DCTSF-3B-32 3 Bar 32 degree corner filler tray slide		
DCTSF-3B-40 3 Bar 40 degree corner filler tray slide		
DCTSF-3B-45 3 Bar 45 degree corner filler tray slide		
DCTSF-3B-90 3 Bar 90 degree corner filler tray slide		
DCTSF-SS-22 Solid Surface 22 degree corner filler tray slide		
DCTSF-SS-25 Solid Surface 25 degree corner filler tray slide		,
DCTSF-SS-32 Solid Surface 32 degree corner filler tray slide		
DCTSF-SS-40 Solid Surface 40 degree corner filler tray slide		
DCTSF-SS-45 Solid Surface 45 degree corner filler tray slide .		
DCTSF-SS-90 Solid Surface 90 degree corner filler tray slide		
		,
Workshelves		
DCWS-10 10" stainless steel workshelf	Contact F	actory
DCWS-12 12" stainless steel workshelf		
		,
Base Finishes		
DCSE S/S Finished End Panel	Contact F	actorv
DCLE Laminate End Panel		
DCLF Laminate Front Panel, Standard laminates		,
(Wilsonart Novamar Formica and Pionito)		NI/C

Base Finishes	
DCSE S/S Finished End Panel	Contact Factory
DCLE Laminate End Panel	Contact Factory
DCLF Laminate Front Panel, Standard laminates	
(Wilsonart, Nevamar, Formica and Pionite)	N/C
DCLB Laminate Back Panel, Standard laminates	
(Wilsonart, Nevamar, Formica and Pionite)	N/C
DCLFC Laminate Front Panel, Custom laminates	
(any metalics, Chemetal)	Contact Factory
DCLBC Laminate Back Panel, Custom laminates	
(any metalics, Chemetal)	
DCKP S/S or Laminated kick plate	Contact Factory
DCKPR S/S or Laminated kick plate return	Contact Factory
Ton Materials	

10p Materials	
DCTG Granite Top Material	Contact Factory
DCTH Hanstone Top Material	Contact Factory
DCTC Corian Top Material	Contact Factory
DCTA Avonite Top Material	Contact Factory
DCTD Diamond Top Material	Contact Factory
DCTM Solid Surface Top Material - TBD	Contact Factory

Top/Base Accessories

DCC Casters in lieu of Legs	Contact Factory
DCTC Top Cutouts	Contact Factory
DCBS Stainless steel backsplash	Contact Factory
DCBSR Stainless steel backsplash return	Contact Factory
DCSSBS Solid surface backsplash	Contact Factory
DCSSBSR Solid surface backsplash return	Contact Factory
DCDP Décor Panels	Contact Factory
DCPGDP Colored Plexiglas stand off decor panel	Contact Factory
DCPGDPG Plexiglas stand off decor panel with graphic	Contact Factory
DCPGLP Plexiglas laminated stand off décor panel	
DCBLP LED ligh panel for Décor Panel	Contact Factory
DCPSL26 Builtin plate shelf linear 26" (2-pan)	Contact Factory
DCPSL42 Builtin plate shelf linear 42" (3-pan)	Contact Factory
DCPSL56 Builtin plate shelf linear 56" (4-pan)	Contact Factory
DCPSRO Builtin plate shelf radial outside 42"	Contact Factory
DCPSRI Builtin plate shelf radial inside 32"	Contact Factory
DCGS Subtop in lieu of stainless stell top	Contact Factory
DCLED LED under nosing lighting	Contact Factory
DCFF Manual Fill Faucet	Contact Factory
DCFH 2" Ferruled Hole	Contact Factory
DCGH 3" Grommeted Hole	Contact Factory
DCEO 115V/15A Outlet with 10amp Breaker	Contact Factory
DCDO Deck Mount Outlets	Contact Factory
DCC Casters in lieu of Legs	Contact Factory
DCCO Top Cutouts	Contact Factory
DCBPA 100-200 amp panel box	
(cost of housing not included)	Contact Factory
DCBPB Circuit-non-ground fault	
(includes breaker, conduit, wire)	Contact Factory
DCBPC Circuit-ground fault	Contact Factory
DCLRI Linear Roll-In Section	Contact Factory

Base Inserts/Doors

DCOS-12 Openshelf Insert, 9" high	Contact Factory
DCOS-18 Openshelf Insert, 9" high	Contact Factory
DCOS-24 Openshelf Insert, 9" high	Contact Factory
DCOS-36 Openshelf Insert, 9" high	Contact Factory
DCOS-48 Openshelf Insert, 9" high	Contact Factory
DCOS-H12 Openshelf Insert, 15" high	Contact Factory
DCOS-H18 Openshelf Insert, 15" high	Contact Factory
DCOS-H24 Openshelf Insert, 15" high	Contact Factory
DCOS-H36 Openshelf Insert, 15" high	Contact Factory
DCOS-H48 Openshelf Insert, 15" high	Contact Factory
DCID Inlay Access Door	Contact Factory
DCSD-36 Sliding Door Insert	Contact Factory
DCSD-48 Sliding Door Insert	Contact Factory
DCDS-S18 Single Door Dry Storage Insert	Contact Factory
DCDS-S24 Single Door Dry Storage Insert	Contact Factory
DCDS-D36 Double Door Dry Storage Insert	Contact Factory
DCDS-D48 Double Door Dry Storage Insert	Contact Factory
DCMA-S Single Mechanical Access Door	Contact Factory
DCMA-D Double Mechanical Access Doors	Contact Factory
DCMA-L Louvered Mechanical Access Door	Contact Factory
DCRI Refrigerated Base Insert	Contact Factory
DCHI-S Single Section Heated Base Insert	Contact Factory
DCHI-D Double Section Heated Base Insert	Contact Factory



CONCEPTS™ ACCESSORIES AND MODIFICATIONS

Heated Black Glass Shelf (HBGB)

DCHB-24 24" Heated Black Glass Surface	Contact Factory
DCHB-30 30" Heated Black Glass Surface	Contact Factory
DCHB-36 36" Heated Black Glass Surface	Contact Factory
DCHB-48 48" Heated Black Glass Surface	Contact Factory
DCHB-60 60" Heated Black Glass Surface	Contact Factory
DCHB-72 72" Heated Black Glass Surface	Contact Factory

Heated Stone surface (GRSSB)

DCHS-24 24" Heated Stone surface	Contact Factory
DCHS-30 30" Heated Stone surface	Contact Factory
DCHS-3636" Heated Stone surface	Contact Factory
DCHS-48 48" Heated Stone surface	Contact Factory
DCHS-60 60" Heated Stone surface	Contact Factory
DCHS-72 72" Heated Stone surface	Contact Factory
Colors Available: Gray Granite, Bermuda Sand, Night Sky, Saw	grass

Tower Upper Structure options

lower opper structure options	
DCDEB Dry erase board	Contact Factory
DCSBG Sintra board with graphics	Contact Factory
DCFPMB Non-Illuminated Flexcover panel menu board	Contact Factory
DCMB Non-Illuminated menu board	Contact Factory
DCLCDMB32 LCD Menu board - 32"	Contact Factory
DCLCDMB42 LCD Menu board - 42"	Contact Factory
DCTL2 Directional lighting	
(track lighting w/ black gooseneck lights) - 2 lights	Contact Factory
DCTL3 Directional lighting	
(track lighting w/ black gooseneck lights) - 3 lights	Contact Factory
DCUSGP Graphic package	Contact Factory
DCUPO Interior outlet options for roll-in units	Contact Factory

Display Case Module

DCDCGP Graphic package	Contact Factory
DCDCTGS Tempered glass shelves in lieu of laminated shelves	es Contact Factory
DCDCRB Radial front on bottom laminated shelf	Contact Factory
DCDCRT Radial top	Contact Factory
DCDCWPS White poly shelf supports	Contact Factory

Hand Sink Module

DCPTH Paper towel holder - Bobrick Model B26212......Contact Factory

Radial Front Utility Module & Beverage Counter

nadiai i font othicy module & bevera	ge counte
DCBCTM-12 Beverage Bar, Tower Module Accessory	Contact Factory
DCBS Backsplash	Contact Factory
DCBSRL Backsplash Return left	
DCBSRR Backsplash Return right	Contact Factory
DCT Tower module	Contact Factory
DCTRHD Hinged door internal access to waste receptacle	Contact Factory
DCTRC Round top cutout with 16" x 11" x 20"	
tall waste receptacle	Contact Factory
DCTRCB Round cutout in base	Contact Factory
DCCD Cup dispenser	Contact Factory
DCLO Lid organizer	Contact Factory
DCSO Straw organizer	Contact Factory
DCND Napkin dispensers for standard napkin:	
full fold, 4-1/2" x 5" – 6-1/2"	Contact Factory
DCSD Soufflé' cup dispensers –	
Dispense-Rite for ¾ to 2-1/2 oz. portions	Contact Factory
DCCP Condiment pump	
DCOU Open shelf understorage	Contact Factory
DCOUI Open shelf understorage with intermediate shelf	Contact Factory
DCLHD Locking full height hinged door dry base fronts	Contact Factory
DCDW Dry storage well – 12" x 20" x 6-1/2" deep	Contact Factory

Cashier Counter Accessories


DCCPU45 CPU housing - 45"L Base	Contact Factory
DCCPU72 CPU housing - 72"L Base	Contact Factory
DCFRS s/s dia. foot rest with shelf	Contact Factory
DCFR s/s dia. foot rest without shelf	Contact Factory
DCPOS Pull out shelf in base	Contact Factory

DCGL Gooseneck Light...

	•
Signage/Overstructures	
DCOA-XX Adjustable Height Overstructure with Vertical	
Signage Board with graphicContact Factor	ν
DCOF-XX Fixed Height Overstructure with Vertical	,
Signage Board with graphicContact Factor	v
DCOW-XX Wall Mount Overstructure with Vertical	•
Signage Board with graphicContact Factor	v
DCORF Radial Fixed Height Overstructure with Vertical	•
Radial Signage Board with graphic, Radial baseContact Factor	у
DCORA Radial Adjustable Height Overstructure with Vertical	•
Radial Signage Board with graphic, Radial baseContact Factor	у
DCORFT Radial Fixed Height Overstructure with Vertical	•
Radial Signage Board with graphic, 90° baseContact Factor	y
DCORAT Radial Adjustable Height Overstructure with Vertical	
Radial Signage Board with graphic, 90° baseContact Factor	y
DCOCP Custom Powdercoat for OverstructureContact Factor	y
DCSDS Dual Sided SignageContact Factor	y
DCSAD Signage Angled DownContact Factor	y
DCSAU Signage Angled UpContact Factor	y
DCSPTF Perforated Horizontal Top, FlatContact Factor	y
DCSPTU Perforated Horizontal Top, Arched UpContact Factor	y
DCSPTD Perforated Horizontal Top, Arched DownContact Factor	y
DCSRT Signage Removable with ThumbscrewsContact Factor	y
DCSP Powdercoated Vertical Sinage Board with graphic in	
lieu of standardContact Factor	y
DCSPA Perforated Powdercoated Aluminum Vertical Signage	
Backer (in lieu of Standard Signage Board and graphic)N/0	C
DCSSR Shaped Signage with Backer, Round with	
Laminate or GraphicContact Factor	
DCSSO Shaped Signage with Backer, Oval with Laminate or GraphicContact Factor	
	y
DCSST Shaped Signage with Backer, Triangle with	
Laminate or GraphicContact Factor	y
DCSSS Shaped Signage with Backer, Square with	
Laminate or GraphicContact Factor	y
DCCA-XX Adjustable Height Canopy with GraphicsContact Factor	•
DCCF-XX Fixed Height Canopy with GraphicsContact Factor	•
DCCW-XX Wall Mount Canopy with GraphicsContact Factor	•
DCDL Décor Heat LampContact Factor	y



....Contact Factory



DCFSGSingle tier glass front protector

Product Information

- Mostly glass display allows you to see product from every angle
- Standard construction is 1" diameter stainless steel tubular legs. 1/4" tempered glass fronts and end glass. 3/8" tempered glass top shelf
- Comes fully assembled
- Standard bright chrome finish and black powdercoat
- End glass is standard on all food shields
- A complete line of accessories including stainless steel shelves, heat lamps and lighting
- All models meet NSF 2011 requirements.

Specifications and Prices

Model Number	Description	Per Linear Inch Pricing
DCFSG	Glass front food shield, single tier with glass shelf, single service	\$119
DCFSG2	Glass front food shield, double tier with two glass shelves, single service	\$179
DCFSSS	Glass front food shield, slicer shield style	\$63
DCFSH	Two tier display, sneeze guard, single service	\$170
DCFSHD	Two tier display with sneeze guard, dual service	\$244
DCFSFS	Flexible shield, converts to three positions	\$143
DCFSFS2	Flexible shield, converts to three positions, two tier	\$215
DCFSKS	Single tier display, fixed sneeze guard front, single service	\$108
DCFSKD	Single tier display, fixed sneeze guard front, dual service	\$147
DCFSGH	Double tier display, bottom tier full glass front, second tier sneeze guard	\$185
DCFSHG	Double tier display, bottom tier sneeze guard, second tier full glass front	\$185

Model Number	Description	L	W	Н	List Price
Flexishield Display	ay				
DCFSCR	Corner Flexishield, 24" 90 degree with radius front edge, single tier	24.00	24.00	16.00	\$2,955
DCFSCRD	Corner Flexishield, 24" 90 degree with radius front edge, double tier	24.00	24.00	26.00	\$5,909
DCFSOS-XX	Overshelf with radial front edge, single tier	XX	18.00	16.00	\$59
DCFSOS2-XX	Overshelf with radial front edge, double tier	XX	18.00	26.00	\$119

Accessory Options	Per Linear Inch		
DCFSFL	Fluorescent light with on/off switch	\$26	
DCFHL	Radiant heat lamp with switch		
DCFSSL	Slim line heat lamps with on/off switch		
DCFSSHELF	Stainless steel shelf		
DCFSLED	LED light	\$25	
Black Powdercoating			
DCFSBP-G	G Style food shield	\$18	
DCFSBP-G2	G2 Style food shield	\$27	
DCFSBP-SS	SS Style food shield	\$9	
DCFSBP-H	H Style food shield	\$25	
DCFSBP-HD	HD Style food shield	\$37	
DCFSBP-FS	FS Style food shield	\$21	
DCFSBP-FS2	FS2 Style food shield	\$33	
DCFSBP-KD	KD Style food shield		
DCFSBP-KS	KS Style food shield		
DCFSBP-GH	GH Style food shield	\$27	
DCFSBP-HG	HG Style food shield		



DCFSR: RADIAL FLEXISHIELD® FOOD SHIELD

Product Information

- Mostly glass display allows you to see product from every angle
- 1" stainless steel legs
- Meets 2011 NSF requirements
- Flange mounted foot makes installation easy
- Comes fully assembled from factory
- Standard end glass
- One year parts and labor standard warranty



DCFSRIG-3



DCFSROKS-5

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERAL. D	L H	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
Radial FlexiSh	ield foodshields						
DCFSRIG-2	Radial food shield, full glass front, inside, single service, 2 pan	38.47"	18"	16"	Contact factory	Contact factory	\$8,404
DCFSRIG-3	Radial food shield, full glass front, inside, single service, 3 pan	53.43"	18"	16"	Contact factory	Contact factory	\$9,829
DCFSRIG-4	Radial food shield, full glass front, inside, single service, 4 pan	68.17"	18"	16"	Contact factory	Contact factory	\$11,254
DCFSRIG-5	Radial food shield, full glass front, inside single service 5 pan	82.61"	18"	16"	Contact factory	Contact factory	\$12,678
DCFSROG-2	Radial food shield, full glass front, outside, single service, 2 pan	43.09"	18"	16"	Contact factory	Contact factory	\$8,635
DCFSROG-3	Radial food shield, full glass front, outside, single service, 3 pan	59.85"	18"	16"	Contact factory	Contact factory	\$10,056
DCFSROG-4	Radial food shield, full glass front, outside, single service, 4 pan	76.35"	18"	16"	Contact factory	Contact factory	\$11,477
DCFSROG-5	Radial food shield, full glass front, outside single service 5 pan	92.53"	18"	16"	Contact factory	Contact factory	\$12,896
DCFSRIKS-2	Radial food shield, sneeze guard front, inside, single service, 2 pan	38.47"	18"	14.75"	Contact factory	Contact factory	\$8,161
DCFSRIKS-3	Radial food shield, sneeze guard front, inside, single service, 3 pan	53.43"	18"	14.75"	Contact factory	Contact factory	\$9,690
DCFSRIKS-4	Radial food shield, sneeze guard front, inside, single service, 4 pan	68.17"	18"	14.75"	Contact factory	Contact factory	\$11,220
DCFSRIKS-5	Radial food shield, sneeze guard front, inside single service 5 pan	82.61"	18"	14.75"	Contact factory	Contact factory	\$12,750
DCFSROKS-2	Radial food shield, sneeze guard front, outside, single service, 2 pan	43.09"	18"	14.75"	Contact factory	Contact factory	\$8,297
DCFSROKS-3	Radial food shield, sneeze guard front, outside, single service, 3 pan	59.85"	18"	14.75"	Contact factory	Contact factory	\$9,824
DCFSROKS-4	Radial food shield, sneeze guard front, outside, single service, 4 pan	76.35"	18"	14.75"	Contact factory	Contact factory	\$11,351
DCFSROKS-5	Radial food shield, sneeze guard front, outside single service 5 pan	92.53"	18"	14.75"	Contact factory	Contact factory	\$12,876
DCFSRKD-2	Radial food shield, sneeze guard front, dual service, 2 pan	43.09"	35.50"	15"	Contact factory	Contact factory	\$13,298
DCFSRKD-3	Radial food shield, sneeze guard front, dual service, 3 pan	59.85"	35.50"	15"	Contact factory	Contact factory	\$16,084
DCFSRKD-4	Radial food shield, sneeze guard front, dual service, 4 pan	76.35"	35.50"	15"	Contact factory	Contact factory	\$18,870
DCFSRKD-5	Radial food shield, sneeze guard front, dual service 5 pan	92.53"	35.50"	15"	Contact factory	Contact factory	\$21,655


Flexishield® Powdercoat

Black Powdercoat


DCFSBP-RIG-2 RIG-2 style radial food shield	\$725
DCFSBP-RIG-3 RIG-3 style radial food shield	\$1,076
DCFSBP-RIG-4 RIG-4 style radial food shield	\$1,262
DCFSBP-RIG-5 RIG-5 style radial food shield	\$1,540
DCFSBP-ROG-2 ROG-2 style radial food shield	\$725
DCFSBP-ROG-3 ROG-3 style radial food shield	\$1,076
DCFSBP-ROG-4 ROG-4 style radial food shield	\$1,262
DCFSBP-ROG-5 ROG-5 style radial food shield	\$1,540
DCFSBP-RIKS-2 RIKS-2 style radial food shield	\$681
DCFSBP-RIKS-3 RIKS-3 style radial food shield	\$1,013

DCFSBP-RIKS-4 RIKS-4 style radial food shield	\$1,189
DCFSBP-RIKS-5 RIKS-5 style radial food shield	\$1,450
DCFSBP-ROKS-2 ROKS-2 style radial food shield	\$681
DCFSBP-ROKS-3 ROKS-3 style radial food shield	\$1,013
DCFSBP-ROKS-4 ROKS-4 style radial food shield	\$1,189
DCFSBP-ROKS-5 ROKS-5 style radial food shield	\$1,450
DCFSBP-RKD-2 RKD-2 style radial food shield	\$895
DCFSBP-RKD-3 RKD-3 style radial food shield	\$1,330
DCFSBP-RKD-4 RKD-4 style radial food shield	\$1,559
DCFSBP-RKD-5 RKD-5 style radial food shield	\$1,904







DCFSG SeriesSingle tier glass front protector




DCFSG2 SeriesDouble tier glass front protector




DCFSH SeriesDouble tier, with sneeze guard fronts



DCFSHD SeriesDouble service, double tier display with sneeze guard fronts




DCFSSS Series
Slicer Shield




DCFSFS SeriesSingle tier, flexible food shield (pivots in three positions)







DCFSFS2 SeriesDouble tier flexible foodshield (pivots in three positions)




DCFSGH SeriesDouble tier display, bottom tier full glass front, second tier sneezeguard style



DCFSKD SeriesSingle tier, fixed food shield front, dual service



DCFSKS SeriesSingle tier, fixed food shield front, single service



DCFSHG SeriesDouble tier display bottom tier sneezeguard style, second tier full glass front



SE-H/SES-H SERIES - HEATED SERVING COUNTERS SE-C/SES-C SERIES - COLD PAN SERVING COUNTERS





SE-H3Shown with optional ABS panels

Product Information

- SE-H and SES-H Series counters are standard with 12" x 20" x 6" deep stainless steel heated food wells, cord and plug, and 5" diameter swivel, locking casters. (Note: when lights are used over the hot wells, incandescent lights will be used due to heat.)
- 16 gauge stainless steel tops.
- SE-H and SES-H models are standard with Delfield's exclusive Delrite[™] ABS or reversible laminated modesty panels in front and ends of unit.
- · Black laminate backs each modesty panel.
- Units are standard with drain and gate valve.
- All electrical connections are 60 hertz, single phase. Electrical accessories may change listed amperage and plug
- SES-H models are 30" high overall
- · SE-H models are 36" high overall
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Choose from Laminate or Delfield's exclusive Delrite™ ABS panels. ABS panels are available in black & light blue. Contact Delfield for a color chart or visit www.delfield.com.

Specifications and Prices

MODEL NUMBER	DESCRIPTION	01 L	/ERAI	LL H	AMP	VOLTS	WATTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYB	ASIC HEATED C	OUNT	ERS								
SE-H2	2 food wells	39"	29"	36"	10.0/11.0	120/208-230	2000/2400	14-20P	215	100	\$4,868
SE-H3	3 food wells	50"	29"	36"	15.0/16.0	120/208-230	3000/3600	14-20P	265	100	\$5,600
SE-H4	4 food wells	64"	29"	36"	20.0/22.0	120/208-230	4000/4800	14-30P	320	100	\$6,256
SE-H5	5 food wells	78"	29"	36"	24.0/27.0	120/208-230	5000/6000	14-50P	410	100	\$7,151
SE-H6	6 food wells	92"	29"	36"	29.0/32.0	120/208-230	6000/7000	14-50P	500	100	\$8,066
Add S for 3	RO" high models	. (Exa	amnle	SFS-I	H)						



SE-C3Shown with ABS side panels, melamine front and optional trayslide

Product Information

- SE-C and SES-C Series counters are standard with 9" deep stainless steel Bloomington style cold pan (recessed 2", accomodates 6" deep pans), condensing unit, drain with valve, cord and plug and 5" swivel, locking casters
- 16 gauge stainless steel tops.
- SE-C and SES-C are open on the operator's side, furnished with a full bottom stainless steel shelf.
- SE-C and SES-C models are standard with Delfield's exclusive Delrite[™] ABS or reversible laminated modesty panels in front and ends of unit.

- Black laminate backs each modesty panel.
- Electrical accessories may change listed amperage and plug
- · SES-C models are 30" high overall
- SE-C models are 36" high overall
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below.

Specifications and Prices

Net Pricing One year parts and labor contract \$279	
Two year parts and labor contract \$523	
Five year compressor warranty	

1/5 H.P. ----- \$108 1/4 H.P. ----- \$108 1/3 H.P. ----- \$128

Additional Warranties

MODEL	12 X 20 X 4	- (OVERA	LL	H.P.	AMP	VOLTS	NEMA	SHIP	FREIGHT	LIST		
NUMBER	PANS HELD	L	D	Н	11	AIIII	VULIO	PLUG	WEIGHT	CLASS	PRICE		
SHELLEYBASIC	SHELLEYBASIC REFRIGERATED COLD PAN SERVING COUNTERS												
SE-C2	2	39"	29"	36"	1/5	4.0	115	5-15P	340	100	\$7,489		
SE-C3	3	50"	29"	36"	1/5	4.0	115	5-15P	415	100	\$7,804		
SE-C4	4	64"	29"	36"	1/4	7.0	115	5-15P	490	100	\$8,066		
SE-C5	5	78"	29"	36"	1/4	7.0	115	5-15P	565	100	\$8,846		
SE-C6	6	92"	29"	36"	1/3	7.0	115	5-15P	640	100	\$10,177		
Add S for 30" hi	Add S for 30" high models. (Example SES-C)												

Shelleybasic accessories and modifications can be found on pages 83-86.



SE-HC/SES-HC SERIES - HOT/COLD COMBINATION SERVING COUNTERS SE-I/SES-I SERIES - ICE COOLED SERVING COUNTERS

Product Information

- SE-HC and SES-HC Series counters are standard with single 8" deep stainless steel food tank (which can be switched from heated to chilled operation with the flip of a switch), condensing unit, drain with valve, cord and plug, and 5" swivel, locking casters
- 16 gauge stainless steel tops.
- SE-HC and SES-HC units are open on the operator's side, furnished with a full bottom stainless steel shelf
- SE-HC and SES-HC models are standard with Delfield's exclusive Delrite™ ABS or laminated

- modesty panels in front and ends of unit
- · Black laminate backs each modesty panel.
- Electrical accessories may change listed amperage and plug
- · SES-H models are 30" high overall
- SE-H models are 36" high overall
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below
- · Adapter bars are provided as standard

Shelleybasic*



SE-HC3
Shown with option SE-KS single service buffet shield

Choose from
Laminate or Delfield's
exclusive Delrite™
ABS panels. ABS
panels are available
in black & light blue.
Contact Delfield for a
color chart or visit
www.delfield.com.

Specifications and Prices

MODEL NUMBER	12 X 20 PANS HELD	L L	VERAL D	L H	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE		
SHELLEYBASIC HOT/COLD SELF-CONTAINED COMBINATION COUNTERS													
SE-HC2	2	39"	29"	36"	1/4	24.0	120	5-30P	350	100	\$9,443		
SE-HC3	3	50"	29"	36"	1/4	21.0	120/208-230	14-30P	425	100	\$10,242		
SE-HC4	4	64"	29"	36"	1/4	21.0	120/208-230	14-30P	500	100	\$11,054		
SE-HC5	5	78"	29"	36"	1/4	42.0	120/208-230	14-60P	575	100	\$12,100		
SE-HC6	6	92"	29"	36"	1/3	42.0	120/208-230	14-60P	650	100	\$13,714		
Add S for 3	80" hiah mode	ls. (E	kample	SES-	HC)								

Product Information

- SE-I and SES-I Series counters are standard with stainless steel ice pan, perforated false bottom, drain with valve and 5" swivel, locking casters
- · 16 gauge stainless steel tops.
- SE-I and SES-I are open on the operator's side, furnished with a full bottom stainless steel shelf
- SE-I and SES-I models are standard with Delfield's exclusive Delrite[™] ABS or laminated melamine panels in front and ends of unit
- Black laminate backs each modesty panel.
- SES-I models are 30" high overall
- SE-I models are 36" high overall
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



Specifications and Prices

MODEL	12 X 20	OVERALL			SHIP	FREIGHT	LIST					
NUMBER	PANS HELD	L	D	Н	WEIGHT	CLASS	PRICE					
SHELLEYBASIC ICE COOLED SERVING COUNTERS												
SE-I2	2	39"	29"	36"	200	100	\$4,067					
SE-I3	3	50"	29"	36"	245	100	\$4,491					
SE-I4	4	64"	29"	36"	280	100	\$5,217					
SE-I5	5	78"	29"	36"	330	100	\$5,937					
SE-16	6	92"	29"	36"	380	100	\$6,963					
Add S for 30"	high models. (E	Examp	le SES-I)									

Shelleybasic accessories and modifications can be found on pages 83-86.

Net Pricing One year parts and labor contract \$279
Two year parts and labor contract \$523
Five year compressor warranty 1/4 H.P \$108

Additional Warranties



SE-F/SES-F SERIES - FROST TOP SERVING COUNTERS SE-U/SES-U SERIES - UTILITY COUNTERS





SE-F2

Shown with optional fold-down tray slide (SE-A)

Product Information

- SE-F and SES-F Series counters are standard with stainless steel frost top, condensing units, cord and plug and 5" diameter swivel, locking casters
- · 16 gauge stainless steel tops.
- · All electrical connections are 60 hertz, single phase
- SE-F and SES-F units open on the operator's side, furnished with a full bottom stainless steel shelf
- SE-F and SES-F models are standard with Delfield's exclusive Delrite™ ABS or laminated modesty panels in front and ends of unit
- Black laminate backs each modesty panel.
- SES-F models are 30" high overall
- · SE-F models are 36" high overall
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below.

Choose from
Laminate or Delfield's
exclusive Delrite™
ABS panels. ABS
panels are available
in black & light blue.
Contact Delfield for a
color chart or visit
www.delfield.com.

Specifications and Prices

MODEL NUMBER	Description	L O	VERAI D	LL	AMP	H.P.	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE	
SHELLEYBASIC FROST TOP SERVING COUNTERS												
SE-F2	frost top	39"	29"	36"	7.5	1/4	115	5-15P	370	100	\$7,357	
SE-F3	frost top	50"	29"	36"	7.5	1/4	115	5-15P	445	100	\$8,246	
SE-F4	frost top	64"	29"	36"	7.5	1/4	115	5-15P	530	100	\$9,202	
SE-F5	frost top	78"	29"	36"	8	1/4	115	5-15P	600	100	\$9,854	
SE-F6	frost top	92"	29"	36"	8	1/3	115	5-15P	670	100	\$11,265	
Add S for 30	Add S for 30" high models. (Example SES-F)											



SE-U3


Product Information

- SE-U and SES-U Series counters are standard with stainless steel flat top and 5" swivel, locking casters
- 16 gauge stainless steel tops.
- SE-U and SES-U are open on the operator's side, furnished with a full bottom stainless steel shelf
- SE-U and SES-U models are standard with Delfield's exclusive Delrite™ ABS or laminated modesty panels in front and ends of unit
- Black laminate backs each modesty panel.
- SES-U models are 30" high overall
- SE-U models are 36" high overall
- Optional urn troughs may be added to unit to provide a beverage counter
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below.

Specifications and Prices

DECEDIBION		OVER	ALL	SHIP	FREIGHT	LIST
DESUNIFIIUN	L	D	Н	WEIGHT	CLASS	PRICE
ASIC UTILITY COUNTE	RS					
utility, flat counter	39"	29"	36"	150	100	\$2,653
utility, flat counter	50"	29"	36"	170	100	\$3,203
utility, flat counter	64"	29"	36"	200	100	\$3,626
utility, flat counter	78"	29"	36"	230	100	\$4,141
utility, flat counter	92"	29"	36"	280	100	\$5,020
0" high models. (Exa	mple S	ES-U)				
	utility, flat counter utility, flat counter utility, flat counter utility, flat counter utility, flat counter utility, flat counter	ASIC UTILITY COUNTERS utility, flat counter 39" utility, flat counter 50" utility, flat counter 64" utility, flat counter 78" utility, flat counter 92"	ASIC UTILITY COUNTERS utility, flat counter 39" 29" utility, flat counter 50" 29" utility, flat counter 64" 29" utility, flat counter 78" 29" utility, flat counter 78" 29" utility, flat counter 92" 29"	ASIC UTILITY COUNTERS utility, flat counter 39" 29" 36" utility, flat counter 50" 29" 36" utility, flat counter 64" 29" 36" utility, flat counter 64" 29" 36" utility, flat counter 78" 29" 36"	DESCRIPTION L D H WEIGHT	DESCRIPTION L D H WEIGHT CLASS

Shelleybasic accessories and modifications can be found on pages 83-86.



Additional Warranties

One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Net Pricina



SE-CS SERIES - CASHIER STANDS SE-TS SERIES - TRAY STANDS

Shelleybasic by Delfield

Product Information

SE-CS Series

- Locking stainless steel cash drawer, stainless steel shelf and 5" diameter swivel, locking casters
- 3" grommet hole supplied in top rear for electrical cords
- 16 gauge stainless steel top, welded, ground and polished into one integral unit
- SE-CS models are standard with Delfield's exclusive Delrite[™] ABS or laminated modesty panels in front and ends of unit
- Black laminate backs each modesty panel.
- · SES-CS models are 30" high overall
- SE-CS models are 36" high overall

SE-TS Series

- Locking casters, stainless steel top and tray platform.
 Silverware cutouts and cylinders are optional
- 16 gauge stainless steel top, welded, ground and polished into one integral unit
- SES-TS models are 30" high overall
- SE-TS models are 36" high overall
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



SE-CS

Choose from laminate or Delfield's exclusive Delrite™ ABS panels. ABS panels are available in black & light blue. Contact Delfield for a color chart or visit www.delfield.com.



SE-TS

Specifications and Prices

MODEL	DESCRIPTION		OVERA	LL.	SHIP	FREIGHT	LIST						
NUMBER	DESUNIFIIUN	L	D	Н	WEIGHT	CLASS	PRICE						
SHELLEYBAS	SIC CASHIER STAND												
SE-CS	cashier stand	29"	29"	36"	170	100	\$3,107						
SHELLEYBAS	SIC TRAY STAND												
SE-TS	tray stand	29"	29"	36"	140	100	\$2,353						
Add S for 30	Add S for 30" high models. (Example SES-CS)												

Shelleybasic accessories and modifications can be found on pages 83-86.

Additional Warranties

Net Pricing

One year parts and labor contract --- \$279



SE-ICE SERIES - ICE CREAM COUNTERS SE SERIES - CORNER UNITS





Product Information

- SE-ICE Series counters are standard with condensing unit, cord and plug, 5" diameter swivel, locking casters and drain
- 16 gauge stainless steel top, welded, ground and polished into one integral unit
- Electrical connections are 60 hertz, single phase.
- · SES-ICE models are 30" high overall

- SE-ICE models are 36" high overall
- SE-ICE models are standard with Delfield exclusive Delrite[™] ABS or laminated modesty panels in front and ends of unit
- Black laminate backs each modesty panel.
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

Choose from Laminate or Delfield's exclusive Delrite™ ABS panels. ABS panels are available in black & light blue. Contact Delfield for a color chart or visit www.delfield.com.

MODEL NUMBER	DESCRIPTION	L L	VERA D	LL H	AMPS	HP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYB	ASIC ICE CREAM	COU	NTERS	- 0°F	STORAG	E ONLY					
SE-ICE1	84 CUPS	39"	29"	36"	5.3	1/4	115	5-15P	460	100	\$8,138
SE-ICE2	224 CUPS	50"	29"	36"	5.3	1/4	115	5-15P	505	100	\$10,172

Add S for 30" high models. (Example SES-ICE1) Capacity on 30" high models: SES-ICE1 = 84 and SES-ICE2 = 224

Shelleybasic accessories and modifications can be found on pages 83-86.



SE-39

Product Information

- SE Series corner units are standard with stainless steel flat top and 5" diameter swivel, locking
- 16 gauge stainless steel top
- SE-S models are standard with Delfield exclusive Delrite[™] ABS or laminated modesty panels in front and ends of unit
- Black laminate backs each modesty panel.
- SE-S models are 30" high overall
- · SE models are 36" overall
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	DESCRIPTION	OVERALL L D H		SHIP WEIGHT	FREIGHT CLASS	LIST PRICE	
CORNER UNIT	ΓS						
SE-29	corner units	29"	29"	36"	110	100	\$2,569
SE-39	corner units	39"	29"	36"	160	100	\$2,653

Add S for 30" models. (Example SES-29)

Shelleybasic accessories and modifications can be found on pages 83-86.

Additional Warranties Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523


Five year compressor warranty

1/4 H.P. ----- \$108



SHELLEYBASIC EQUIPMENT ACCESSORIES

SEE PAGES 83-86 FOR ACCESSORIES AND MODIFICATIONS PRICING.





J. 12" stainless steel overshelf, 18-gauge



SHELLEYBASIC ACCESSORIES AND MODIFICATIONS

SE-H/SES-H	Accessories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-J	12" Stainless steel overshelf	\$423	\$612	\$664	\$923	\$1,164
SE-J2	Two tier 12" stainless steel overshelf	\$839	\$1,220	\$1,326	\$1,853	\$2,326
SE-LI	Light fixture (per tier)	\$466	\$531	\$666	\$797	\$927
SE-M	Radiant heat lamp with on/off switch	\$943	\$999	\$1,147	\$1,332	\$1,802
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$2,653	\$3,203	\$3,626	\$4,141	\$5,020
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-SL	Sliding doors	\$733	\$964	\$1,232	\$1,502	\$1,773
SE-C/SES-C	Accessories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-J	12" Stainless steel overshelf	\$423	\$612	\$664	\$923	\$1,164
SE-J2	Two tier 12" stainless steel overshelf	\$839	\$1,220	\$1,326	\$1,853	\$2,326
SE-LI	Light fixture (per tier)	\$466	\$531	\$666	\$797	\$927
SE-M	Radiant heat lamp with on/off switch	\$943	\$999	\$1,147	\$1,332	\$1,802
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$2,653	\$3,203	\$3,626	\$4,141	\$5,020
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-HC/SES-H	HC Accessories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-J	12" Stainless steel overshelf	\$423	\$612	\$664	\$923	\$1,164
SE-J2	Two tier 12" stainless steel overshelf	\$839	\$1,220	\$1,326	\$1,853	\$2,326
SE-LI	Light fixture (per tier)	\$466	\$531	\$666	\$797	\$927
SE-M	Radiant heat lamp with on/off switch	\$943	\$999	\$1,147	\$1,332	\$1,802
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$2,653	\$3,203	\$3,626	\$4,141	\$5,020
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264



SHELLEYBASIC ACCESSORIES AND MODIFICATIONS

SE-I/SES-I	Accessories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-J	12" Stainless steel overshelf	\$423	\$612	\$664	\$923	\$1,164
SE-J2	Two tier 12" stainless steel overshelf	\$839	\$1,220	\$1,326	\$1,853	\$2,326
SE-LI	Light fixture (per tier)	\$466	\$531	\$666	\$797	\$927
SE-M	Radiant heat lamp with on/off switch	\$943	\$999	\$1,147	\$1,332	\$1,802
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$2,653	\$3,203	\$3,626	\$4,141	\$5,020
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-SL	Sliding doors	\$733	\$964	\$1,232	\$1,502	\$1,773
SE-F/SES-F	Accessories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$ 6 77	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-J	12" Stainless steel overshelf	\$423	\$612	\$664	\$923	\$1,164
SE-J2	Two tier 12" stainless steel overshelf	\$839	\$1,220	\$1,326	\$1,853	\$2,326
SE-LI	Light fixture (per tier)	\$466	\$531	\$666	\$797	\$927
SE-M	Radiant heat lamp with on/off switch	\$943	\$999	\$1,147	\$1,332	\$1,802
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$2,653	\$3,203	\$3,626	\$4,141	\$5,020
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-U/SES-I	U Accessories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-FE	Ferruled hole – 1" diameter	\$84	\$84	\$84	\$84	\$84
SE-J	12" Stainless steel overshelf	\$423	\$612	\$664	\$923	\$1,164
SE-J2	Two tier 12" stainless steel overshelf	\$839	\$1,220	\$1,326	\$1,853	\$2,326
SE-LI	Light fixture (per tier)	\$466	\$531	\$666	\$797	\$927
SE-M	Radiant heat lamp with on/off switch	\$943	\$999	\$1,147	\$1,332	\$1,802
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$2,653	\$3,203	\$3,626	\$4,141	\$5,020
SE-URN	Urn Trough	\$467	\$822	\$827	\$847	\$860
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-SL	Sliding doors	\$733	\$964	\$1,232	\$1,502	\$1,773



SHELLEYBASIC ACCESSORIES AND MODIFICATIONS

SE-CS/SE-TS	ACCESSORIES	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$410	\$410	\$410	\$410	\$410
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-SL	Sliding doors	\$733	\$964	\$1,232	\$1,502	\$1,773
SE-FE	Ferruled hole – 1" diameter	\$84	\$84	\$84	\$84	\$84
SE-SW8	8 Silverware holders	\$827	\$827	\$827	\$827	\$827
SE-ICE Acces	sories	-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$410	\$410	\$410	\$410	\$410
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE Accessori		-2	-3	-4	-5	-6
SE-A	10" Stainless steel fold-down tray slide	\$677	\$851	\$1,021	\$1,263	\$1,263
SE-D	8" Polyethylene fold-down cutting board	\$683	\$759	\$943	\$1,109	\$1,491
SE-E	8" Stainless steel fold-down work shelf	\$571	\$801	\$962	\$1,193	\$1,523
SE-F	Alignment pin (2 per unit)	\$253	\$253	\$253	\$253	\$253
SE-FE	Ferruled hole – 1" diameter	\$84	\$84	\$84	\$84	\$84
SE-Q	115/115A outlet	\$566	\$566	\$566	\$566	\$566
SE-U	14" x 29" Stainless steel end drop shelf	\$410	\$410	\$410	\$410	\$410
SE-V	Adjustable stainless steel leg	\$264	\$264	\$264	\$264	\$264
SE-SL	Sliding doors	\$733	\$964	\$1,232	\$1,502	\$1,773
SE-PSS20	20-gauge stainless steel panels	\$593	\$739	\$907	\$1,145	\$1,264
Shellevbasic	Counter Protectors	-39	-50	-64	-78	-92
G	Glass front counter protector	\$1,717	\$1,823	\$2,322	\$2,764	\$2,878
H						
	Two-tier display w/glass shelves & sneeze guard	\$2,629	\$3,262	\$4,142	\$5,150 \$6,170	\$5,080
HD .	Double service two-tier display with sneeze guard	\$3,406	\$3,950	\$5,093	\$6,179	\$6,552
l	Three-tier display w/glass shelves & sneeze guard	\$5,019	\$5,593	\$6,343	\$7,434	\$8,379
J	12" stainless steel overshelf, 18-gauge	\$686	\$916	\$1,070	\$1,463	\$1,672
KD	Double service flip-up sneeze guard	\$1,878	\$1,980	\$2,540	\$3,106	\$3,158
KS	Single service flip-up sneeze guard	\$1,314	\$1,479	\$1,848	\$2,268	\$2,193



SH SERIES - MOBILE HEATED SERVING COUNTERS

Shelleysteel by Delfield

Product Information

- · 14-gauge stainless steel top
- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- SH units have heated under storage compartment, provided with removable pan slides. SH-NU units have enclosed bases with no under storage
- A maximum 10' long cord and plug are supplied standard
- Electrical connections are 60 hertz, single phase. Three-phase design is available for an additional charge. Electrical accessories may change listed amperage and plug
- Top has two to six electrically heated, recessed die stamped stainless steel hot food warmers. Each warmer accommodates one 12" x 20" x 6" pan
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports

- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Counter heights available from 28" to 36" in 2" increments
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Features new easy access panel for quick replacement of heating element.
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



SH-3-NU
Shown with the following options:
G—glass front counter protector
A—12" stainless steel V fold-down tray slide



SH-4-NU Shown with the following options: KS—glass front counter protector A—12" stainless steel V fold-down tray slide

Specifications and Prices

MODEL		0	VERA	LL				NEMA	SHIP	FREIGHT LIST
NUMBER	DESCRIPTION	L	D	Н	AMP	VOLTS	WATTS	PLUG	WEIGHT	CLASS PRICE
	TEEL HEATED SI d understorage		G COL	JNTER	IS					
SH-2	2 food wells	36"	30"	36"	15.0	120/208-230	2900/3300	14-20P	380	100 \$9,842
SH-3	3 food wells	50"	30"	36"	20.0	120/208-230	3900/4500	14-30P	460	100 \$11,254
SH-4	4 food wells	60"	30"	36"	26.0	120/208-230	4900/5700	14-50P	550	100 \$12,180
SH-5	5 food wells	74"	30"	36"	31.0	120/208-230	5900/6900	14-50P	660	100 \$13,415
SH-6	6 food wells	96"	30"	36"	37.0	120/208-230	6900/7900	14-50P	720	100 \$14,799
Without un	derstorage									
SH-2-NU	2 food wells	36"	30"	36"	11.0	120/208-230	2000/2400	14-20P	225	100 \$6,378
SH-3-NU	3 food wells	50"	30"	36"	16.0	120/208-230	3000/3600	14-20P	275	100 \$7,341
SH-4-NU	4 food wells	60"	30"	36"	22.0	120/208-230	4000/4800	14-30P	330	100 \$8,234
SH-5-NU	5 food wells	74"	30"	36"	28.0	120/208-230	5000/6000	14-50P	420	100 \$9,445
SH-6-NU	6 food wells	96"	30"	36"	33.0	120/208-230	6000/7000	14-50P	510	100 \$10,795

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279



SCSC-B SERIES - MOBILE REFRIGERATED COLD PAN SERVING COUNTERS SCSC-EF SERIES - LIQUITEC REFRIGERATED COLD PAN





SCSC-74-B pans by others



SCSC-60-EF Shown with optional laminate, canopy, custom counter protector and extended base



Patented LiquiTec® Technology brings food and pans completely flush!

Product Information

- · 14-gauge stainless steel top
- · 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- · On/off switch mounted to exterior of unit
- A maximum 10' long cord and plug are supplied standard
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- Electrical connections are 60 hertz, single phase. Electrical accessories may change listed amperage and plug
- All units are standard on 5" polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Counter heights available from 28" to 36" in 2" increments
- · Environmentally friendly HFC-404A refrigerant
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

SCSC-B

- SCSC-B Series counters are standard with 7" deep refrigerated cold pan. Cold pans are fully insulated with foamed in place polyurethane insulation
- Pans recessed 2" from top edge of counter
- · SCSC-B models are standard with enclosed base
- · Cold pans are standard with drain with valve
- Adapter bars will be furnished at no additional charge if requested on original order only. Pans are supplied by others
- Optional open shelf and dry door inserts can be added to all models and lengths. Refrigerated insert can be added to 60", 74", or 96" long units

SCSC-EF

- The LiquiTec cold pan has two six die stamped openings with depressed edges, each well, holding one 12" x 20" pan (pans supplied by others)
- Eutectic fluid completely surrounds each cold pan providing the maximum-- five sided cooling
- All SCSC-EF models meet NSF 7 with pans completely flush with counter
- Cold pan is fully insulated with foamed in place polyurethane insulation

Specifications and Prices

RICE
778
238
616
774
654
,

SHELLEYSTEEL LIQUITEC COLD PAN SERVING COUNTER WITH PATENTED Liquitec® TECHNOLOGY

3030-30-EL	2 pan cap	30	30	30	7.0	1/4	110	9-19P	30U	100 \$12,321
SCSC-50-EF	3 pan cap	50"	30"	36"	7.0	1/4	115	5-15P	455	100 \$12,844
SCSC-60-EF	4 pan cap	60"	30"	36"	7.0	1/4	115	5-15P	530	100 \$13,275
SCSC-74-EF	5 pan cap	74"	30"	36"	7.0	1/4	115	5-15P	615	100 \$14,561
SCSC-96-EF	6 pan cap	96"	30"	36"	7.0	1/4	115	5-15P	680	100 \$16,748

Shelleysteel accessories and modifications can be found on pages 105-114.



Additional Warranties

Net Pricing



SHCR-B SERIES - HOT/COLD COMBINATION COUNTERS SHC SERIES- ICE COOLED HOT/COLD COMBINATION COUNTERS

[©]Shelleysteel

Product Information

- Save space by having both hot and cold in one convenient location
- 14-gauge stainless steel top
- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- All SHCR-B models are standard with enclosed
- Top has one to four electrically heated, recessed die-stamped stainless steel hot food warmers. Each warmer accommodates a 12" x 20" x 6" pan (pans supplied by others)
- Note: When lights with heat lamps are used over hot wells, incandescent light fixtures will be used due to heat.
- A maximum 10' long cord and plug are supplied standard
- Electrical connections are 60 hertz, single phase. Three-phase design is available for an additional charge. Electrical accessories may change listed amperage and plug
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports

- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Counter heights available from 28" to 36" in 2" increments
- Add eye catching decal packages or bright canopies to create a distinctive look!
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

SHCR-B ONLY

- The refrigerated cold pan is 7" deep constructed of stainless steel. Cold pan is equipped with a 1" drain with valve
- Meets NSF requirements with 3" recessed pans
- Environmentally friendly HFC-404A refrigerant

SHC ONLY

• Insulated ice pan is 7" deep and constructed of 22-gauge stainless steel. Perforated false bottom, and drain with valve is standard

SH2CR-60-B

Shown with the following ontions:

A. 12" stainless steel V fold down E. 10" wide stainless steel

folddown work shelf KS. single service flip up sneeze quard

U. End shelf

Specifications and Prices

MODEL	нот	COLD PAN	DIMEI	ISIONS					NEMA	SHIP	FREIGHT	LIST
NUMBER	WELLS	S SIZE	L L) H	AMP	H.P.	VOLTS	WATTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYS	SHELLEYSTEEL SELF-CONTAINED HOT AND COLD COMBINATION COUNTERS											
SHCR-50-B	3 1	26" X 21.62"	50" 30	" 36"	16.0	1/4	120	1000	5-20P	475	100	\$11,973
SHCR-60-B	3 1	39" X 21.62"	60" 30	" 36"	16.0	1/4	120	1000	5-20P	575	100	\$12,661
SH2CR-62-	B 2	26" X 21.62"	62" 30	" 36"	18.0	1/4	120/208-230	2000/2400	14-30P	575	100	\$13,505
SHCR-74-B	3 1	52" X 21.62"	74" 30	" 36"	16.0	1/4	120	1000	5-20P	688	100	\$14,339
SH2CR-74-	B 2	39" X 21.62"	74" 30	" 36"	18.0	1/4	120/208-230	2000/2400	14-30P	690	100	\$15,206
SHCR-96-B	3 1	65" X 21.62"	96" 30	" 36"	16.0	1/4	120	1000	5-20P	730	100	\$17,284
SH2CR-96-	B 2	52" X 21.62"	96" 30	" 36"	18.0	1/4	120/208-230	2000/2400	14-30P	740	100	\$18,357
SH3CR-96-	B 3	39" X 21.62"	96" 30	" 36"	23.0	1/4	120/208-230	3000/3600	14-30P	750	100	\$19,257
SH4CR-96-	B 4	26" X 21.62"	96" 30	" 36"	29.0	1/4	120/208-230	4000/4800	14-50P	760	100	\$20,521

Shelleysteel accessories and modifications can be found on pages 105-114. For LiquiTec® option, see accessory pages.

Specifications and Prices

MODEL Number	HOT WELL		OVERA L D	LL H	AMP H.P.	VOLTS	MAX WATTS	NEMA PLUG	SHIP WEIGHT	FREIGH: CLASS	T LIST PRICE
SHELLEYS	TEEL I	CE-COOLED HO	T AND CO	D C	OMBINAT	ION COUNTER	RS				
SHC-50-NU	J 1	26" X 21.62"	50" 30"	36"	9.0 —	120	1000	5-15P	300	100	\$8,611
SHC-60-NU	J 1	26" X 21.62"	60" 30"	36"	9.0 —	120	1000	5-15P	350	100	\$9,474
SH2C-62-N	U 2	26" X 21.62"	62" 30"	36"	11.0 —	120/208-230	2000/2400	14-20P	350	100	\$9,206
SHC-74-NU	J 1	52" X 21.62"	74" 30"	36"	9.0 —	120	1000	5-15P	400	100	\$11,047
SH2C-74-N	U 2	26" X 21.62"	74" 30"	36"	11.0 —	120/208-230	2000/2400	14-20P	410	100	\$12,102
SH3C-74-N	U 3	26" X 21.62"	74" 30"	36"	16.0 —	120/208-230	3000/3600	14-20P	420	100	\$13,422
SHC-96-NU	J 1	65" X 21.62"	96" 30"	36"	9.0 —	120	1000	5-15P	425	100	\$14,063
SH2C-96-N	U 2	52" X 21.62"	96" 30"	36"	11.0 —	120/208-230	2000/2400	14-20P	430	100	\$15,163
SH3C-96-N	U 3	39" X 21.62"	96" 30"	36"	16.0 —	120/208-230	3000/3600	14-20P	450	100	\$16,208
SH4C-96-N	U 4	26" X 21.62"	96" 30"	36"	22.0 —	120/208-230	4000/4800	14-30P	460	100	\$17,534

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional **Warranties** Net Pricina

One year parts and

Two year parts and labor contract -- \$523

labor contract --- \$279

Five year compressor warranty 1/4 H.P. ----- \$108



SCFT-NU SERIES - FROST TOP SERVING COUNTERS





SCFT-74-NU



Add eye catching decal packages or bright canopies to create a distinctive look!

Product Information

- · 14-gauge stainless steel top
- · 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- Frost top is 18-gauge stainless steel, one piece construction; perimeter drain with valve located at bottom of unit standard
- 18" x 26" sheet pan can rest on frost top
- · On/off switch located on exterior of unit
- · SCFT units are standard with enclosed base
- Meets NSF requirements
- Environmentally friendly R404A refrigerant
- A maximum 10' long cord and plug are supplied standard
- Electrical connections are 60 hertz, single phase. Electrical accessories may change listed amperage and plug
- All exterior panels reinforced with overlapping corners, welded in place

- All body cutouts reinforced with 14-gauge channel supports
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Counter heights available from 28" to 36" in 2" increments
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Environmentally friendly HFC-404A refrigerant
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

Specifications and Prices

MODEL Number	DESCRIPTION	L	OVERAI D	LL H	AMP	H.P.	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSTI Without und	EL FROST TOP erstorage	SERV	ING (COUNT	ERS						
SCFT-36-NU	frost top	36"	30"	36"	7.0	1/4	115	5-15P	380	100	\$10,596
SCFT-50-NU	frost top	50"	30"	36"	7.0	1/4	115	5-15P	455	100	\$11,872
SCFT-60-NU	frost top	60"	30"	36"	7.0	1/4	115	5-15P	540	100	\$13,250
SCFT-74-NU	frost top	74"	30"	36"	8.0	1/3	115	5-15P	610	110	\$14,190
SCFT-96-NU	frost top	96"	30"	36"	8.0	1/3	115	5-15P	680	110	\$16,219

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional Warranties Net Pricing

One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty

1/4 H.P. ----- \$108 1/3 H.P. ----- \$128



SCI SERIES - ICE PAN SERVING COUNTERS

Shelleysteel * by Delfield

Product Information

- 14-gauge stainless steel top
- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- Best for use where electricity is not available
- Insulated ice pan is 7" deep and is standard with the following: perforated false bottom, drain with valve and casters
- SCI units are standard with dry hinged door storage compartment, while SCI-NU units have enclosed bases with no under storage
- Meets NSF requirements
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports

- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- Add eye catching decal packages or bright canopies to create a distinctive look!
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



SCI-60-NU

Shown with the following options:

C. 10" wide three-bar fold down tray slide H. Two tier display with glass shelves and sneeze guards

Specifications and Prices

MODEL NUMBER	ICE PAN SIZE	L	OVERALL D	Н	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSTEEL With dry unders	ICE PAN SERVING COUN	ITERS					
SCI-36	26" x 21.62"	36"	30"	36"	240	110	\$8,521
SCI-50	39" x 21.62"	50"	30"	36"	285	110	\$9,052
SCI-60	52" x 21.62"	60"	30"	36"	320	110	\$10,099
SCI-74	65" x 21.62"	74"	30"	36"	360	110	\$11,131
SCI-96	78" x 21.62"	96"	30"	36"	400	110	\$12,926
Without underst	torage						
SCI-36-NU	26" x 21.62"	36"	30"	36"	200	110	\$5,854
SCI-50-NU	39" x 21.62"	50"	30"	36"	245	110	\$6,469
SCI-60-NU	52" x 21.62"	60"	30"	36"	280	110	\$7,514
SCI-74-NU	65" x 21.62"	74"	30"	36"	330	110	\$8,549
SCI-96-NU	78" x 21.62"	96"	30"	36"	380	110	\$10,026

 $Shell eysteel\ accessories\ and\ modifications\ can\ be\ found\ on\ pages\ 105\text{-}114.$

Additional Warranties

Net Pricina

One year parts and labor contract --- \$279



SCU SERIES - BEVERAGE COUNTERS





SCU-50-NU Shown with optional legs

Product Information

- 14-gauge stainless steel top
- 18-gauge stainless steel exterior body
- · 14-gauge galvanized bottom
- Reinforced top includes a stainless steel drain trough with removable stainless steel anti-splash drip gate. (Trough is standard on customer side, available on operator side if specified.)
- Drain trough has a 1" drain plumbed to a drain valve located at the bottom of the unit
- SCU models are standard with dry hinged door storage compartment
- · Meets NSF requirements
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports

- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- Add eye catching decal packages or bright canopies to create a distinctive look!
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERALL D	Н	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSTEEL With dry unders	BEVERAGE COUNTERS torage						
SCU-36	24" urn trough	36"	30"	36"	200	125	\$7,058
SCU-50	36" urn trough	50"	30"	36"	230	125	\$7,807
SCU-60	48" urn trough	60"	30"	36"	270	125	\$9,001
SCU-74	60" urn trough	74"	30"	36"	300	125	\$9,970
SCU-96	82" urn trough	96"	30"	36"	340	125	\$11,671
Without underst	orage						
SCU-36-NU	24" urn trough	36"	30"	36"	170	125	\$4,842
SCU-50-NU	36" urn trough	50"	30"	36"	190	125	\$5,317
SCU-60-NU	48" urn trough	60"	30"	36"	230	125	\$6,258
SCU-74-NU	60" urn trough	74"	30"	36"	260	125	\$7,193
SCU-96-NU	82" urn trough	96"	30"	36"	300	125	\$8,852

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279



SC SERIES - ALL PURPOSE COUNTERS



Product Information

- 14-gauge stainless steel top
- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- Flat 14-gauge stainless steel top
- SC models are standard with dry hinged door storage compartment
- Meets NSF requirements
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning

- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- Add eye catching decal packages or bright canopies to create a distinctive look!
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



SC-50-NU

Shown with the following options:

- A. 12" stainless steel V fold down tray slide
- G. Glass front counter
- P. Open understorage with shelf



SC-60-NU



Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	D	Н	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSTEEL With dry under	. ALL PURPOSE COUNTI storage	ERS					
SC-28	dry storage	28"	30"	36"	165	125	\$5,421
SC-36	dry storage	36"	30"	36"	185	125	\$6,267
SC-50	dry storage	50"	30"	36"	205	125	\$6,963
SC-60	dry storage	60"	30"	36"	240	125	\$7,852
SC-74	dry storage	74"	30"	36"	270	125	\$8,600
SC-96	dry storage	96"	30"	36"	310	125	\$10,099
Without unders	torage						
SC-28-NU	enclosed base	28"	30"	36"	120	125	\$3,524
SC-36-NU	enclosed base	36"	30"	36"	160	125	\$3,818
SC-50-NU	enclosed base	50"	30"	36"	180	125	\$4,611
SC-60-NU	enclosed base	60"	30"	36"	210	125	\$5,222
SC-74-NU	enclosed base	74"	30"	36"	240	125	\$5,963
SC-96-NU	enclosed base	96"	30"	36"	280	125	\$7,225

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and

labor contract --- \$279



SCM SERIES - SHELLEYSTEEL MILK COUNTERS SCF SERIES- SHELLEYSTEEL ICE CREAM COUNTERS SCFM SERIES - SHELLEYSTEEL MILK AND ICE CREAM COUNTERS





SCM-50

Product Information

- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- 14-gauge stainless steel top
- Top has one; two, three or four die stamped openings and is provided with hinged stainless steel removable lids
- Watertight inner liner has radius corners for easy cleaning
- · Equipped with a drain plumbed to a drain valve
- Refrigerated compartment is equipped with automatic self-leveling, field adjustable elevators. Divider trays are supplied
- · 60 hertz, single phase electrical standard
- · 10' cord and plug standard
- Meets NSF requirements
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning

- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

SCM SERIES ONLY

- Milk capacities are based on half pint, 2.75" x 2.75" gable top cartons
- · HFC-134A refrigerant is standard

SCF SERIES ONLY

- Ice cream capacities are based on 3" diameter, three ounce cups
- HFC-404A refrigerant is standard

SCFM SERIES ONLY

- Milk capacities are based on half pint, 2.75" x2.75" gable top cartons
- HFC-134A refrigerant is standard

Specifications and Prices

MODEL Number	LID(S)	CAPACITY	L	D	Н	AMP	Н.Р.	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEY	STEEL	MILK COUNTE	RS—4	0°F S	TORAG	GE ONLY	,					
SCM-36	1	126 cartons	36"	30"	36"	5.0	1/4	115	5-15P	400	92.5	\$9,633
SCM-50	2	252 cartons	50"	30"	36"	5.0	1/4	115	5-15P	450	92.5	\$13,404
SCM-60	3	378 cartons	60"	30"	36"	5.0	1/4	115	5-15P	500	92.5	\$15,671
SCM-74	4	504 cartons	74"	30"	36"	5.0	1/4	115	5-15P	550	92.5	\$18,285
SHELLEY	STEEL	ICE CREAM CO	UNTE	RS—	0°F ST	ORAGE	ONLY					
SCF-36	1	210 cups	36"	30"	36"	7.1	1/4	115	5-15P	475	92.5	\$13,269
SCF-50	2	420 cups	50"	30"	36"	7.1	1/4	115	5-15P	525	92.5	\$15,954
SCF-60	3	630 cups	60"	30"	36"	8.0	1/3	115	5-15P	575	92.5	\$18,270
SCF-74	4	840 cups	74"	30"	36"	8.0	1/3	115	5-15P	625	92.5	\$20,745
SHELLEY	STEEL	MILK AND ICE	CREA	м со	UNTER	RS —40°	F AND	0°F STOR	AGE ONLY			
SCFM-50		126 cartons or 210 cups	50"	30"	36"	7.1	1/4	115	5-15P	500	92.5	\$16,728
SCFM-74	4	252 cartons or 420 cups	74"	30"	36"	8.0	1/3	115	5-15P	590	92.5	\$21,754

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty

1/4 H.P. ----- \$108 1/3 H.P. ----- \$128



SCS SERIES - CASHIER'S COUNTER SCTRI SERIES - TRIANGLE CORNER COUNTER SRB SERIES - CARVING COUNTER SCTS SERIES - TRAY STANDS SWT SERIES - WORK TABLES

Product Information

- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- 14-gauge stainless steel top
- Meets NSF requirements
- All exterior panels reinforced with overlapping corners, welded in place
- All body cutouts reinforced with 14-gauge channel supports
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Choose from an almost unlimited selection of laminate colors and textures to add color to any room
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

SCS SERIES ONLY

- A 3" grommet hole is located at the rear of the top to allow cord access for cash registers
- · Stainless steel locking cash drawer standard
- Stainless steel under shelf can serve as foot rest or storage

SRB SERIES ONLY

- SRB counters are standard with stainless steel removable carving tray, heated au jus well, nonadjustable infrared heat lamp, dry under storage compartment with hinged doors
- 10' cord and plug are standard
- 50 Hertz, single phase electrical standard
- SRB models are standard with dry hinged door storage compartment with shelf
- Electrical accessories may change listed amperage and plug

SCTS SERIES ONLY

· Silverware cutouts and cylinders are optional

Shelleysteel by Delfield



SCS-30
Shown with the following options:
A. 12" stainless steel V fold down tray slide
Q. outlet with breaker



SCTS-28
Shown with the following option:
SW. silverware cutouts with stainless steel silverware holder

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	D	Н	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYS	TEEL CASHIER'S COUNTER	s								
SCS-30	cashier's counter	30"	30"	36"	N/A	N/A	N/A	180	100	\$4,473
SCS-36	cashier's counter	30"	36"	36"	N/A	N/A	N/A	210	100	\$4,800
SCS-50	cashier's counter	30"	50"	36"	N/A	N/A	N/A	270	100	\$5,160
SHELLEYS	TEEL TRIANGLE CORNER L	INIT								
SC-TRI		40"	30"	36"	N/A	N/A	N/A	160	100	\$4,778
SC-TRIOS	corner unit, open shelf	40"	30"	36"	N/A	N/A	N/A	160	100	\$5,227
SHELLEYS	TEEL CARVING COUNTERS									
SRB	carving counter	28"	30"	36"	5.0	120	5-15P	180	100	\$10,305
SHELLEYS	TEEL TRAY STANDS									
SCTS-28	tray stand	30"	28"	36"	N/A	N/A	N/A	150	125	\$3,386
SCTS-36	tray stand	30"	36"	36"	N/A	N/A	N/A	192	125	\$3,545
SHELLEYS	TEEL WORK TABLES									
SWT-36	work table	36"	30"	36"	N/A	N/A	N/A	100	125	\$3,452
SWT-48	work table	48"	30"	36"	N/A	N/A	N/A	158	125	\$3,590
SWT-60	work table	60"	30"	36"	N/A	N/A	N/A	200	125	\$3,767
SWT-74	work table	74"	30"	36"	N/A	N/A	N/A	230	125	\$3,931

Shelleysteel accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279



KH SERIES - MOBILE HEATED SERVING COUNTERS





KH-4-NU
Shown with the following option:
G. glass front counter protector P. open shelf understorage



KH-5-NU Shown with the following options: KS. single service sneeze guard

KS. single service sneeze guard A. 12" stainless steel V folddown tray slide V. 6" Adjustable bullet feet

Product Information

- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- · Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- 14-gauge tops
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Caster mounting plates laminated into base
- Easy to use stainless steel interlock system is standard on base and tray slides
- · Enclosed bases for vermin control
- A maximum 10' long cord and plug are supplied standard
- KH units have heated under storage compartment, provided with removable pan slides. KH-NU units have enclosed bases with no under storage
- Electrical connections are 60 hertz, single phase.
 Three-phase design is available for an additional charge. Electrical accessories may change listed amperage and plug

- Top has two to six electrically heated, recessed die stamped stainless steel hot food warmers.
 Each warmer accommodates one 12" x 20" x 6" pan
- All body cutouts reinforced with 14-gauge channel supports
- Easily modified with a complete array of standard accessories
- Counter heights available from 28" to 36" in 2" increments
- Choose from 25 standard fiberglass colors, custom colors are also available
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Features new easy access panel for quick replacement of heating element.
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



Add eye catching decal packages or bright canopies to create a distinctive look!

Specifications and Prices

MODEL		0	VERA.	LL			MAX	NEMA	SHIP	FREIGHT	LIST
NUMBER	DESCRIPTION	L	D	Н	AMP	VOLTS	WATTS	PLUG	WEIGHT	CLASS	PRICE
	AS HEATED SEF understorage	RVING	COU	NTERS	8						
KH-2	2 food wells	36"	30"	36"	15.0	120/208-230	2900/3300	14-20P	380	100	\$9,688
KH-3	3 food wells	50"	30"	36"	20.0	120/208-230	3900/4500	14-30P	460	100	\$10,906
KH-4	4 food wells	60"	30"	36"	26.0	120/208-230	4900/5700	14-50P	550	100	\$11,883
KH-5	5 food wells	74"	30"	36"	31.0	120/208-230	5900/6900	14-50P	660	100	\$13,048
KH-6	6 food wells	96"	30"	36"	37.0	120/208-230	6900/7900	14-50P	720	100	\$14,886
Without und	lerstorage										
KH-2-NU	2 food wells	36"	30"	36"	11.0	120/208-230	2000/2400	14-20P	225	100	\$6,680
KH-3-NU	3 food wells	50"	30"	36"	16.0	120/208-230	3000/3600	14-20P	275	100	\$7,510
KH-4-NU	4 food wells	60"	30"	36"	22.0	120/208-230	4000/4800	14-30P	330	100	\$8,463
KH-5-NU	5 food wells	74"	30"	36"	28.0	120/208-230	5000/6000	14-50P	420	100	\$9,598
KH-6-NU	6 food wells	96"	30"	36"	33.0	120/208-230	6000/7000	14-50P	510	100	\$11,410

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279



KCSC-B SERIES - MOBILE REFRIGERATED COLD PAN SERVING COUNTERS KCSC-EF SERIES - LIQUITEC REFRIGERATED COLD PAN

Shelleyglas by Delfield

Product Information

- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- · Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- 14-gauge tops
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Caster mounting plates laminated into base
- Easy to use stainless steel interlock system is standard on base and tray slides
- · Enclosed bases for vermin control
- A maximum 10' long cord and plug are supplied standard
- Uses environmentally friendly R404A refrigerant
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Electrical connections are 60 hertz, single phase. Electrical accessories may change listed amperage and plug
- Counter heights available from 28" to 36" in 2" increments
- Unit has on/off switch mounted on the exterior
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com

- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below
- All body cutouts reinforced with 14-gauge channel supports

KCSC-B SERIES ONLY

- KCSC-B Series counters are standard with 7" deep refrigerated cold pan. Cold pans are fully insulated with foamed in place polyurethane insulation
- Pans recessed 2" from top edge of counter
- Cold pans are standard with drain with valve
- Adapter bars will be furnished at no additional charge if requested on original order only.
 Pans are supplied by others
- Optional open shelf and dry door inserts can be added to all models and lengths. Refrigerated insert can be added to 60", 74", or 96" long units

KCSC-EF SERIES ONLY

- The LiquiTec cold pan has two six die stamped openings with depressed edges in each well, holding one 12" x 20" pan (pans supplied by others)
- Eutectic fluid completely surrounds each cold pan providing the maximum-- five sided cooling
- All KCSC-EF models meet NSF 7 with pans completely flush with counter
- Cold pan is fully insulated with foamed in place polyurethane insulation



KCSC-50-B Shown with the following options: HD. double-service two-tier display A. 12" stainless steel V fold

down tray slide
V. 6" adjustable bullet feet



Add eye catching decal packages or bright canopies to create a distinctive look!



Patented LiquiTec® Technology brings food and pans completely flush!



Specifications and Prices

MODEL NUMBER	COLD PAN Size	DII L	MENSIO D	ONS H	AMP	H.P.	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT LIST CLASS PRICE
SHELLEYGLAS	REFRIGERATE	D COL	D PAN	SERV	ING CO	UNTE	RS			
KCSC-36-B	26" x 21.62"	36"	30"	36"	7.0	1/4	115	5-15P	350	100 \$9,799
KCSC-50-B	39" x 21.62"	50"	30"	36"	7.0	1/4	115	5-15P	425	100 \$10,180
KCSC-60-B	52" x 21.62"	60"	30"	36"	7.0	1/4	115	5-15P	500	100 \$10,696
KCSC-74-B	65" x 21.62"	74"	30"	36"	7.0	1/4	115	5-15P	575	110 \$13,319
KCSC-96-B	78" x 21.62"	96"	30"	36"	7.0	1/4	115	5-15P	650	110 \$15,076
SHELLEYGLAS	S WITH PATENT	ED Liq	uiTec(® TEC	HNOLO	GY				
KCSC-36-EF	2 pan cap	36"	30"	36"	7.0	1/4	115	5-15P	380	100 \$11,198
KCSC-50-EF	3 pan cap	50"	30"	36"	7.0	1/4	115	5-15P	455	100 \$11,633
KCSC-60-EF	4 pan cap	60"	30"	36"	7.0	1/4	115	5-15P	530	100 \$12,226
KCSC-74-EF	5 pan cap	74"	30"	36"	7.0	1/4	115	5-15P	615	100 \$15,980
KCSC-96-EF	6 nan can	96"	30"	36"	7.0	1/4	115	5-15P	680	100 \$16.449

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty 1/4 H.P. ----- \$108



KHCR-B SERIES - HOT/COLD COMBINATION COUNTERS KHC-NU SERIES - ICE COOLED HOT/COLD COMBINATION COUNTERS





KHCR-50B Shown with the following options: A. 12" stainless steel V fold down tray slide V. 6" adjustable bullet feet



KHCR2-96-B Shown with the following option: KD. double service flip up sneeze guard



KHC-60-NU
Shown with the following option:
A. 12" stainless steel V fold down tray slide
HD. double service two tier display
V. 6" adjustable bullet feet

Additional Warranties Net Pricing One year parts and

One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty 1/4 H.P. ----- \$108

Product Information

- Save space by having both hot and cold in one convenient location
- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- 14-gauge tops
- All units are standard on 5" polyurethane swivel casters for easy cleaning
- Caster mounting plates laminated into base
- Easy to use stainless steel interlock system is standard on base and tray slides
- A maximum 10' long cord and plug are supplied standard
- All KHCR-B and KHC models are standard with enclosed bases
- Top has one to four electrically heated, recessed die-stamped stainless steel hot food warmers.
 Each warmer accommodates a 12" x 20" x 6" pan (pans supplied by others)
- Note: When lights with heat lamps are used over hot wells, incandescent light fixtures will be used due to heat

- Electrical connections are 60 hertz, single phase.
 Three-phase design is available for an additional charge. Electrical accessories may change listed amperage and plug
- All body cutouts reinforced with 14-gauge channel supports
- Easily modified with a complete array of standard accessories
- Counter heights available from 28" to 36" in 2" increments
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

KHCR-B ONLY

- The refrigerated cold pan is 7" deep constructed of stainless steel. Cold pan is equipped with a 1" drain with valve
- Meets NSF requirements with pans recessed 3"
- Environmentally friendly HFC-404A refrigerant

KHC-NU ONLY

 Insulated ice pan is 7" deep and constructed of 22-gauge stainless steel. Perforated false bottom, and drain with valve is standard

Specifications and Prices

•												
MODEL	нот	COLD PAN	D	IMENSI	ONS				NEMA	SHIP	FREIGHT	LIST
NUMBER	WELL	S SIZE	L	D	Н	AMP	H.P.	VOLTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYGL	AS SE	LF-CONTAIN	ED HOT	AND (COLD	COMB	INATI	ON COUNTERS	;			
KHCR-50-B	1	26" X 21.62	2" 50"	30"	36"	16.0	1/4	120	5-20P	475	100	\$10,931
KHCR-60-B	1	26" X 21.62	2" 60"	30"	36"	16.0	1/4	120	5-20P	575	100	\$11,533
KHCR-74-B	1	39" X 21.62	2" 74"	30"	36"	16.0	1/4	120	5-20P	688	100	\$12,890
KH2CR-74-B	3 2	26" X 21.62	2" 74"	30"	36"	18.0	1/4	120/208-230	14-30P	690	100	\$13,840
KHCR-96-B	1	65" X 21.62	2" 96"	30"	36"	16.0	1/4	120	5-20P	730	100	\$15,745
KH2CR-96-B	3 2	52" X 21.62	2" 96"	30"	36"	18.0	1/4	120/208-230	14-30P	740	100	\$16,723
KH3CR-96-B	3	39" X 21.62	2" 96"	30"	36"	23.0	1/4	120/208-230	14-30P	750	100	\$17,538
KH4CR-96-B	4	26" X 21.62	2" 96"	30"	36"	29.0	1/4	120/208-230	14-50P	760	100	\$18,701

Shelleyglas accessories and modifications can be found on pages 105-114.

Specifications and Prices

MODEL	нот	COLD PAN	0	VERAL	LL				NEMA	SHIP	FREIGHT	LIST
NUMBER	WELLS	SIZE	L	D	Н	H.P.	AMP	VOLTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYGL	AS ICE	-COOLED HOT	AND	COLI	COI	MBIN	ATION (COUNTERS				
KHC-50-NU	1	26" X 21.62"	50"	30"	36"	—	9.0	120	5-15P	300	100	\$7,848
KHC-60-NU	1	39" X 21.62"	60"	30"	36"	_	9.0	120	5-15P	350	100	\$8,624
KHC-74-NU	1	52" X 21.62"	74"	30"	36"	_	9.0	120	5-15P	400	100 \$	10,071
KH2C-74-N	U 2	26" X 21.62"	74"	30"	36"	_	11.0	120/208-230	14-20P	410	100 \$	11,032
KHC-96-NU	1	65" X 21.62"	96"	30"	36"	_	9.0	120	5-15P	425	100 \$	12,816
KH2C-96-N	U 2	52" X 21.62"	96"	30"	36"	_	11.0	120/208-230	14-20P	430	100 \$	13,815
KH3C-96-N	U 3	39" X 21.62"	96"	30"	36"	_	16.0	120/208-230	14-20P	450	100 \$	14,765
KH4C-96-N	U 4	26" X 21.62"	96"	30"	36"	_	22.0	120/208-230	14-30P	460	100 \$	15,973

Shelleyglas accessories and modifications can be found on pages 105-114.



KCFT-NU SERIES - FROST TOP SERVING COUNTERS

Shelleyglas by Delfield



KCFT-60-NU

Product Information

- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- · Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- · 14-gauge tops
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Caster mounting plates laminated into base
- Easy to use stainless steel interlock system is standard on base and tray slides
- · Enclosed bases for vermin control
- A maximum 10' long cord and plug are supplied standard
- Frost top is 18-gauge stainless steel, one piece construction; perimeter drain with valve located at bottom of unit standard

- 18"x 26" sheet pan can rest on frost top
- · On/off switch located on exterior of unit
- Electrical connections are 60 hertz, single phase. Electrical accessories may change listed amperage and plug
- All body cutouts reinforced with 14-gauge channel supports
- Easily modified with a complete array of standard accessories
- Counter heights available from 28" to 36"
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Environmentally friendly R404A refrigerant
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL		0	VERA	LL				NEMA	SHIP	FREIGHT	LIST
NUMBER	DESCRIPTION	L	D	Н	AMP	H.P.	VOLTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYGLA Without und	AS FROST TOP erstorage	SERV	ING	COUN	ITERS						
KCFT-36-NU	frost top	36"	30"	36"	7.0	1/4	115	5-15P	380	100	\$9,841
KCFT-50-NU	frost top	50"	30"	36"	7.0	1/4	115	5-15P	455	100	\$11,032
KCFT-60-NU	frost top	60"	30"	36"	7.0	1/4	115	5-15P	540	100	\$12,311
KCFT-74-NU	frost top	74"	30"	36"	8.0	1/4	115	5-15P	610	110	\$13,180
KCFT-96-NU	frost top	96"	30"	36"	8.0	1/4	115	5-15P	680	110	\$15,069


Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

Five year compressor warranty





KCI SERIES - ICE PAN SERVING COUNTERS





KCI-50-NU
Shown with the following options:
E. fold down workshelf
H. two tier display
P. open understorage with shelf

Product Information

- Best for use where electricity is not available
- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- 14-gauge tops
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- · Caster mounting plates laminated into base
- Easy to use stainless steel interlock system is standard on base and tray slides
- Insulated ice pan is 7" deep and is standard with the following: perforated false bottom, drain with valve and casters

- KCI units are standard with dry hinged door storage compartment, while KCI-NU units have enclosed bases with no understorage
- All body cutouts reinforced with 14-gauge channel supports
- Easily modified with a complete array of standard accessories
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	ICE PAN SIZE	L	DIMENSIONS D	S H	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYGLAS IO	CE PAN SERVING COUN torage	TERS					
KCI-36	26" x 21.62"	36"	30"	36"	240	110	\$7,919
KCI-50	39" x 21.62"	50"	30"	36"	285	110	\$8,414
KCI-60	52" x 21.62"	60"	30"	36"	320	110	\$9,373
KCI-74	65" x 21.62"	74"	30"	36"	360	110	\$10,344
KCI-96	78" x 21.62"	96"	30"	36"	400	110	\$12,003
Without understo							
KCI-36-NU	26" x 21.62"	36"	30"	36"	200	110	\$5,437
KCI-50-NU	39" x 21.62"	50"	30"	36"	245	110	\$6,003
KCI-60-NU	52" x 21.62"	60"	30"	36"	280	110	\$7,185
KCI-74-NU	65" x 21.62"	74"	30"	36"	330	110	\$7,945
KCI-96-NU	78" x 21.62"	96"	30"	36"	380	110	\$8,220

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279



KCU SERIES - BEVERAGE COUNTERS





- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- 14-gauge tops
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- · Caster mounting plates laminated into base
- A maximum 10' long cord and plug are supplied standard
- Reinforced top includes a stainless steel drain trough with removable stainless steel anti-splash drip gate. (Trough is standard on customer side, available on operator side if specified.)

- KCU models are standard with dry hinged door storage compartment
- All body cutouts reinforced with 14-gauge channel supports
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



KCU-36-NU Shown with the following option: A. 12" stainless steel V fold down tray slide

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	D	н	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYGLAS E	BEVERAGE COUNTERS torage						
KCU-36	24" urn trough	36"	30"	36"	200	125	\$6,364
KCU-50	36" urn trough	50"	30"	36"	230	125	\$7,261
KCU-60	48" urn trough	60"	30"	36"	270	125	\$7,880
KCU-74	60" urn trough	74"	30"	36"	300	125	\$8,824
KCU-96	82" urn trough	96"	30"	36"	340	125	\$10,324
Without underst	orage						
KCU-36-NU	24" urn trough	36"	30"	36"	170	125	\$4,503
KCU-50-NU	36" urn trough	50"	30"	36"	190	125	\$4,941
KCU-60-NU	48" urn trough	60"	30"	36"	230	125	\$5,536
KCU-74-NU	60" urn trough	74"	30"	36"	260	125	\$6,366
KCU-96-NU	82" urn trough	96"	30"	36"	300	125	\$7,827

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and

labor contract --- \$279



KC SERIES - ALL PURPOSE COUNTERS





KC-28-NU
Shown with the following options:
C tubular fold down travelic

C. tubular fold down trayslide P. open understorage with shelf

Product Information

- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Caster mounting plates laminated into base
- · Enclosed bases for vermin control
- Flat 14-gauge stainless steel top

- KC models are standard with dry hinged door storage compartment
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- Add eye catching decal packages or bright canopies to create a distinctive look!
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



KC-50-NU Shown with the following options: A. 12" stainless steel V fold down tray slide G. glass front counter protector



KC-74-NUShown with optional canopy, sandwich slide and trayslide

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	D	Н	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYGLAS With dry under	ALL PURPOSE COUNTE	RS					
KC-28	dry storage	28"	30"	36"	165	125	\$5,036
KC-36	dry storage	36"	30"	36"	185	125	\$5,822
KC-50	dry storage	50"	30"	36"	205	125	\$6,470
KC-60	dry storage	60"	30"	36"	240	125	\$7,296
KC-74	dry storage	74"	30"	36"	270	125	\$7,973
KC-96	dry storage	96"	30"	36"	310	125	\$9,373
Without under	storage						
KC-28-NU	enclosed base	28"	30"	36"	120	125	\$3,407
KC-36-NU	enclosed base	36"	30"	36"	160	125	\$3,617
KC-50-NU	enclosed base	50"	30"	36"	180	125	\$4,274
KC-60-NU	enclosed base	60"	30"	36"	210	125	\$4,853
KC-74-NU	enclosed base	74"	30"	36"	240	125	\$5,539
KC-96-NU	enclosed base	96"	30"	36"	280	125	\$6,716

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279



KCM SERIES - MILK COUNTERS KCF SERIES - ICE CREAM COUNTERS KCFM SERIES - MILK AND ICE CREAM COUNTERS

Product Information

- · One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- · All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- · Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- · 14-gauge tops
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- Caster mounting plates laminated into base
- · Easy to use stainless steel interlock system is standard on base and tray slides
- Enclosed bases for vermin control
- A maximum 10' long cord and plug are supplied standard
- Top has one; two, three or four die stamped openings and is provided with hinged stainless steel removable lids
- Watertight inner liner has radius corners for easy cleaning
- Equipped with a drain plumbed to a drain valve
- Refrigerated compartment is equipped with automatic self-leveling, field adjustable elevators. Divider trays are supplied

- Milk capacities are based on half pint, 2.75" x 2.75" gable top cartons
- · 60 hertz, single phase electrical standard
- · All body cutouts reinforced with 14-gauge channel supports
- Easy to use interlock system is standard on base and tray slides
- · Easily modified with a complete array of standard accessories
- Add eye catching decal packages to create a distinctive look!
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

KCM SERIES ONLY

· HFC-134A refrigerant is standard

KCF SERIES ONLY

· Environmentally friendly R404A refrigerant

KCFM SERIES ONLY

HFC-134A refrigerant is standard





KCM-50 Shown with the following option: C. tubular fold down tray slide



KCFM-50

Specifications and Prices

MODEL									NEMA	SHIP	FREIGHT	LIST
NUMBER	LID(S)	DESCRIPTION	L	D	Н	AMP	H.P.	VOLTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEY	LAS MII	K COUNTERS-	-40°F S	TORA	GE ON	LY						
KCM-36	1	126 cartons	36"	30"	36"	5.0	1/4	115	5-15P	400	92.5	\$11,950
KCM-50	2	252 cartons	50"	30"	36"	5.0	1/4	115	5-15P	450	92.5	\$13,846
KCM-60	3	378 cartons	60"	30"	36"	5.0	1/4	115	5-15P	500	92.5	\$15,264
KCM-74	4	504 cartons	74"	30"	36"	5.0	1/4	115	5-15P	550	92.5	\$17,796
SHELLEY	LAS ICE	CREAM COUNT	ERS—(o°F S	ΓORAG	E ONLY						
KCF-36	1	210 cups	36"	30"	36"	7.1	1/4	115	5-15P	475	92.5	\$12,892
KCF-50	2	420 cups	50"	30"	36"	7.1	1/4	115	5-15P	525	92.5	\$15,171
KCF-60	3	630 cups	60"	30"	36"	8.0	1/3	115	5-15P	575	92.5	\$17,134
KCF-74	4	840 cups	74"	30"	36"	8.0	1/3	115	5-15P	625	92.5	\$19,712
SHELLEY	LAS MII	K AND ICE CRE	АМ СО	UNTE	RS—4	0°F AND	0°F S	TORAGE	ONLY			
KCFM-50	2	126 cartons or 210 cup	50"	30"	36"	7.1	1/4	115	5-15P	500	92.5	\$15,860
KCFM-74	4	252 cartons or 420 cups	74"	30"	36"	8.0	1/3	115	5-15P	590	92.5	\$20,630

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing One year parts and labor contract --- \$279

Two year parts and labor contract -- \$523

warranty 1/4 H.P. ----- \$108 1/3 H.P. ----- \$128

Five year compressor



KCS SERIES - CASHIER'S COUNTERS KRB SERIES - CARVING COUNTERS KCTS SERIES - TRAY STANDS PWT SERIES - WORK TABLES





KCS-36
Shown with the following option:
(2) E. 10" stainless steel fold-down work shelves (being used as tray slides)



KRB
Shown with the following options:
F. line-up interlock device
A. 12" stainless steel V folddown tray slide



PWT-60

Product Information

- One piece, molded fiberglass pylon (base), fully rounded corners, permanent color
- All corners and center sides reinforced with galvanized bracing, laminated into the fiberglass
- 14-gauge tops
- Full NSF and UL Certification
- Fire Code rating on fiberglass, laminate, canopy materials
- All units are standard on 5" diameter polyurethane swivel casters for easy cleaning
- · Caster mounting plates laminated into base
- Easy to use stainless steel interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- All body cutouts reinforced with 14-gauge channel supports
- Contact Delfield for a Shelleyglas color chart or visit www.delfield.com
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

KCS SERIES ONLY

- A 3" grommet hole is located at the rear of the top to allow cord access for cash registers
- · Stainless steel locking cash drawer standard
- Stainless steel under shelf can serve as foot rest or storage

- All body cutouts reinforced with 14-gauge channel supports
- Add eye catching decal packages or bright canopies to create a distinctive look!

KRB SERIES ONLY

- · Enclosed bases for vermin control
- A maximum 10' long cord and plug are supplied standard
- KRB counters are standard with stainless steel removable carving tray, heated au jus well, nonadjustable infrared heat lamp, dry under storage compartment with hinged doors
- 10' cord and plug are standard
- KRB models are standard with dry hinged door storage compartment with shelf
- Electrical accessories may change listed amperage and plug

KCTS SERIES ONLY

- All units are standard on 5" diameter swivel casters for easy cleaning and mobility
- · Caster mounting plates laminated into base
- Easy to use interlock system is standard on base and tray slides
- 14-gauge stainless steel top and tray step down
- · Silverware cutouts and cylinders are optional

Specifications and Prices

MUDEL NUMBER	DESCRIPTION	L	D	Н	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYGLAS	CASHIER'S COUNTER	S								
KCS-30	cashier's counter	30"	30"	36"	N/A	N/A	N/A	180	100	\$4,146
KCS-36	cashier's counter	30"	36"	36"	N/A	N/A	N/A	210	100	\$4,457
KCS-50	cashier's counter	30"	50"	36"	N/A	N/A	N/A	270	100	\$5,118
SHELLEYGLAS	CARVING COUNTERS									
KRB	carving counter	28"	30"	36"	5.0	120	5-15P	180	100	\$8,944
SHELLEYGLAS	TRAY STANDS									
KCTS-28	tray stand	30"	28"	36"	N/A	N/A	N/A	150	125	\$3,149
KCTS-36	tray stand	30"	36"	36"	N/A	N/A	N/A	192	125	\$3,283
SHELLEYGLAS	WORK TABLES									
PWT-36	work table	36"	30"	36"	N/A	N/A	N/A	100	125	\$3,247
PWT-48	work table	48"	30"	36"	N/A	N/A	N/A	158	125	\$3,576
PWT-60	work table	60"	30"	36"	N/A	N/A	N/A	200	125	\$3,772
PWT-74	work table	74"	30"	36"	N/A	N/A	N/A	230	125	\$3,960

Shelleyglas accessories and modifications can be found on pages 105-114.

Additional Warranties

Net Pricing

One year parts and labor contract --- \$279





A. 12" stainless steel V fold-down tray slide




C. 10" three-bar tubular fold-down tray slide




D. 10" composite fold-down cutting board




E. 10" stainless steel fold-down work shelf



G. Glass front counter protector



H. Two-tier display w/glass shelves and sneeze guards




HD. Double service two-tier display with glass shelves and sneeze guards




I. Three-tier display w/glass shelves and sneeze guards



J. 12" stainless steel overshelf, 18-gauge



KD. Double service flip-up sneeze guard shown with optional powder coating




KS. Single service flip-up sneeze guard shown with optional powder coating




P. Open shelf understorage




S. Lid locking device



SG16. Pizza pan insert



SG9A. Single mechanical access door to interior **SG9B.** Double mechanical access doors to interior - shown



SG22A. Slanted overshelf



Accessory and modifications pricing on pages 106-114.



KH/SH - HEATED SERVING COUNTERS

		-2	-3	-4	-5	-6
A.	12" stainless steel V fold-down tray slide (old style)		\$1,217	\$1,462	\$1,801	\$2,060
В.	12" stainless steel V style, 14-gauge fold-down tray slide		\$1,217	\$1,462	\$1,801	\$2,060
C.	10" three-bar tubular fold-down tray slide	\$698	\$973	\$1,150	\$1,384	\$1,845
D.	10" composite fold-down cutting board	\$1,026	\$1,141	\$1,435	\$1,660	\$2,240
E.	10" stainless steel fold-down work shelf		\$1,146	\$1,374	\$1,704	\$2,177
F.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C
FD.	Fiberglass door panel insert (KH only)	\$427	\$427	\$427	\$427	\$427
G.	Glass front counter protector	\$1,586	\$1,823	\$2,177	\$2,622	\$3,003
J.	12" stainless steel overshelf, 18-gauge	\$638	\$924	\$1,003	\$1,401	\$1,761
J2.	12" stainless steel overshelf — two tier	\$1,276	\$1,849	\$2,010	\$2,801	\$3,528
KD.	Double service flip-up sneeze guard		\$1,998	\$2,403	\$2,975	\$3,326
KS.	Single service flip-up sneeze guard	\$1,224	\$1,479	\$1,731	\$2,151	\$2,311
L.	Incandescent light fixture*		\$794	\$996	\$1,198	\$1,392
M.	Radiant heat lamp w/ on-off switch (fits G, J, KS, KD)*		\$1,498	\$1,719	\$1,999	\$2,706
MB.	Bullet-style heat lamp*		\$1,712	\$2,135	\$2,585	\$3,372
P.	Open understorage with shelf (KH-NU & SH-NU only)		\$1,782	\$2,009	\$2,240	\$2,696
Q.	115/15A outlet with 10A breaker*		\$848	\$848	\$848	\$848
QQ.	Drains from food wells, plumbed to common valve		\$1,198	\$1,482	\$1,831	\$2,512
ST.	Stainless steel trim strip		\$250	\$250	\$250	\$250
U.	14" x 30" stainless steel end drop shelf	\$749	\$749	\$749	\$749	\$749
UU.	Molded fiberglass trim strip (KH only) each		\$466	\$466	\$466	\$466
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C
	Laminate exterior base finish (SH units only)	N/C	N/C	N/C	N/C	N/C
	Three phase electrical system		\$958	\$958	\$958	\$958
	Omit one hot food well (credit)					

^{*} Inclusion of these options will alter the electrical specifications of unit.

KCSC/SCSC - REFRIGERATED COLD PAN SERVING COUNTERS

		-36	-50	-60	-74	-96	
A.	12" stainless steel V fold-down tray slide (old style)	\$1,014	\$1,240	\$1,462	\$1,835	\$2,060	
B.	12" stainless steel V style, 14-gauge fold-down tray slide	\$1,014	\$1,217	\$1,462	\$1,801	\$2,060	
C.	10" three-bar tubular fold-down tray slide	\$698	\$973	\$1,150	\$1,384	\$1,845	
D.	10" composite fold-down cutting board	\$1,026	\$1,141	\$1,435	\$1,660	\$2,240	
E.	10" stainless steel fold-down work shelf	\$854	\$1,146	\$1,374	\$1,704	\$2,177	
F.	Line-up interlock device		N/C	N/C	N/C	N/C	
FD.	Fiberglass door panel insert (KCSC only)	\$427	\$427	\$427	\$427	\$427	
G.	Glass front counter protector	\$1,586	\$1,823	\$2,177	\$2,622	\$3,003	
H.	Two-tier display w/glass shelves & sneeze guard	\$2,427	\$3,262	\$3,884	\$4,886	\$5,300	
HD.	Double service two-tier display with sneeze guard	\$3,144	\$3,950	\$4,774	\$5,864	\$6,838	
I.	Three-tier display w/glass shelves & sneeze guard	\$4,634	\$5,593	\$5,947	\$7,053	\$8,743	
J.	12" stainless steel overshelf, 18-gauge	\$633	\$916	\$994	\$1,388	\$1,745	_
J2.	12" stainless steel overshelf — two tier		\$1,831	\$1,989	\$2,775	\$3,493	
KD.	Double service flip-up sneeze guard		\$1,980	\$2,381	\$2,946	\$3,296	_
KS.	Single service flip-up sneeze guard		\$1,479	\$1,731	\$2,151	\$2,289	
L.	Incandescent light fixture*	\$695	\$794	\$996	\$1,198	\$1,392	
PR.	Open understorage with shelf	\$1,298	\$1,422	\$1,648	\$1,867	\$2,064	
Q.	115/15A outlet with 10A breaker*	\$848	\$848	\$848	\$848	\$848	
ST.	Stainless steel trim strip	\$250	\$250	\$250	\$250	\$250	
U.	14" x 30" stainless steel end drop shelf	\$749	\$749	\$749	\$749	\$749	
UU.	Molded fiberglass trim strip (KCSC only) each	\$466	\$466	\$466	\$466	\$466	
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C	
	Laminate exterior base finish (SCSC units only)	N/C	N/C	N/C	N/C	N/C	
	Decrease depth of cold pan 1.38" - 5"		N/C	N/C	N/C	N/C	Ī
	Increase depth of cold pan 7" - 12"	\$963	\$963	\$963	\$963	\$963	

st Inclusion of these options will alter the electrical specifications of unit.



KHC, KHCR/SHC & SHCR - HOT & COLD COMBINATION COUNTERS

		-50	-60	-74	-96
A.	12" stainless steel V fold-down tray slide (old style)	\$1,240	\$1,462	\$1,835	\$2,060
В.	12" stainless steel V style, 14-gauge fold-down tray slide		\$1,462	\$1,801	\$2,060
C.	10" three-bar tubular fold-down tray slide	\$973	\$1,150	\$1,384	\$1,845
D.	10" composite fold-down cutting board	\$1,141	\$1,435	\$1,660	\$2,240
E.	10" stainless steel fold-down work shelf	\$1,146	\$1,374	\$1,704	\$2,177
F.	Line-up interlock device	N/C	N/C	N/C	N/C
G.	Glass front counter protector	\$1,823	\$2,177	\$2,622	\$3,003
Н.	Two-tier display w/glass shelves & sneeze guard		\$3,884	\$4,886	\$5,300
HD.	Double service two-tier display with sneeze guard	\$3,950	\$4,774	\$5,864	\$6,838
I.	Three-tier display w/glass shelves & sneeze guard	\$5,593	\$5,947	\$7,053	\$8,743
J.	12" stainless steel overshelf, 18-gauge	\$916	\$994	\$1,388	\$1,745
J2.	12" stainless steel overshelf — two tier	\$1,831	\$1,989	\$2,775	\$3,493
KD.	Double service flip-up sneeze guard		\$2,381	\$2,946	\$3,296
KS.	Single service flip-up sneeze guard	\$1,479	\$1,731	\$2,151	\$2,289
L.	Incandescent light fixture*		\$996	\$1,198	\$1,392
M.	Radiant heat lamp w/ on-off switch (fits G, J, KS, KD)*	\$1,498	\$1,719	\$1,999	\$2,706
MB.	Bullet-style heat lamp*	\$1,712	\$2,135	\$2,585	\$3,372
PR.	Open understorage with shelf	\$1,422	\$1,648	\$1,867	\$2,064
Q.	115/15A outlet with 10A breaker*		\$848	\$848	\$848
QQ.	Drains from food wells, plumbed to common valve	\$1,198	\$1,482	\$1,831	\$2,512
ST.	Stainless steel trim strip	\$250	\$250	\$250	\$250
U.	14" x 30" stainless steel end drop shelf	\$749	\$749	\$749	\$749
UU.	Molded fiberglass trim strip (KCSR only) each	\$466	\$466	\$466	\$466
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C
	Laminate exterior base finish (SHCR units only)		N/C	N/C	N/C
	* Inclusion of these entions will alter the electrical energications of unit				

^{*} Inclusion of these options will alter the electrical specifications of unit.

KCFT/SCFT - FROST TOP SERVING COUNTERS

		-30	-30	-00	-/-	-90	
A.	12" stainless steel V fold-down tray slide (old style)	\$1,014	\$1,240	\$1,462	\$1,835	\$2,060	
В.	12" stainless steel V style, 14-gauge fold-down tray slide	\$1,014	\$1,217	\$1,462	\$1,801	\$2,060	
C.	10" three-bar tubular fold-down tray slide	\$698	\$973	\$1,150	\$1,384	\$1,845	
D.	10" composite fold-down cutting board	\$1,026	\$1,141	\$1,435	\$1,660	\$2,240	
E.	10" stainless steel fold-down work shelf	\$854	\$1,146	\$1,374	\$1,704	\$2,177	
F.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C	
FD.	Fiberglass door panel insert (KCFT only)		\$427	\$427	\$427	\$427	
G.	Glass front counter protector		\$1,823	\$2,177	\$2,622	\$3,003	
H.	Two-tier display w/glass shelves & sneeze guard		\$3,262	\$3,884	\$4,886	\$5,300	
HD.	Double service two-tier display with sneeze guard		\$3,950	\$4,774	\$5,864	\$6,838	
I.	Three-tier display w/glass shelves & sneeze guard	\$4,634	\$5,593	\$5,947	\$7,053	\$8,743	
J.	12" stainless steel overshelf, 18-gauge	\$633	\$916	\$994	\$1,388	\$1,745	
J2.	12" stainless steel overshelf — two tier		\$1,831	\$1,989	\$2,775	\$3,493	
KD.	Double service flip-up sneeze guard	\$1,734	\$1,980	\$2,381	\$2,946	\$3,296	
KS.	Single service flip-up sneeze guard		\$1,479	\$1,731	\$2,151	\$2,289	
L.	Incandescent light fixture*	\$695	\$794	\$996	\$1,198	\$1,392	
PR.	Open understorage with shelf	\$1,298	\$1,422	\$1,648	\$1,867	\$2,064	
PS.	Pan slides (in refrigerated understorage only)	\$594	\$594	\$594	\$594	\$594	
Q.	115/15A outlet with 10A breaker*	\$848	\$848	\$848	\$848	\$848	
ST.	Stainless steel trim strip	\$250	\$250	\$250	\$250	\$250	
U.	14" x 30" stainless steel end drop shelf		\$749	\$749	\$749	\$749	
UU.	Molded fiberglass trim strip (KCFT only) each	\$466	\$466	\$466	\$466	\$466	
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C	
	Laminate exterior base finish (SCFT units only)	N/C	N/C	N/C	N/C	N/C	

^{*} Inclusion of these options will alter the electrical specifications of unit.



KCI/SCI - ICE PAN SERVING COUNTERS

		-36	-50	-60	-74	-96
A.	12" stainless steel V fold-down tray slide (old style)	\$1,014	\$1,240	\$1,462	\$1,835	\$2,060
В.	12" stainless steel V style, 14-gauge fold-down tray slide	\$1,014	\$1,217	\$1,462	\$1,801	\$2,060
C.	10" three-bar tubular fold-down tray slide	\$698	\$973	\$1,150	\$1,384	\$1,845
D.	10" composite fold-down cutting board		\$1,141	\$1,435	\$1,660	\$2,240
E.	10" stainless steel fold-down work shelf	\$854	\$1,146	\$1,374	\$1,704	\$2,177
F.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C
FD.	Fiberglass door panel insert (KCI only)	\$427	\$427	\$427	\$427	\$427
G.	Glass front counter protector	\$1,586	\$1,823	\$2,177	\$2,622	\$3,003
H.	Two-tier display w/glass shelves & sneeze guard	\$2,427	\$3,262	\$3,884	\$4,886	\$5,300
HD.	Double service two-tier display with sneeze guard	\$3,144	\$3,950	\$4,774	\$5,864	\$6,838
I.	Three-tier display w/glass shelves & sneeze guard	\$4,634	\$5,593	\$5,947	\$7,053	\$8,743
J.	12" stainless steel overshelf, 18-gauge	\$633	\$916	\$994	\$1,388	\$1,745
J2.	12" stainless steel overshelf — two tier		\$1,831	\$1,989	\$2,775	\$3,493
KD.	Double service flip-up sneeze guard	\$1,734	\$1,980	\$2,381	\$2,946	\$3,296
KS.	Single service flip-up sneeze guard	\$1,213	\$1,479	\$1,731	\$2,151	\$2,289
L.	Incandescent light fixture*	\$695	\$794	\$996	\$1,198	\$1,392
P.	Open understorage with shelf		\$1,782	\$2,009	\$2,240	\$2,696
ST.	Stainless steel trim strip	\$250	\$250	\$250	\$250	\$250
U.	14" x 30" stainless steel end drop shelf		\$749	\$749	\$749	\$749
UU.	Molded fiberglass trim strip	\$466	\$466	\$466	\$466	\$466
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C
	Modify depth of cold pan (1.38" to 5")	N/C	N/C	N/C	N/C	N/C
	Increase depth of cold pan 7" - 12" any length up to 96"	\$924	\$924	\$924	\$924	\$924
	Laminate exterior base finish (SCI-NU units only)	N/C	N/C	N/C	N/C	N/C

^{*} Inclusion of these options will alter the electrical specifications of unit.

KCU/SCU - BEVERAGE COUNTERS

		-36	-50	-60	-74	-96
A.	12" stainless steel V fold-down tray slide (old style)	\$1,014	\$1,240	\$1,462	\$1,835	\$2,060
B.	12" stainless steel V style, 14-gauge fold-down tray slide	\$1,014	\$1,217	\$1,462	\$1,801	\$2,060
C.	10" three-bar tubular fold-down tray slide	\$698	\$973	\$1,150	\$1,384	\$1,845
D.	10" composite fold-down cutting board	\$1,026	\$1,141	\$1,435	\$1,660	\$2,240
E.	10" stainless steel fold-down work shelf	\$854	\$1,146	\$1,374	\$1,704	\$2,177
F.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C
FD.	Fiberglass door panel insert (KCu only)	\$427	\$427	\$427	\$427	\$427
FF.	Extra drain trough for dual service	\$909	\$1,053	\$1,218	\$1,387	\$1,530
P.	Open understorage with shelf (KCU-NU & SCU-NU units only)	\$1,493	\$1,782	\$2,009	\$2,240	\$2,696
Q.	115/15A outlet with 10A breaker*	-	\$848	\$848	\$848	\$848
ST.	Stainless steel trim strip	\$250	\$250	\$250	\$250	\$250
U.	14" x 30" stainless steel end drop shelf	\$749	\$749	\$749	\$749	\$749
UU.	Molded fiberglass trim strip (KCFT only) each	\$466	\$466	\$466	\$466	\$466
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C
	Laminate exterior base finish (SCU units only)	N/C	N/C	N/C	N/C	N/C

^{*} Inclusion of these options will alter the electrical specifications of unit.



KC/SC - ALL PURPOSE COUNTERS

		-36	-50	-60	-74	-96	
A.	12" stainless steel V fold-down tray slide (old style)	\$1,014	\$1,240	\$1,462	\$1,835	\$2,060	
В.	12" stainless steel V style, 14-gauge fold-down tray slide	\$1,014	\$1,217	\$1,462	\$1,801	\$2,060	
C.	10" three-bar tubular fold-down tray slide		\$973	\$1,150	\$1,384	\$1,845	
D.	10" composite fold-down cutting board	\$1,026	\$1,141	\$1,435	\$1,660	\$2,240	
E.	10" stainless steel fold-down work shelf	\$854	\$1,146	\$1,374	\$1,704	\$2,177	
F.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C	
FD.	Fiberglass door panel insert (KC only)		\$427	\$427	\$427	\$427	
G.	Glass front counter protector	\$1,586	\$1,823	\$2,177	\$2,622	\$3,003	
H.	Two-tier display w/glass shelves & sneeze guard	\$2,427	\$3,262	\$3,884	\$4,886	\$5,300	
HD.	Double service two-tier display with sneeze guard	\$3,144	\$3,950	\$4,774	\$5,864	\$6,838	
I.	Three-tier display w/glass shelves & sneeze guard		\$5,593	\$5,947	\$7,053	\$8,743	
J.	12" stainless steel overshelf, 18-gauge	\$633	\$916	\$994	\$1,388	\$1,745	
J2.	12" stainless steel overshelf — two tier		\$1,831	\$1,989	\$2,775	\$3,493	
KD.	Double service flip-up sneeze guard		\$1,980	\$2,381	\$2,946	\$3,296	
KS.	Single service flip-up sneeze guard	\$1,213	\$1,479	\$1,731	\$2,151	\$2,289	
L.	Incandescent light fixture*	\$695	\$794	\$996	\$1,198	\$1,392	
M.	Radiant heat lamp w/ on-off switch (fits G, J, KS, KD)*		\$1,498	\$1,719	\$1,999	\$2,706	
MB.	Bullet-style heat lamp*		\$1,712	\$2,135	\$2,585	\$3,372	
P.	Open understorage with shelf (KC & SC units only)	\$1,493	\$1,782	\$2,009	\$2,240	\$2,696	
Q.	115/15A outlet with 10A breaker*	\$848	\$848	\$848	\$848	\$848	
ST.	Stainless steel trim strip		\$250	\$250	\$250	\$250	
U.	14" x 30" stainless steel end drop shelf	\$749	\$749	\$749	\$749	\$749	
UU.	Molded fiberglass trim strip (KC only) each		\$466	\$466	\$466	\$466	
V.	Adjustable stainless steel bullet feet		N/C	N/C	N/C	N/C	
	Laminate exterior base finish (SC units only)	N/C	N/C	N/C	N/C	N/C	

^{*}Inclusion of these options will alter the electrical specifications of unit.

KCM, KCF, KCFM/SCM, SCF & SCFM - MILK & ICE CREAM COUNTERS

		-36	-50	-60	-74
A.	12" stainless steel V fold-down tray slide (old style)	\$1,014	\$1,240	\$1,462	\$1,835
В.	12" stainless steel V style, 14-gauge fold-down tray slide	\$1,014	\$1,217	\$1,462	\$1,801
C.	10" three-bar tubular fold-down tray slide	\$698	\$973	\$1,150	\$1,384
D.	10" composite fold-down cutting board	\$1,026	\$1,141	\$1,435	\$1,660
E.	10" stainless steel fold-down work shelf	\$854	\$1,146	\$1,374	\$1,704
F.	Line-up interlock device	N/C	N/C	N/C	N/C
R.	4" high chrome-plated wire baskets (per three)				
	6 baskets (KCF-36 & SCF-36 only)	\$920	_	_	_
	12 baskets (KCM-50, KCFM-50, SCM-50 & SCFM-50 only)		\$1,224	_	_
	12 baskets (KCF-50 & SCF-50 only)	<u>-</u>	\$1,224	_	_
	18 baskets (KCFM-60 &SCFM-60 only)	-	-	\$1,831	_
	24 baskets (KCM-74, KCFM-74, SCM-74 & SCFM-74)	<u>-</u>	_	_	\$2,437
S.	Lid locking device, with "T" handle		\$557	\$557	\$557
ST.	Stainless steel trim strip	\$250	\$250	\$250	\$250
U.	14" x 30" stainless steel end drop shelf	\$749	\$749	\$749	\$749
UU.	Molded fiberglass trim strip (KC only) each	\$466	\$466	\$466	\$466
V.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C
	Laminate exterior base finish (SCM, SCF & SCFM units only)	N/C	N/C	N/C	N/C
	Additional stainless steel divider tray (each)	\$30	\$30	\$30	\$30



PWT/SWT - SERVING COUNTERS -36 -50 -60 -74 10" composite fold-down cutting board ------**\$1,026** \$1,141 \$1,435 \$1,660 E. 10" stainless steel fold-down work shelf------ \$854 \$1,146 \$1,374 \$1,704 Stainless steel locking utility drawer-----EE. \$973 \$973 \$973 Line-up interlock device ------ N/C F. N/C N/C N/C 12" stainless steel overshelf, 18-gauge ------ \$633 J. \$916 \$994 \$1,388 Stainless steel undershelf, 16-gauge ------\$677 0. \$820 \$1,133 \$1,363 Stainless steel trim strip -------\$250 \$250 \$250 SW6. (6) Silverware cutouts w/plastic bins ------\$814 \$814 \$814 \$814 **SW8.** (8) Silverware cutouts w/plastic bins ------\$973 \$973 \$973 \$973 SW10.(10) Silverware cutouts w/plastic bins ------\$1,133 \$1,133 \$1,133 \$1,133 14" x 30" stainless steel end drop shelf------ \$749 U. \$749 \$749 \$749 Molded fiberglass trim strip each ----- \$466 UU. \$466 \$466 \$466 Adjustable stainless steel bullet feet----- N/C N/C N/C N/C

KCS/SCS, KRB/SRB & KCTS/SCTS - UTILITY EQUIPMENT

A.	12" stainless steel V fold-down tray slide	\$971
В.	12" stainless steel V style, 14-gauge fold-down tray slide	
C.	10" three-bar tubular fold-down tray slide	\$664
D.	10" composite fold-down cutting board	\$974
E.	10" stainless steel fold-down work shelf	\$881
F.	Line-up interlock device	N/C
FD.	Fiberglass door panel insert (KRB only)	\$427
PAN3.	(3) 1/3 x 6" deep pans	\$809
Q.	115/15A outlet with 10A breaker*	\$807
ST.	Stainless steel trim strip	\$236
SW6.	(6) Silverware cutouts w/plastic bins	\$814
SW8.	(8) Silverware cutouts w/plastic bins	\$974
SW8-PI.	(8) Silverware cutouts w/ plastic bins and (1) 1/3 x 6" deep pan	\$1,290
SW10.	(10) Silverware cutouts w/stainless steel bins	\$1,133
T.	Heated storage with stainless steel center wire shelf (KRB/SRB only)	\$2,027
U.	14" x 30" stainless steel end drop shelf	\$691
UU.	14" x 30" stainless steel end drop shelf Molded fiberglass trim strip each	\$443
V.	Adjustable stainless steel bullet feet	N/C
* 11 : -		

^{*} Inclusion of these options will alter the electrical specifications of unit.



SG1 Backsplash A. 2" x 4" backsplash return on end
A. 2" x 4" backsplash return on end
B. 2" x 4" high backsplash (per foot; 3' minimum)
SG2PS Custom Polystone Fiberglass Color (Shelleyglas only) Add to standard unit price; specify color on original order (per unit) SG3 Deck Mounted Outlets \$3000
SG2PS Custom Polystone Fiberglass Color (Shelleyglas only) Add to standard unit price; specify color on original order (per unit) SG3 Deck Mounted Outlets \$3000
SG2PScustom Polystone Fiberglass Color (Shelleyglas only) Add to standard unit price; specify color on original order (per unit)
Add to standard unit price; specify color on original order (per unit)\$ Deck Mounted Outlets\$
SG3 Deck Mounted Outlets\$
CCE
SG5 Dry Storage Compartments
DIV DIV Stolate Collinal tillelits
A. Single door\$
B. Double door\$:
SG6 Fan Assist Package (Refrigerated cold pans)
SG7 Ferruled Holes
B. 1" diameter (each)
SG8 Heated Interior Sections
A. Single door with pan slides 15.62" long\$. B. Single door with pan slides 28.62" long\$
SG9 Mechanical Access Doors to Interior
A. Single door\$; B. Double door\$;
C. Single louver door\$
SG10Highlight Finish top edge of unit each unit
A. 36" minimumB. Each additional inch over 36"
SG11 Modify Standard Height Modify height of unit to height 28", 30", 32", 34" & 36" (only)NO CHA
SG12 _{Modify Standard Length} (Shelleyglas only)
Add pricing off chart on next page to standard base pricing.
Price includes a top extension SEE CHART ON NEXT
SG14 Modify Standard Top Depth
-28 -36 -50 -60 -74
A. 1" to 6" \$446 \$446 \$736 \$885 \$1
B. 7" to 12" \$744 \$744 \$1,004 \$1,252 \$1,502 \$1
SG15 Paper Cup Dispenser Specify cup manufacturer and rim diameter
SG16 Pizza Pan Insert
SG17 Powder Coating CONTACT FAC
A. G Style counter protectorper incl
B. H Style counter protectorper incl
C. HD Style counter protectorper incl
D. Style counter protectorper incl
E. KD Style sneeze guardper incl
F. KS Style sneeze guardper incl
G. Shelley canopyper incl



SG12 Standard length modification chart (for Shelleyglas only)

MODEL NUMBERS	OVERALL LENGTH	LIST PRICE	MODEL NUMBERS	OVERALL LENGTH	LIST PRICE	MODEL NUMBERS	OVERALL LENGTH	LIST PRICE
STANDARD 28"			SG12-60-6	65	\$2,445	SG12-96-7	103	\$3,492
SG12-28-1	29	\$2,076	SG12-60-7	66	\$2,478	SG12-96-8	104	\$3,526
SG12-28-2	30	\$2,109	SG12-60-8	67	\$2,514	SG12-96-9	105	\$3,557
SG12-28-3	31	\$2,142	SG12-60-9	68	\$2,546	SG12-96-10	106	\$3,593
SG12-28-4	32	\$2,177	SG12-60-10	69	\$2,582	SG12-96-11	107	\$3,627
SG12-28-5	33	\$2,211	SG12-60-11	70	\$2,613	SG12-96-12	108	\$3,661
SG12-28-6	34	\$2,246	SG12-60-12	71	\$2,649	SG12-96-13	109	\$3,680
SG12-28-7	35	\$2,280	SG12-60-13	72	\$2,667	SG12-96-14	110	\$3,695
STANDARD 36"			STANDARD 74"			SG12-96-15	111	\$3,711
SG12-36-1	37	\$2,153	SG12-74-1	75	\$2,703	SG12-96-16	112	\$3,729
SG12-36-2	38	\$2,188	SG12-74-2	76	\$2,737	SG12-96-17	113	\$3,744
SG12-36-3	39	\$2,220	SG12-74-3	77	\$2,771	SG12-96-18	114	\$3,762
SG12-36-4	40	\$2,253	SG12-74-4	78	\$2,802	SG12-96-19	115	\$3,780
SG12-36-5	41	\$2,288	SG12-74-5	79	\$2,839	SG12-96-20	116	\$3,797
SG12-36-6	42	\$2,323	SG12-74-6	80	\$2,873	SG12-96-21	117	\$3,815
SG12-36-7	43	\$2,356	SG12-74-7	81	\$2,905	SG12-96-22	118	\$3,830
SG12-36-8	44	\$2,390	SG12-74-8	82	\$2,940	SG12-96-23	119	\$3,848
SG12-36-9	45	\$2,422	SG12-74-9	83	\$2,974	SG12-96-24	120	\$3,863
SG12-36-10	46	\$2,457	SG12-74-10	84	\$3,008	SG12-96-125	121	\$3,879
SG12-36-11	47	\$2,493	SG12-74-11	85	\$3,042	SG12-96-26	122	\$3,899
SG12-36-12	48	\$2,525	SG12-74-12	86	\$3,075	SG12-96-27	123	\$3,914
SG12-36-13	49	\$2,541	SG12-74-13	87	\$3,094	SG12-96-28	124	\$3,932
STANDARD 50"			SG12-74-14	88	\$3,108	SG12-96-29	125	\$3,950
SG12-50-1	51	\$2,203	SG12-74-15	89	\$3,125	SG12-96-30	126	\$3,965
SG12-50-2	52	\$2,237	SG12-74-16	90	\$3,144	SG12-96-31	127	\$3,984
SG12-50-3	53	\$2,271	SG12-74-17	91	\$3,159	SG12-96-32	128	\$4,001
SG12-50-4	54	\$2,305	SG12-74-18	92	\$3,177	SG12-96-33	129	\$4,016
SG12-50-5	55	\$2,339	SG12-74-19	93	\$3,194	SG12-96-34	130	\$4,033
SG12-50-6	56	\$2,371	SG12-74-20	94	\$3,211	SG12-96-35	131	\$4,050
SG12-50-7	57	\$2,407	SG12-74-21	95	\$3,228	SG12-96-36	132	\$4,068
SG12-50-8	58	\$2,440	STANDARD 96"			SG12-96-37	133	\$4,085
SG12-50-9	59	\$2,475	SG12-96-1	97	\$3,288	SG12-96-38	134	\$4,101
STANDARD 60"			SG12-96-2	98	\$3,322	SG12-96-39	135	\$4,119
SG12-60-1	61	\$2,276	SG12-96-3	99	\$3,357	SG12-96-40	136	\$4,135
SG12-60-2	62	\$2,309	SG12-96-4	100	\$3,389	SG12-96-41	137	\$4,154
SG12-60-3	63	\$2,343	SG12-96-5	101	\$3,423			
SG12-60-4	64	\$2,377	SG12-96-6	102	\$3,458]		
SG12-60-5	65	¢2 /12		•		•		



\$2,412


SG12-60-5

Special Modifications (available on all equipment except where noted)

SG18 Push/Pull Handles Stainless steel	\$477
SG19 _{Heated Tops}	
A. 17.12" x 25.12" recessed 1"	\$2,323
B. 20.12" x 26.26" recessed 1"	\$2,575
C. 25.12" x 35.25" recessed 1"	\$4,644
D. 17.12" x 25.12" flat heated	\$2,323
E. 20.12" x 26.26" flat heated	\$2,575
F. 25.12" x 35.25" flat heated	\$4,644
9020	
SG20 Refrigerated Understorage Only fits in 60" or longer units, single door	
A. With 1/4 h.p. condensing unit B. Without condensing unit when added to self-contained KCSC or SCSC models	\$7,324
SG21 A. Soup Wells 10.5" diameter, with control panel	\$1,558
B. Soup Wells 8.5" diameter, with control panel	\$1,412
SG22 Slanted Overshelves	
A. Single (per foot; 3' minimum)	ć1 104
B. Double (per foot; 3' minimum)	
SG23 Toe Plates Stainless steel (3' minimum)	action \$118
SG24 Tray Slides 12" wide laminated fold-down style (per foot; add to tray slide price)	\$408
SG25 Canopy and accessories	
A. Dome style <i>F</i>	Per inch \$57
B. Peak style	
C. Bus style <i>F</i>	
D. Stationary frame	
E. Adjustable (tube in tube) frame F. 3" letters	
G. 2" or 3" stripe on canopy <i>F</i>	
·	Ci ilicii 434
SG26 Bus theme, includes, wheels, lights, windshield wipers, striping, license plate, fenders and doors only (does not include canopy, trim strips, lettering or over structure).	OOR ACADEMY
A. Single side only \$5,692	. ! !!
B. Dual sided bus \$7,417	-, F @,
SG27 Base the same in advalue amonto attack with amonto becoming a flow and how hall and agree what	

buz Boat theme, includes smoke stack with smoke, bow piece, flag, anchor, bell, and name plate (does not include waves, trim stripes or portholes).

A. Basic package single/dual ----- \$7,541 **B.** Portholes----- *Each* \$189 C. Wave kick plates -----Per inch \$33



SG28 Train/Circus Train theme, includes smoke stack, engine wheels with piston, cow catcher, cab over shelf, bell, and headlight (does not include wheels for following cars, circus animals, canopy, lettering).

A. Single side only\$10,263
B. Dual side train engine\$12,030
C. Circus animals <i>Each</i> \$593
D. Balloons, set of three in cluster\$206
E. Set of two wheels per side for following cars\$279





Special Modifications (available on all equipment except where noted)



SG30 Standoff Decor Panel, 18"x18" Shelleyglas/Shelleysteel ------ Consult Factory

SG31 Standoff Decor Panel, Flexible size Shelleyglas/Shelleysteel/Concepts ------Consult Factory

TE Top ex

Spacer Options

The spacer option (wainscot) includes top, interlocks and legs. Please specify fiberglass, stainless steel or laminate when ordering.

KSPC. Fiberglass spacer pe	er linear inch \$39
SSPC. Stainless steel spacer pe	er linear inch \$32
ISPC Laminate spacer ne	er linear inch \$35

Power Pole Options

PP21-30. 120/208 volt, 3-phase, 30 amp pole ------ per pole **\$534 PP14-50.** Locking 120/208 volt, single-phase, 50 amp pole ------per pole **\$1,052**



SPH SERIES - MOBILE HEATED SPEED LINE MODULES



Product Information

- · 14-gauge stainless steel top standard
- 9' long cord and plug are supplied standard
- 18-gauge stainless steel exterior standard
- Electrical: 120 volt, 60 cycle, single phase
- · Removable sliding lids (two per unit) standard
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard
- Basket rack system is standard
- A wide selection of laminate colors available at no additional charge

- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- Stay cool surface: Top is designed to stay below 90°, making it safe to touch
- Fin style element maintains even heating temperatures throughout the interior of the cabinet
- Meets NSF2, NSF4, UL and CEC standards
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



SPH-50

Specifications and Prices

- MODEL			OVERA		BASKET	STORAGE CAPACITY				NEMA	SHIP	FREIGHT	LIST
NUMBER	DESCRIPTION	L	D	Н	CAPACITY	(CU. FT.)	AMP	VOLTS	WATTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYSF	PEED™ HEATED) MOE	ULE										
SPH-40	heated module	40"	30"	34"	12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75")	4.73	17.0	120	1800	5-30P	370	100	\$8,638
SPH-50	heated module	50"	30"	34"	18(13.25"x20.5"x2.5") 9(13.25"x20.5"x4.75")	7.06	17.0	120	1800	5-30P	525	100	\$9,299
SPH-64	heated module	64"	30"	34"	24(13.25"x20.5"x2.5") 12(13.25"x20.5"x4.75")	9.33	17.0	120	1800	5-30P	550	100	\$13,234
SHELLEYSF	PEED™ HEATED	MOD	ULE -	ELEM	ENTARY HEIGHT								
SPH-40E	heated module	40"	30"	30"	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	3.37	17.0	120	1800	5-30P	370	100	\$8,638
SPH-50E	heated module	50"	30"	30"	12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75")	5.03	17.0	120	1800	5-30P	525	100	\$9,299
SPH-64E	heated module	64"	30"	30"	16(13.25"x20.5"x2.5") 8(13.25"x20.5"x4.75")	6.69	17.0	120	1800	5-30P	550	100	\$13,234
SHELLEYSI	PEED™ HEATED) MOI	OULE -	- WIDE	WIDTH								
SPH-40W	heated module	40"	35"	34"	12(13.25"x26.13"x2.5") 6(13.25"x26.13"x4.75")	5.82	17.0	120	1800	5-30P	370	100	\$8,799
SPH-50W	heated module	50"	35"	34"	18(13.25"x26.13"x2.5") 9(13.25"x26.13"x4.75")	8.68	17.0	120	1800	5-30P	525	100	\$9,448
SPH-64W	heated module	64"	35"	34"	24(13.25"x26.13"x2.5") 12(13.25"x26.13"x4.75")	11.54	17.0	120	1800	5-30P	550	100	\$13,388
SHELLEYSI	PEED™ HEATED	омог	OULE -	- WIDE	WIDTH, ELEMENTARY H	EIGHT							
SPH-40EW	heated module	40"	35"	30"	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	4.15	17.0	120	1800	5-30P	370	100	\$8,799
SPH-50EW	heated module	50"	35"	30"	12(13.25"x26.13"x2.5") 6(13.25"x26.13"x4.75")	6.19	17.0	120	1800	5-30P	525	100	\$9,493
SPH-64EW	heated module	64"	35"	30"	16(13.25"x26.13"x2.5") 8(13.25"x26.13"x4.75")	8.22	17.0	120	1800	5-30P	550	100	\$13,388

Shelleyspeed accessories and modifications can be found on page 125-128.

Net Pricing
One year parts and labor
contract------\$279

Two year parts and labor contract ----- \$52



SPR SERIES - MOBILE REFRIGERATED SPEED LINE MODULES





SPR-50Shown with optional merchandising module

Product Information

- · 14-gauge stainless steel top standard
- 9' long cord and plug are supplied standard
- 18-gauge stainless steel exterior standard
- Electrical: 120 volt, 60 cycle, single phase
- R134A refrigerant
- · Removable sliding lids (two per unit) standard
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard
- Forced air cooling system

- · Maintains 33° to 41° temperature requirements
- · Basket rack system is standard
- A wide selection of laminate colors available at no additional charge
- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- Meets NSF2, NSF7, UL and CEC standards
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

• MODEL			OVERA	П	BASKET	STORAGE CAPACITY				NEMA	SHIP	FREIGHT	LIST
NUMBER	DESCRIPTION	L	D	H	CAPACITY	(CU. FT.)	AMP	HP	VOLTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYSP	EED™ REFRIGE	RATE	D MO	DULE									
SPR-40	refrigerated module	40"	30"	34"	12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75")	4.73	5.0	1/5	120	5-15P	370	100	\$13,424
SPR-50	refrigerated module	50"	30"	34"	18(13.25"x20.5"x2.5") 9(13.25"x20.5"x4.75")	7.06	7.0	1/4	120	5-15P	525	100	\$14,190
SPR-64	refrigerated module	64"	30"	34"	24(13.25"x20.5"x2.5") 12(13.25"x20.5"x4.75")	9.38	7.0	1/4	120	5-15P	550	100	\$14,441
SHELLEYSP	EED™ REFRIGI	RATE	D MC	DULE	- ELEMENTARY HEIGHT								
SPR-40E	refrigerated module	40"	30"	30"	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	3.37	5.0	1/5	120	5-15P	370	100	\$13,424
SPR-50E	refrigerated module	50"	30"	30"	12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75")	5.03	7.0	1/4	120	5-15P	525	100	\$14,190
SPR-64E	refrigerated module	64"	30"	30"	16(13.25"x20.5"x2.5") 8(13.25"x20.5"x4.75")	6.69	7.0	1/4	120	5-15P	550	100	\$14,441
SHELLEYSP	EED™ REFRIGI	RATE	D MC	DULE	- WIDE WIDTH								
SPR-40W	refrigerated module	40"	35"	34"	12(13.25"x26.13"x2.5") 6(13.25"x26.13"x4.75")	5.82	5.0	1/5	120	5-15P	370	100	\$13,667
SPR-50W	refrigerated module	50"	35"	34"	18(13.25"x26.13"x2.5") 9(13.25"x26.13"x4.75")	8.68	7.0	1/4	120	5-15P	525	100	\$14,235
SPR-64W	refrigerated module	64"	35"	34"	24(13.25"x26.13"x2.5") 12(13.25"x26.13"x4.75")	11.54	7.0	1/4	120	5-15P	550	100	\$14,585
SHELLEYSP	EED™ REFRIGI	RATE	D MC	DULE	- WIDE WIDTH, ELEMENT	ARY HEIGHT							
SPR-40EW	refrigerated module	40"	35"	30"	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	4.15	5.0	1/5	120	5-15P	370	100	\$13,667
SPR-50EW	refrigerated module	50"	35"	30"	12(13.25"x26.13"x2.5") 6(13.25"x26.13"x4.75")	6.19	7.0	1/4	120	5-15P	525	100	\$14,235
SPR-64EW	refrigerated module	64"	35"	30"	16(13.25"x26.13"x2.5") 8(13.25"x26.13"x4.75")	8.22	7.0	1/4	120	5-15P	550	100	\$14,585

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties
Net Pricing
One year parts and labor
contract \$279
Two year parts and labor
contract \$523
Five year compressor warranty
1/4 HP \$108
1/5 HP \$108



SHELLEYSPEED® SERVING LINES

SPRH SERIES - MOBILE REFRIGERATOR/HEATED SPEED LINE COMBINATION MODULES



Product Information

- 14-gauge stainless steel top standard
- 9' long cord and plug are supplied standard
- Two separate systems, one heated, one refrigerated
- 18-gauge stainless steel exterior standard
- Electrical: 120 volt, 60 cycle, single phase
- · R134A refrigerant
- · Removable sliding lids (two per unit) standard
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard

- · Basket rack system is standard
- A wide selection of laminate colors available at no additional charge
- Heated portion has stay cool surface, top is designed to stay below 90°
- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- Meets NSF2, NSF4, NSF7, UL and CEC standards
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



SPRH-68

Specifications and Prices

- p							STORAGE								
MODEL Number	DESCRIPTION	OVER. L	ALL D	Н		KET CITY	CAPACITY (CU. FT.)	AMP	HP	VOLTS	WATTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSPE	EED™ REFRIGEI	RATOR	R/HEAT	TED C	OMBINATION MO	DULE									
SPRH-68	refrigerator/ heated combo module	68"	30"	34"	R 12(13.25"x2 6(13.25"x2 12(13.25"x2 6(13.25"x2	0.5"x4.75") 20.5"x2.5")	4.73	18.5	1/5 N/A	120 120	N/A 1800	5-30P	410	100	\$26,146
SHELLEYSPI	EED™ REFRIGE	RATOF	R/HEAT	TED C	OMBINATION MO	DULE - ELEI	MENTARY HE	IGHT							
SPRH-68E	refrigerator/ heated combo module	68"	30"	30"	R 8(13.25"x2 4(13.25"x2) H 8(13.25"x2) 4(13.25"x2)	0.5"x4.75 ["]) 20.5"x2.5")	3.37	18.5	1/5 N/A	120	N/A 1800	5-30P	410	100	\$26,146
SHELLEYSPE	ED™ REFRIGE	RATOR	HEAT	ED C	OMBINATION MO	DULE - WIDI	E WIDTH								
SPRH-68W	refrigerator/ heated combo module	68"	35"	34"	R 12(13.25"x2 6(13.25"x26 12(13.25"x2 6(13.25"x26	6.13"x4.75") 26.13"x2.5")	5.82	18.5	1/5 N/A	120	N/A 1800	5-30P	450	100	\$26,410
SHELL EVSPI	FEN™ REFRIGE	R∆T∩F	R/HFA	TED C	OMBINATION MO	DIII F - WID	F WINTH FI	EMENT/	ARV HFI	СНТ					
SPRH-68EW	refrigerator/ heated combo module	68"	35"	30"	R 8(13.25"x20 4(13.25"x20 8(13.25"x20 4(13.25"x20	6.13"x2.5") 6.13"x4.75") 6.13"x2.5")	4.15	18.5	1/5 N/A	120 120	N/A 1800	5-30P	450	100	\$26,410

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties Net Pricing One year parts and labor contract------\$279 Two year parts and labor contract-----\$523 Five year compressor warranty 1/5 HP ------\$108



SPRF SERIES - MOBILE REFRIGERATOR/FREEZER SPEED LINE COMBINATION MODULES





SPRF-68

Product Information

- 14-gauge stainless steel top standard
- Two separate systems, one section refrigerator and one section freezer
- 9' long cord and plug are supplied standard
- 18-gauge stainless steel exterior standard
- Electrical: 120 volt, 60 cycle, single phase
- R134A refrigerant-refrigerator, R404A-freezer
- Removable sliding lids (two per unit) standard

 Standard on 5" dispressor polymers being a principle.
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard

- · Basket rack system is standard
- A wide selection of laminate colors available at no additional charge
- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- · Meets NSF2, NSF7, UL and CEC standards
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	D	Н		BASKET CAPACITY	STORAGE CAPACITY (CU. FT.)	AMP	HP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSPEE	D™ REFRIGERAT	ΓOR/F	REEZI	ER CO	MBIN	ATION MODULE								
SPRF-68	refrigerator/ freezer combo module	68"	30"	34"	R F	12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75") 12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75")	4.73	15.0	1/5	120	5-20P	410	100	\$23,179
SHELLEYSPEE	D™ REFRIGERAT	TOR/F	REEZI	ER CO	MBIN	ATION MODULE - ELEMEI	NTARY HEIGH	IT						
SPRF-68E	refrigerator/ freezer combo module	68"	30"	30"	R F	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75") 8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	3.37	15.0	1/5	120	5-20P	410	100	\$23,179
SHELLEYSPEE	D™ REFRIGERAT	ΓOR/F	REEZI	ER CO	MBIN	ATION MODULE - WIDE W	/IDTH							
SPRF-68W	refrigerator/ freezer combo module	68"	35"	34"	R F	24(13.25"x26.13"x2.5") 12(13.25"x26.13"x4.75") 24(13.25"x26.13"x2.5") 12(13.25"x26.13"x4.75")	5.82	15.0	1/5	120 120	5-20P	450	100	\$24,029
SHELLEYSPEE	D™ REFRIGERAT	TOR/F	RFF7I	ER CO	MBIN	ATION MODULE - WIDE W	/IDTH. ELEM	ENTARY	HEIGHT					
SPRF-68EW	refrigerator/ freezer combo module	68"	35"	30"	R	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75") 8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	4.15	15.0	1/5	120 120	5-20P	450	100	\$24,029

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties Net Pricing One year parts and labor contract------\$279 Two year parts and labor contract-----\$523 Five year compressor warranty 1/5 HP ------\$108 1/3HP -----\$128



SPF SERIES - MOBILE FREEZER SPEED LINE MODULES



Product Information

- · 14-gauge stainless steel top standard
- 9' long cord and plug are supplied standard
- 18-gauge stainless steel exterior standard
- Electrical: 120 volt, 60 cycle, single phase
- · R404A refrigerant
- Maintains 0° to 5°F temperatures
- · Removable sliding lids (two per unit) standard
- Standard on 5" diameter polyurethane swivel casters
- · Cold wall construction

- Stainless steel fully retractable interlock provided as standard
- Basket rack system is standard
- A wide selection of laminate colors available at no additional charge
- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- · Meets NSF2, UL and CEC standards
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



SPF-52

Specifications and Prices

MODEL			OVERA	LL	BASKET	STORAGE CAPACITY				NEMA	SHIP	FREIGHT	LIST
NUMBER	DESCRIPTION	L	D	Н	CAPACITY	(CU. FT.)	AMP	HP	VOLTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYSP	EED™ FREEZEF	R MO	DULE										
SPF-42	freezer module	42"	30"	34"	10(13.25"x20.5"x2.5") 5(13.25"x20.5"x4.75")	4.42	8.0	1/3	120	5-15P	370	100	\$12,990
SPF-52	freezer module	52"	30"	34"	15(13.25"x20.5"x2.5") 7(13.25"x20.5"x4.75")	6.60	8.0	1/3	120	5-15P	525	100	\$13,654
SPF-66	freezer module	66"	30"	34"	20(13.25"x20.5"x2.5") 10(13.25"x20.5"x4.75")	8.77	8.0	1/3	120	5-15P	550	100	\$13,986
SHELLEYSP	PEED™ FREEZEI	R MO	DULE	- ELEN	MENTARY HEIGHT								
SPF-42E	freezer module	42"	30"	30"	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	3.07	8.0	1/3	120	5-15P	370	100	\$12,990
SPF-52E	freezer module	52"	30"	30"	12(13.25"x20.5"x2.5") 6(13.25"x20.5"x4.75")	4.57	8.0	1/3	120	5-15P	525	100	\$13,654
SPF-66E	freezer module	66"	30"	30"	16(13.25"x20.5"x2.5") 8(13.25"x20.5"x4.75")	6.07	8.0	1/3	120	5-15P	550	100	\$13,986
SHELLEYSP	PEED™ FREEZEI	R MO	DULE	- WIDI	E WIDTH								
SPF-42W	freezer module	42"	35"	34"	12(13.25"x26.13"x2.5") 6(13.25"x26.13"x4.75")	5.44	8.0	1/3	120	5-15P	370	100	\$13,134
SPF-52W	freezer module	52"	35"	34"	18(13.25"x26.13"x2.5") 9(13.25"x26.13"x4.75")	8.11	8.0	1/3	120	5-15P	525	100	\$13,801
SPF-66W	freezer module	66"	35"	34"	24(13.25"x26.13"x2.5") 12(13.25"x26.13"x4.75")	10.78	8.0	1/3	120	5-15P	550	100	\$14,023
SHELLEYSP	PEED™ FREEZER	R MO	DULE	- WIDI	E WIDTH, ELEMENTARY H	EIGHT							
SPF-42EW	freezer module	42"	35"	30"	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	3.77	8.0	1/3	120	5-15P	370	100	\$13,134
SPF-52EW	freezer module	52"	35"	30"	12(13.25"x26.13"x2.5") 6(13.25"x26.13"x4.75")	5.62	8.0	1/3	120	5-15P	525	100	\$13,801
SPF-66EW	freezer module	66"	35"	30"	16(13.25"x26.13"x2.5") 8(13.25"x26.13"x4.75")	7.47	8.0	1/3	120	5-15P	550	100	\$14,023

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties
Net Pricing One year parts and labor contract\$279
Two year parts and labor contract \$523
Five year compressor warranty 1/3 H.P \$128



SPRDP SERIES - MOBILE REFRIGERATED DISPLAY SPEED LINE MODULE 30" MODULE DEPTH





SPRD48P-50NE

Product Information

Display Section

- Display exterior sides are made of 18-gauge stainless steel
- Door locks standard
- ABS plastic interior sides with molded shelf supports
- (4) adjustable epoxy coated wire shelves
- On/off switch for the display section light(s)
- Top mount coil with multiple fans circulating the air throughout the cabinet
- Display section runs off a thermostatic control
- Display maintains temperatures 36° to 40° in 100° ambient
- Sliding and removable self-closing .5" thick argon filled, low-E, warm edge insert,

thermopane glass doors with left and right vertical gasket

Base Section

- 14-gauge stainless steel top standard
- · 18-gauge stainless steel exterior body
- 9' long cord and plug are supplied standard
- R404A refrigerant
- Standard on 5" diameter polyurethane casters
- Stainless steel fully retractable interlock provided as standard
- A wide selection of laminate colors available at no additional charge
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L 0	VERAL D	L H	DISPLAY SHELF AREA SQ. FT.	DISPLAY STORAGE CUBIC FT.	AMP	HP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSPEED	™ REFRIGERATED DIS	PLAY	MOD	JLE, 2	4" DEEP DISPL	AY CASE							
SPRD36P-36N	refrigerated display module, pass through	36"	30"	76"	15.4	11	12.0	1/2	115	5-15P	517	110	\$18,740
SPRD36P-50N	refrigerated display module, pass through	50"	30"	76"	15.4	11	12.0	1/2	115	5-15P	557	110	\$19,319
SPRD48P-50N	refrigerated display module, pass through	50"	30"	76"	21.3	15.1	12.0	1/2	115	5-15P	710	110	\$19,604
SPRD48P-60N	refrigerated display module, pass through	60"	30"	76"	21.3	15.1	12.0	1/2	115	5-15P	746	110	\$20,116
SPRD60P-74N	refrigerated display module, pass through	74"	30"	76"	27.2	19.3	16.0	3/4	115	5-20P	775	110	\$22,056
SPRD72P-74N	refrigerated display module, pass through	74"	30"	76"	33.2	23.5	16.0	3/4	115	5-20P	858	110	\$23,796
SHELLEYSPEED	™ REFRIGERATED DIS	PLAY	MOD	ULE, 2	4" DEEP DISPL	AY CASE, EL	EMENTA	RY HEIG	HT				
SPRD36P-36NE	refrigerated display module, pass through	36"	30"	72"	15.4	11	12.0	1/2	115	5-15P	517	110	\$18,740
SPRD36P-50NE	refrigerated display module, pass through	50"	30"	72"	15.4	11	12.0	1/2	115	5-15P	557	110	\$19,319
SPRD48P-50NE	refrigerated display module, pass through	50"	30"	72"	21.3	15.1	12.0	1/2	115	5-15P	710	110	\$19,604
SPRD48P-60NE	refrigerated display module, pass through	60"	30"	72"	21.3	15.1	12.0	1/2	115	5-15P	740	110	\$20,116
SPRD60P-74NE	refrigerated display module, pass through	74"	30"	72"	27.2	19.3	16.0	3/4	115	5-20P	775	110	\$22,056
SPRD72P-74NE	refrigerated display module, pass through	74"	30"	72"	33.2	23.5	16.0	3/4	115	5-20P	858	110	\$23,796

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties Net Pricing One year parts and labor contract------\$279 Two year parts and labor contract-----\$523 Five year compressor warranty 1/2 HP ------\$139 3/4 HP ------\$145



SPRDP SERIES - MOBILE REFRIGERATED DISPLAY SPEED LINE MODULE 35" MODULE DEPTH



Product Information

Display Section

- Display exterior sides are made of 18-gauge stainless steel
- · Door locks standard
- ABS plastic interior sides with molded shelf supports
- (4) adjustable epoxy coated wire shelves
- On/off switch for the display section light(s)
- Top mount coil with multiple fans circulating the air throughout the cabinet
- Display section runs off a thermostatic control
- Display maintains temperatures 36° to 40° in 100° ambient
- Sliding and removable self-closing .5" thick argon filled, low-E, warm edge insert, thermopane glass doors with left and right vertical gasket

Base Section

- · 14-gauge stainless steel top standard
- · 18-gauge stainless steel exterior body
- 9' long cord and plug are supplied standard
- · R404A refrigerant
- Standard on 5" diameter polyurethane casters
- Stainless steel fully retractable interlock provided as standard
- A wide selection of laminate colors available at no additional charge
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



SPRD48P-50DW

Specifications and Prices

MODEL NUMBER	DESCRIPTION	_ 0 L	VERAL D	L H	DISPLAY SHELF AREA SQ. FT.	DISPLAY STORAGE CUBIC FT.	AMP	HP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSPEED	M REFRIGERATED DISP	LAY N	10DU	LE, 30	" DEEP DISPLA	Y CASE							
SPRD36P-36DW	refrigerated display module, pass through	36"	35"	76"	20.6	14.3	12.0	1/2	115	5-15P	576	110	\$20,390
SPRD36P-50DW	refrigerated display module, pass through	50"	35"	76"	20.6	14.3	12.0	1/2	115	5-15P	625	110	\$21,261
SPRD48P-50DW	refrigerated display module, pass through	50"	35"	76"	28.5	19.8	12.0	1/2	115	5-15P	789	110	\$22,206
SPRD48P-60DW	refrigerated display module, pass through	60"	35"	76"	28.5	19.8	12.0	1/2	115	5-15P	819	110	\$22,483
SPRD60P-74DW	refrigerated display module, pass through	74"	35"	76"	36.4	25.2	16.0	3/4	115	5-20P	919	110	\$24,083
SPRD72P-74DW	refrigerated display module, pass through	74"	35"	76'	44.4	30.7	16.0	3/4	115	5-20P	1095	110	\$25,804
SHELLEYSPEED	M REFRIGERATED DISP	LAY N	10DUI	LE, 30	" DEEP DISPLA	Y CASE, ELE	MENTAR	Y HEIGH	łT				
SPRD36P-36DEW	refrigerated display module, pass through	36"	35"	72"	20.6	14.3	12.0	1/2	115	5-15P	576	110	\$20,390
SPRD36P-50DEW	refrigerated display module, pass through	50"	35"	72"	20.6	14.3	12.0	1/2	115	5-15P	625	110	\$21,261
SPRD48P-50DEW	refrigerated display module, pass through	50"	35"	72"	28.5	19.8	12.0	1/2	115	5-15P	789	110	\$22,206
SPRD48P-60DEW	refrigerated display module, pass through	60"	35"	72"	28.5	19.8	12.0	1/2	115	5-15P	819	110	\$22,483
SPRD60P-74DEW	refrigerated display module, pass through	74"	35"	72"	36.4	25.2	16.0	3/4	115	5-20P	919	110	\$24,083
SPRD72P-74DEW	refrigerated display module, pass through	74"	35"	72"	44.4	30.7	16.0	3/4	115	5-20P	1095	110	\$25,804

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties	
Net Pricing	Net Pricing
One year parts and labor	Five year compressor
contract\$279	warranty
Two year parts and labor	1/2 HP\$139
contract\$523	3/4 HP\$145



SPHM SERIES - MOBILE HEATED DISPLAY SPEED LINE MODULE





SPHM-64

Product Information

Base Section

- 14-gauge stainless steel top standard
- 18-gauge stainless steel exterior body
- Base of unit has dry storage; lid rack or basket rack optional
- Hinged door(s) with black ABS recessed door handle standard
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard
- Laminate section has 18-gauge galvanized base and 16-gauge coved corner supports to protect laminate
- A wide selection of laminate colors available at no additional charge
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Display Section

- 9' long cord and plug are supplied standard
- Top heated cabinet maintains NSF4 requirements; holds product temperatures at 140 degrees
- Two sliding doors standard, easily removable for serving period
- Cabinet interior has lighting to enhance merchandising
- Heated merchandiser accommodates 13.25"x20.5"x2.5" or 13.25"x20.5"x4.75" size baskets
- Sloped peak of heated cabinet accommodates baskets for added merchandising
- · Meets UL, NSF2, NSF4 and CEC standards

Specifications and Prices

MODEL Number	DESCRIPTION	L	VERALI D	L H	BASKET CAPACITY (HEATED PORTION)	BASE STORAGE CAPACITY CU.FT.	AMP	VOLTS	WATTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSPE	EED™ HEATED	DISPL	AY MC	DULE									
SPHM-50	heated display module	50"	30"	64.9"	6(13.25"x20.5"x2.5") 3(13.25"x20.5"x4.75")	13.63	14.75	120	1770	5-20P	440	100	\$18,147
SPHM-64	heated display module	64"	30"	64.9"	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	18.17	16.3	120	1960	5-20P	490	100	\$20,202
SHELLEYSPE	EED™ HEATED I	DISPL	AY MC	DULE -	ELEMENTARY HEIGHT								
SPHM-50E	heated display module	50"	30"	60.9"	6(13.25"x20.5"x2.5") 3(13.25"x20.5"x4.75")	9.08	14.75	120	1770	5-20P	440	100	\$18,147
SPHM-64E	heated display module	64"	30"	60.9"	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	12.1	16.3	120	1960	5-20P	490	100	\$20,202
SHELLEYSPE	EED™ HEATED I	DISPL	AY MC	DULE -	WIDE WIDTH								
SPHM-50W	heated display module	50"	35"	64.9"	6(13.25"x26.13"x2.5") 3(13.25"x26.13"x4.75")	14.63	14.75	120	1770	5-20P	460	100	\$18,290
SPHM-64W	heated display module	64"	35"	64.9"	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	19.5	16.3	120	1960	5-20P	510	100	\$20,534
SHELLEYSPE	EED™ HEATED I	DISPL	AY MC	DULE -	WIDE WIDTH, ELEMENTA	RY HEIGHT							
SPHM-50EW	heated display module	50"	35"	60.9"	6(13.25"x26.13"x2.5") 3(13.25"x26.13"x4.75")	9.75	14.75	120	1770	5-20P	460	100	\$18,290
SPHM-64EW	heated display module	64"	35"	60.9"	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	13	16.3	120	1960	5-20P	510	100	\$20,534

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties Net Pricing One year parts and labor contract------\$279 Two year parts and labor contract ------\$523



SPM SERIES - MOBILE UTILITY (MERCHANDISING) SPEED LINE MODULES

Product Information

- 14-gauge stainless steel top standard
- 18-gauge stainless steel exterior body
- Units have a single or double door dry compartment for storage
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard
- · A wide selection of laminate colors

- available at no additional charge
- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- Meets NSF2 standard
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



SPM-50

Specifications and Prices

Specific	ations an	a P	rice	S			LID STORAGE			
MODEL NUMBER	DESCRIPTION	L	OVERA D	LL H	# OF DOORS	BASKET CAPACITY (BASE OF UNIT)*	CAPACITY (BASE OF UNIT)*	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEYSPE	ED™ UTILITY (I	VIERC	HAND	ISING)	MODULE					
SPM-28	utility module	28"	30"	34"	1	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	N/A	165	125	\$5,250
SPM-36	utility module	36"	30"	34"	1	8(13.25"x20.5"x2.5") 4(13.25"x20.5"x4.75")	N/A	185	125	\$6,057
SPM-50	utility module	50"	30"	34"	2	16(13.25"x20.5"x2.5") 8(13.25"x20.5"x4.75")	14	205	125	\$8,413
SPM-74	utility module	74"	30"	34"	2	24(13.25"x20.5"x2.5") 12(13.25"x20.5"x4.75")	14	270	125	\$9,188
SHELLEYSPE	ED™ UTILITY (I	WERC	HAND	ISING)) MODULE -	ELEMENTARY HEIGHT				
SPM-28E	utility module	28"	30"	30"	1	5(13.25"x20.5"x2.5") 2(13.25"x20.5"x4.75")	N/A	165	125	\$5,250
SPM-36E	utility module	36"	30"	30"	1	5(13.25"x20.5"x2.5") 2(13.25"x20.5"x4.75")	N/A	185	125	\$6,057
SPM-50E	utility module	50"	30"	30"	2	10(13.25"x20.5"x2.5") 5(13.25"x20.5"x4.75")	8	205	125	\$8,413
SPM-74E	utility module	74"	30"	30"	2	15(13.25"x20.5"x2.5") 7(13.25"x20.5"x4.75")	8	270	125	\$9,188
SHELLEYSPE	ED™ UTILITY (I	WERC	HAND	ISING)) MODULE -	WIDE WIDTH				
SPM-28W	utility module	28"	35"	34"	1	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	N/A	165	125	\$5,516
SPM-36W	utility module	36"	35"	34"	1	8(13.25"x26.13"x2.5") 4(13.25"x26.13"x4.75")	N/A	185	125	\$6,324
SPM-50W	utility module	50"	35"	34"	2	16(13.25"x26.13"x2.5") 8(13.25"x26.13"x4.75")	14	205	125	\$8,979
SPM-74W	utility module	74"	35"	34"	2	24(13.25"x26.13"x2.5") 12(13.25"x26.13"x4.75")	14	270	125	\$9,566
SHELLEYSPE	ED™ UTILITY (I	WERC	HAND	ISING)) MODULE -	WIDE WIDTH, ELEMENTAF	RY HEIGHT			
SPM-28EW	utility module	28"	35"	30"	1	5(13.25"x20.5"x2.5") 2(13.25"x20.5"x4.75")	N/A	165	125	\$5,516
SPM-36EW	utility module	36"	35"	30"	1	5(13.25"x20.5"x2.5") 2(13.25"x20.5"x4.75")	N/A	185	125	\$6,324
SPM-50EW	utility module	50"	35"	30"	2	10(13.25"x20.5"x2.5") 5(13.25"x20.5"x4.75")	8	205	125	\$8,979
SPM-74EW	utility module	74"	35"	30"	2	15(13.25"x20.5"x2.5") 7(13.25"x20.5"x4.75")	8	270	125	\$9,566

^{*}Only if ordering the lid or basket storage module.

Shelleyspeed accessories and modifications can be found on page 125-128.

Additional Warranties Net Pricing One year parts and labor contract------\$279 Two year parts and labor contract------\$523



SPCS SERIES - MOBILE CASHIER SPEED LINE MODULES





SPCS-30

Product Information

- 14-gauge stainless steel top standard
- 18-gauge stainless steel exterior standard
- Full NSF and UL certification
- A wide selection of laminate colors available at no additional charge
- Standard on 5" diameter polyurethane swivel casters
- Stainless steel fully retractable interlock provided as standard
- A 3" grommet hole is located at the rear of the top to allow cord access for cash register
- · Stainless steel locking cash drawer standard

- Stainless steel under shelf can serve as foot rest or storage
- Add eye catching decal packages or bright canopies to create a distinctive look
- Laminate selection has 18-gauge galvanized base, 16-gauge coved corner supports to protect laminate
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	DESCRIPTION	L	OVERA D	ALL H	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
NUMBER	DESCRIF HUN				WEIGHT	ULASS	FNICE
SHELLEYSPI	EED™ CASHIER COUNT	ER M	ODULI	<u> </u>			
SPCS-30	cashier counter module	30"	30"	34"	180	100	\$5,582
SPCS-36	cashier counter module	36"	30"	34"	210	100	\$6,228
SHELLEYSPE	EED™ CASHIER COUNT	ER M	ODULI	- ELI	EMENTARY	/ HEIGHT	
SPCS-30E	cashier counter module	30"	30"	30"	180	100	\$5,582
SPCS-36E	cashier counter module	36"	30"	30"	210	100	\$6,228
SHELLEYSPI	EED™ CASHIER COUNT	ER M	ODULI	- WI	DE WIDTH		
SPCS-30W	cashier counter module	30"	35"	34"	190	100	\$5,788
SPCS-36W	cashier counter module	36"	35"	34"	220	100	\$6,228
SHELLEYSPE	EED™ CASHIER COUNT	ER M	ODULI	- WI	DE WIDTH	, ELEMENT	ARY HEIGH
SPCS-30EW	cashier counter module	30"	35"	30"	190	100	\$5,788
SPCS-36EW	cashier counter module	36"	35"	30"	220	100	\$6,228
Shelleyspeed	d accessories and modif	icatio	ns car	be fo	und on pa	ge 125-128	

Additional Warranties

Net Pricing

One year parts and labor contract-----\$279

.

Two year parts and labor contract-----\$523



SPH - HEATED SPEED LINE SERVING MODULES SPR - REFRIGERATED SPEED LINE SERVING MODULES

		-40	-50	-64	-40W	-50W	-64W
SPA.	12" stainless steel V fold-down tray slide	\$941	\$1,105	\$1,412	\$941	\$1,105	\$1,412
SPB	12" stainless steel "V" style, 14-guage fold-down tray slide	\$941	\$1,105	\$1,412	\$941	\$1,105	\$1,412
SPC.	10" three-bar tubular fold-down tray slide	\$705	\$884	\$1,100	\$705	\$884	\$1,100
SPD.	10" composite fold-down cutting board	\$969	\$1,034	\$1,329	\$969	\$1,034	\$1,329
SPE.	10" stainless steel fold-down work shelf	\$844	\$1,040	\$1,332	\$844	\$1,040	\$1,332
SPF.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C	N/C
SPFL.	Flourescent light (in overstructures)	\$473	\$540	\$677	\$473	\$540	\$677
SPHEO.	208V electrical	\$743	\$743	\$743	\$743	\$743	\$743
SPJ.	12" stainless steel overshelf, 18-gauge, (W models are 18")	\$687	\$872	\$1,015	\$726	\$915	\$1,063
SPJ2.	12" stainless steel overshelf, two tier, (W models are 18")	\$1,370	\$1,745	\$2,030	\$1,451	\$1,828	\$2,124
SPKD.	Double service flip-up sneeze guard	\$1,815	\$1,885	\$2,322	\$2,003	\$1,885	\$2,603
SPSMS.	Single tier merchandising shelf	\$1,814	\$1,934	\$2,016	\$1,949	\$2,069	\$2,150
SPDMS.	Double tier merchandising shelf	\$2,621	\$2,739	\$2,821	\$2,755	\$2,875	\$2,957
SPU.	14" x 30" stainless steel end drop shelf	\$659	\$659	\$659	N/A	N/A	N/A
SPUW.	14" x 35" stainless steel end drop shelf	N/A	N/A	N/A	\$711	\$711	\$711
SPV.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C	N/C

SPRH - REFRIGERATED/HEATED SPEED LINE COMBINATION MODULES SPRF - REFRIGERATOR/FREEZER SPEED LINE COMBINATION MODULES

		-68	-68W
SPA.	12" stainless steel V fold-down tray slide	\$1,500	\$1,500
SPB.	12" stainless steel "V" style, 14-gauge fold-down tray slide	\$1,500	\$1,500
SPC.	10" three-bar tubular fold-down tray slide	\$1,167	\$1,167
SPD.	10" composite fold-down cutting board	\$1,413	\$1,413
SPE.	10" stainless steel fold-down work shelf	\$1,420	\$1,420
SPF.	Line-up interlock device	N/C	N/C
SPFL.	Flourescent light (in overstructures)	\$711	\$711
SPHEO.	208V electrical	\$743	\$743
SPJ.	12" stainless steel overshelf, 18-gauge, (W models are 18")	\$1,077	\$1,118
SPJ2.	12" stainless steel overshelf, two tier, (W models are 18")	\$2,155	\$2,237
SPKD.	Double service flip-up sneeze guard	\$2,564	\$2,753
SPSMS.	Single tier merchandising shelf	\$2,096	\$2,231
SPDMS.	Double tier merchandising shelf	\$2,902	\$3,037
SPU.	14" x 30" stainless steel end drop shelf	\$659	N/A
SPUW.	14" x 35" stainless steel end drop shelf	N/A	\$711
SPV.	Adjustable stainless steel bullet feet	N/C	N/C



SPF - FREEZER SPEED LINE SERVING MODULES

		-42	-52	-66	-42W	-52W	-66W
SPA.	12" stainless steel V fold-down tray slide	\$986	\$1,147	\$1,455	\$986	\$1,147	\$1,455
SPB.	12" stainless steel "V" style, 14-guage fold-down tray slide	\$986	\$1,147	\$1,455	\$986	\$1,147	\$1,455
SPC.	10" three-bar tubular fold-down tray slide	\$742	\$920	\$1,134	\$742	\$920	\$1,134
SPD.	10" composite fold-down cutting board	\$1,019	\$1,076	\$1,371	\$1,019	\$1,076	\$1,371
SPE.	10" stainless steel fold-down work shelf	\$886	\$1,082	\$1,374	\$886	\$1,082	\$1,374
SPF.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C	N/C
SPFL.	Flourescent light (in overstructures)	\$473	\$540	\$677	\$473	\$540	\$677
SPJ.	12" stainless steel overshelf, 18-gauge, (W models are 18")	\$719	\$908	\$1,048	\$759	\$947	\$1,087
SPJ2.	12" stainless steel overshelf, two tier, (W models are 18")	\$1,441	\$1,814	\$2,094	\$1,519	\$1,895	\$2,175
SPKD.	Double service flip-up sneeze guard	\$1,907	\$1,962	\$2,491	\$2,176	\$2,231	\$2,759
SPSMS.	Single tier merchandising shelf	\$1,906	\$2,012	\$2,079	\$2,040	\$2,146	\$2,212
SPDMS.	Double tier merchandising shelf	\$2,712	\$2,818	\$2,885	\$2,712	\$2,952	\$3,019
SPU.	14" x 30" stainless steel end drop shelf	\$659	\$659	\$659	N/A	N/A	N/A
SPUW.	14" x 35" stainless steel end drop shelf	N/A	N/A	N/A	\$711	\$711	\$711
SPV.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C	N/C

SPRD-REFRIGERATED DISPLAY CASE SPEED LINE MODULE

SPCSH	10" x 30" stainless steel cash shelf	\$705
SPCSHW	10" x 35" stainless steel cash shelf	\$744
SPS	Additional shelf for display	
	A. 36"	\$188 each
	B. 48"	\$238 each
	C. 60"	\$265 each
	D. 72"	\$302 each
SPU	14" x 30" stainless steel end drop shelf	\$659
SPUW	14" x 35" stainless steel end drop shelf	\$711
	230 volt, 50 cycle system	\$711

SPHM - HEATED MERCHANDISER SPEED LINE SERVING MODULES

		-50	-64	-50W	-64W
SPA.	12" stainless steel V fold-down tray slide	\$1,105	\$1,412	\$1,105	\$1,412
SPBSL.	Base storage lids	\$1,157	\$1,399	\$1,280	\$1,516
SPBSB.	Base storage baskets	\$1,157	\$1,399	\$1,280	\$1,516
SPC.	10" three-bar tubular fold-down tray slide	\$884	\$1,100	\$884	\$1,100
SPD.	10" composite fold-down cutting board	\$1,034	\$1,329	\$1,034	\$1,329
SPE.	10" stainless steel fold-down work shelf	\$1,040	\$1,332	\$1,040	\$1,332
SPF.	Line-up interlock device	N/C	N/C	N/C	N/C
SPU.	14" x 30" stainless steel end drop shelf	\$659	\$659	N/A	N/A
SPUW.	14" x 35" stainless steel end drop shelf	N/A	N/A	\$711	\$711
SPV.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C



SPM - UTILITY SPEED LINE MODULE

		-28	-36	-50	-60	-74
SPA.	12" stainless steel V fold-down tray slide	\$782	\$921	\$1,105	\$1,325	\$1,634
SPB.	12" stainless steel "V" style, 14-guage fold-down tray slide	\$782	\$921	\$1,105	\$1,105	\$1,634
SPBSL.	Base storage for lids	N/A	N/A	\$1,157	\$1,399	\$1,399
SPBSB.	Base storage for baskets	\$866	\$978	\$1,157	\$1,399	\$1,399
SPC.	10" three-bar tubular fold-down tray slide	\$492	\$634	\$884	\$1,046	\$1,255
SPD.	10" composite fold-down cutting board	\$782	\$928	\$1,034	\$1,280	\$1,506
SPE.	10" stainless steel fold-down work shelf	\$600	\$774	\$1,040	\$1,245	\$1,546
SPF.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C
SPJ.	12" stainless steel overshelf, 18-gauge	\$468	\$602	\$872	\$946	\$1,321
SPJ2.	12" stainless steel overshelf, two tier	\$936	\$1,202	\$1,745	\$1,895	\$2,643
SPKD.	Double service flip-up sneeze guard	\$1,284	\$1,651	\$1,885	\$2,266	\$2,806
SPQ.*	115/15A outlet with 10A breaker	\$771	\$771	\$771	\$771	\$771
SPSMS.	Single tier merchandising shelf	\$1,748	\$1,780	\$1,934	\$1,982	\$2,150
SPDMS.	Double tier merchandising shelf	\$2,555	\$2,586	\$2,739	\$2,821	\$2,957
SPU.	14" x 30" stainless steel end drop shelf	\$659	\$659	\$659	\$659	\$659
SPV.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C

^{*}Inclusion of these options will alter the electrical specifications of unit.

SPMW - UTILITY SPEED LINE MODULE

		-28W	-36W	-50W	-60W	-74W
SPA.	12" stainless steel V fold-down tray slide	\$782	\$921	\$1,105	\$1,325	\$1,634
SPB.	12" stainless steel "V" style, 14-guage fold-down tray slide	\$782	\$921	\$1,105	\$1,105	\$1,634
SPBSL.	Base storage lids	N/A	N/A	\$1,280	\$1,516	\$1,516
SPBSB.	Base storage baskets	\$925	\$1,042	\$1,280	\$1,516	\$1,516
SPC.	10" three-bar tubular fold-down tray slide	\$492	\$634	\$884	\$1,046	\$1,255
SPD.	10" composite fold-down cutting board	\$782	\$928	\$1,034	\$1,280	\$1,506
SPE.	10" stainless steel fold-down work shelf	\$600	\$774	\$1,040	\$1,245	\$1,546
SPF.	Line-up interlock device	N/C	N/C	N/C	N/C	N/C
SPJ.	18" stainless steel overshelf, 18-gauge	\$468	\$602	\$915	\$946	\$1,321
SPJ2.	18" stainless steel overshelf, two tier	\$936	\$1,202	\$1,828	\$1,895	\$2,643
SPKD.	Double service flip-up sneeze guard	\$1,284	\$1,651	\$1,885	\$2,266	\$2,806
SPQ.*	115/15A outlet with 10A breaker	\$771	\$771	\$771	\$771	\$771
SPSMS.	Single tier merchandising shelf	\$1,882	\$1,915	\$2,069	\$2,117	\$2,285
SPDMS.	Double tier merchandising shelf	\$2,688	\$2,722	\$2,875	\$2,923	\$3,091
SPUW.	14" x 35" stainless steel end drop shelf	\$711	\$711	\$711	\$711	\$711
SPV.	Adjustable stainless steel bullet feet	N/C	N/C	N/C	N/C	N/C

^{*}Inclusion of these options will alter the electrical specifications of unit.



SPCS - CASHIER STAND SPEED LINE MODULE

		-30
SPA.	12" stainless steel "V" fold-down tray slide	\$926
SPB.	12" stainless steel "V" style, 14-gauge fold-down tray slide	\$926
SPC.	10" three-bar tubular fold-down tray slide	\$3,981
SPD.	10" composite fold-down cutting board	\$928
SPE.	10" stainless steel fold-down work shelf	\$774
SPF.	Line-up interlock device	N/C
SPPAN3.	(3) 1/3 x 6" deep pans	\$772
SPQ.*	115/15A outlet with 10A breaker	\$771
SPSW6.	(6) Silverware cutouts w/plastic bins	\$738
SPSW8.	(8) Silverware cutouts w/plastic bins	\$884
SPSW8-PI	(8) Silverware cutouts w/plastic and (1) 1/3x6" deep pan	\$1,231
SPSW10.	(10) Silverware cutouts w/plastic bins	\$1,027
SPU.	14" x 30" stainless steel end drop shelf	\$659
SPUW.	14" x 35" stainless steel end drop shelf	\$711
SPV.	Adjustable stainless steel bullet feet	N/C

^{*}Inclusion of these options will alter the electrical specifications of unit.

MISCELLANEOUS ACCESSORIES

SPB30-4	4" wire basket chrome plated (13.25" x 20.5" x 4.75")	\$230 each
SPB30-2	2" wire basket chrome plated (13.25" x 20.5" x 2.5")	\$214 each
SPB35-4	4" wire basket chrome plated (13.25" x 26.13" x 4.75")	\$370 each
SPB35-2	2" wire basket chrome plated (13.25" x 26.13" x 2.5")	\$349 each
SPBFF	French fry basket for heated merchandiser (13.25" x 20.5" x 2.2")	\$79 each
SP22B	Slanted overshelves, double sided (per foot, 3' minimum)	\$2,558
SPDP	Decal packages	CONTACT FACTORY
SPDP SP25	Decal packages Canopy and accessories	
	Canopy and accessories A. Dome style	Per inch \$57
	Canopy and accessories A. Dome style B. Peak style	Per inch \$57 Per inch \$82
	Canopy and accessories A. Dome style B. Peak style C. Bus style	Per inch \$57 Per inch \$82 Per inch \$40
	Canopy and accessories A. Dome style B. Peak style C. Bus style D. Stationary frame	Per inch \$57Per inch \$82Per inch \$40\$1,401
	Canopy and accessories A. Dome style	Per inch \$57Per inch \$82Per inch \$40\$1,401\$2,679
	Canopy and accessories A. Dome style	Per inch \$57Per inch \$82Per inch \$40\$1,401\$2,679\$2679
	Canopy and accessories A. Dome style	Per inch \$57 Per inch \$82 Per inch \$40 \$1,401 \$2,679 Each \$33
	Canopy and accessories A. Dome style	





N, N6/N10/N14 - Milk or Beverage Dispensers

NDF - Milk or Beverage Dispensers NLFAC - Milk or Beverage Dispensers KCM/KCFM - Milk and Ice Cream

Dispensers

SCM/SCFM - Milk and Ice Cream Dispensers

SCF & NSCF - Milk and Ice Cream Dispensers



N, N6/N10/N14 AND NDF SERIES - MILK AND BEVERAGE DISPENSERS



N-860

Unit shown with optional casters



N10-1313-34

Unit shown with optional casters

Laminate & Fiberglass Pricing Chart

Must specify color selection on order.

MODEL	LAMINATE PRICE	FIBERGLASS PANEL PRICE
N-520	\$576	\$753
N-860	\$629	\$800
N-1200	\$678	\$873
N-1530	\$730	\$919
N6	\$624	\$899
N10	\$691	\$879
N14	\$756	\$628
NDF-12	\$839	\$1,013
NDF-18	\$839	\$940

Wire Basket Pricing								
MODEL	# OF BASKETS	LIST PRICE						
N-520	9	\$996						
N-860	15	\$1,661						
N-1200	21	\$2,325						
N-1530	27	\$2,989						

Additional Warranties	
Net Pric	ınc
One year parts	Ĭ
and labor contract \$27	79
Two year parts and labor contract \$52	23
Five year compressor warrant	tv
	-
1/4 H.P \$10	Jŏ
1/3 H.P \$12	8
1,0	

Product Information

N SERIES ONLY

- Six anodized aluminum divider trays per opening except opening over compressor, (2) supplied over compressor
- Refrigeration system shall be HFC-134A refrigerant
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

N6/N10/N14 SERIES ONLY

- Cabinet top and corners to be 16-gauge stainless steel
- · Cabinet sides to be 22-gauge stainless steel
- Interior liner to be water tight 22-gauge stainless steel
- 1" IPS drain
- Units insulated with foamed in place polyurethane
- Units to have sliding stainless steel lids with recessed handle
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing
- Dispenser platform carrier shall be 18-gauge stainless steel and removable for cleaning
- 6" adjustable stainless steel legs
- Refrigeration system shall be HFC-134A refrigerant
- · Expansion valve and pressure control

- Cabinet temperatures maintain 36°F to 40°F (2°C to 4°C)
- · 9' cord and plug
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

NDF SERIES ONLY

- · Cabinet exterior to be 20-gauge stainless steel
- · Cabinet sides to be 18-gauge stainless steel
- Interior liner to be water-tight 22-gauge stainless steel
- 1" IPS drain
- · Units insulated with foamed in place polyurethane
- Two lids standard, one lift up and one fold down with door lock
- (4) 4.00" diameter polyolefin swivel casters (all locking)
- Non-marring gray corner bumpers
- Digital solar thermometer
- Refrigeration system shall be HFC-134A refrigerant
- · Expansion valve and pressure control
- Cabinet temperatures maintain 36°F to 40°F (2°C to 4°C)
- 9' cord and plug
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL	DI	MENSION	ıs					NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	CAPACITY	H.P.	AMP	VOLTS	PLUG	WEIGHT	CLASS	PRICE
FREE-STAND	NG MIL	K OR BE				0°F STC	RAGE ON	LY			
N-520	29"	28"	36"	240	1/4	5.0	120	5-15P	327	110	\$14,317
N-860	42"	28"	36"	408	1/4	5.0	120	5-15P	392	110	\$16,080
N-1200	55"	28"	36"	576	1/4	5.0	120	5-15P	462	110	\$17,765
N-1530	68"	28"	36"	744	1/4	5.0	120	5-15P	532	110	\$20,012
N6-1313-34	36"	32"	34"	6	1/4	5.0	120	5-15P	382	110	\$14,418
N6-1313-36	36"	32"	36"	6	1/4	5.0	120	5-15P	402	110	\$14,495
N10-1313-34	54.5"	32"	34"	10	1/4	5.0	120	5-15P	545	110	\$17,707
N10-1313-36	54.5"	32"	36"	10	1/4	5.0	120	5-15P	565	110	\$17,807
N14-1313-34	73"	32"	34"	14	1/4	5.0	120	5-15P	650	110	\$21,013
N14-1313-36	73"	32"	36"	14	1/4	5.0	120	5-15P	670	110	\$21,109
NDF-12	35.88"	33.38"	57"	12	1/4	5.0	120	5-15P	365	110	\$12,433
NDF-18	49.88"	33.38"	57"	18	1/3	7.0	120	5-15P	430	110	\$13,088

Accessories and Modifications

Wrap-around bumpers (N-520 only; adds 1.75" to length and depth)	\$469
Wrap-around bumpers (N-860, N6, NDF-12 only; adds 1.75" to length and depth)	\$607
Wrap-around bumpers (N-1200, N10, NDF-18 only; adds 1.75" to length and depth)	
Wrap-around bumpers (N-1530 and N14 only; adds 1.75" to length and depth)	
(4) 5" diameter casters (heavy-duty polyurethane) with corner bumpers	
(4 locking; N & N6/N10/N14 only adds 1.75" to L & D)	\$698
Lid locking device (N & N6/N10/N14 only; specify unit)	\$624
Dial-style or digital-style thermometer	\$680
220 volt, 50/60 cycle, single phase electrical connections	\$973
Wire basket (N only; per three; see chart at right)	
6" high adjustable stainless steel legs (NDF units only; specify on original order)	N/C
Omit elevators (N6, N10 and N14 models only)	
N6cr	edit \$326
N10cr	edit \$660
N14cr	edit \$991
Plastic air curtain opening on NDF models	
Stainless steel divider tray (each)	



MILK COOLERS

NLFAC SERIES - MILK OR BEVERAGE DISPENSER

Product Information

- Cabinet to be 18-gauge stainless steel
- Cabinet bottom to be 14-gauge stainless steel
- Interior liner to be water-tight 22-gauge stainless steel
- 1" diameter drain
- Units insulated with foamed in place polyurethane
- (2) Hinged lids with locks, molded of black ABS plastic
- 16-gauge dividers self locate milk crates
- Patented "air curtain" design
- (2) Evaporator coils

- · Refrigeration system to be HFC-134A
- Expansion valve, thermostat and defrost timer standard
- Refrigerated temperatures maintain 36°F to 40°F (2°C to 4°C)
- Product will maintain 40°F (4°C) for 2 hours with lids open
- (4) 5.00" diameter polyolefin swivel casters (all locking)
- 8' cord and plug supplied
- One year parts and 90 days labor warranty.
 Additional warranties available



NLFAC-12

Specifications and Prices

MODEL	DII	WENSIC	ONS					NEMA	SHIP	FREIGHT	WTY	LIST
NUMBER	L	D	Н	CAPACITY	H.P.	AMP	VOLTS	PLUG	WEIGHT	CLASS	NET	PRICE
FREE-STANDING MILK OR BEVERAGE DISPENSERS — 40°F STORAGE ONLY												
With "air cur	tain" c	penin	g									
NLFAC-8	40"	32"	42.5"	8	1/3	7.0	115	5-15P	401	110	\$75	\$14,155
NLFAC-12	54"	32"	42.5"	12	1/2	9.0	115	5-15P	491	110	\$81	\$15,370
NLFAC-16	68"	32"	42.5"	16	1/2	11.0	115	5-15P	583	110	\$86	\$16,314

Accessories and Modifications

Fiberglass accent panels, front and both sides (NLFAC only; specify color)	
NLFAC-8	\$583
NLFAC-12	\$600
NLFAC-16	
220V, 50/60 cycle, single phase electrical connections	7
Wrap around humpers (NI FAC only adds 1.75" to length and depth)	·
NLFAC-8	\$607
NLFAC-12	\$748
NLFAC-16	
Laminate exterior (specify manufacturer and color)	****
NLFAC-8	\$427
NLFAC-12	\$445
NI FAC-16	

Additional Warranties

Auulliuliai warraillies
Net Pricin
One year parts and labor contract \$279
Two year parts and labor contract \$523
Five year compressor warranty 1/3 H.P\$128 1/2 H.P\$139



KCM SERIES - MILK COUNTERS KCFM SERIES - MILK AND ICE CREAM COUNTERS SCM SERIES - SHELLEYSTEEL MILK COUNTERS SCFM SERIES - SHELLEYSTEEL MILK AND ICE CREAM CABINETS





KCM-50 Shown with the following option: C. tubular fold down tray slide



KCFM-50

Product Information

- All corners and center sides reinforced with galvanized bracing
- Full NSF and UL Certification
- 14-gauge tops
- All units are standard on 5" diameter swivel casters for easy cleaning and mobility
- Easy to use interlock system is standard on base and tray slides
- · Enclosed bases for vermin control
- A maximum 10' long cord and plug are supplied standard
- Top has one; two, three or four die stamped openings and is provided with hinged stainless steel removable lids
- Watertight inner liner has radius corners for easy cleaning
- Equipped with a drain plumbed to a drain valve
- Refrigerated compartment is equipped with automatic self-leveling, field adjustable elevators. Divider trays are supplied
- Milk capacities are based on half pint, 2.75" x 2.75" gable top cartons
- 60 hertz, single phase electrical standard
- All body cutouts reinforced with 14-gauge channel supports

- Easy to use interlock system is standard on base and tray slides
- Easily modified with a complete array of standard accessories
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

KCM / KCFM SERIES ONLY

- · HFC-13A refrigerant is standard
- One piece, molded fiberglass pylon (base), fully rounded corners
- · Permanent color
- Fire Code rating on fiberglass, laminate, canopy materials
- · Caster mounting plates laminated into base
- Add eye catching decal packages to create a distinctive look!

SCM / SCFM SERIES ONLY

- Milk capacities are based on half pint, 2.75" x 2.75" gable top cartons
- · HFC-134A refrigerant is standard
- 18-gauge stainless steel exterior body
- 14-gauge galvanized bottom
- Top has one; two, three or four die stamped openings and is provided with hinged stainless steel removable lids



Specifications and Prices - Shelleyglas



SCM-50

MODEL Number	LID(S)	DESCRIPTION	L	D	Н	AMP	H.P.	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEY	GLAS MII	LK COUNTERS-	-40°F S	TORA	GE O	VLY						
KCM-36	1	126 cartons	36"	30"	36"	5.0	1/4	115	5-15P	400	92.5	\$11,950
KCM-50	2	252 cartons	50"	30"	36"	5.0	1/4	115	5-15P	450	92.5	\$13,846
KCM-60	3	378 cartons	60"	30"	36"	5.0	1/4	115	5-15P	500	92.5	\$15,264
KCM-74	4	504 cartons	74"	30"	36"	5.0	1/4	115	5-15P	550	92.5	\$17,796
SHELLEY	SHELLEYGLAS MILK AND ICE CREAM COUNTERS—40°F AND 0°F STORAGE ONLY											
KCFM-50	2	126 cartons or 210 cups	50"	30"	36"	7.1	1/4	115	5-15P	500	92.5	\$15,860
KCFM-74	4	252 cartons	74"	30"	36"	8.0	1/3	115	5-15P	590	92.5	\$20,630

Shelleyglas accessories and modifications can be found on page 105-114.

Specifications and Prices - Shelleysteel

Additional Warranties Net Pricing
One year parts and labor contract \$279
Two year parts and labor contract\$523
Five year compressor warranty 1/4 H.P\$108 1/3 H.P\$128

MODEL NUMBER	LID(S)	CAPACITY	L	D	Н	AMP	H.P.	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
SHELLEY	STEEL	MILK COUNTE	RS —4	0°F S	TORA	GE ONLY	′					
SCM-36	1	126 cartons	36"	30"	36"	5.0	1/4	115	5-15P	400	92.5	\$9,633
SCM-50	2	252 cartons	50"	30"	36"	5.0	1/4	115	5-15P	450	92.5	\$13,404
SCM-60	3	378 cartons	60"	30"	36"	5.0	1/4	115	5-15P	500	92.5	\$15,671
SCM-74	4	504 cartons	74"	30"	36"	5.0	1/4	115	5-15P	550	92.5	\$18,285
SHELLEY	STEEL	MILK AND ICE	CREA	м со	UNTER	RS —40°	F AND	O°F STOR	AGE ONLY			
SCFM-50	2	126 cartons or 210 cups	50"	30"	36"	7.1	1/4	115	5-15P	500	92.5	\$16,728
SCFM-74	4	252 cartons or 420 cups	74"	30"	36"	8.0	1/3	115	5-15P	590	92.5	\$21,754

Shelleyglas accessories and modifications can be found on page 105-114.



SCF AND NSCF - MILK AND ICE CREAM DISPENSERS

Product Information

- Cabinet top and corners to be 16-gauge stainless steel
- · Cabinet sides to be 22-gauge stainless steel
- 1.25" IPS drain
- Units insulated with foamed in place high density polyurethane
- Insulated folding lid, stainless steel and high impact plastic
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing
- Dispenser platform carrier shall be 18-gauge stainless steel and removable for cleaning
- (6) Anodized aluminum divider trays per opening (no divider trays supplied in opening over compressor)
- · 6" adjustable stainless steel legs
- Environmentally friendly HFC-404A refrigerant
- · 9' cord and plug supplied
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

SCF SERIES ONLY

- Interior liner to be watertight 22-gauge stainless steel
- · Expansion valve
- Cabinet shall maintain 0°F to 5°F (-18°C to -15°C) with lids closed
- Pressure control located near the condensing unit

NSCF SERIES ONLY

- (2) Interior liners to be water tight 22-gauge stainless steel- (1) freezer and (1) refrigerator
- (2) expansion valves, EPR valve (refrigerated section) and pressure control (freezer)
- Refrigerated temperatures maintain 36°F to 40°F (2°C to 4°C)
- Freezer temperatures maintain 0°F to 5°F (-18°C to -15°C)



SCF-32 Shown with optional corner bumpers & casters

Laminate & Fiberglass Pricing Chart

 Must specify color selection on order.

 MODEL
 LAMINATE PRICE
 FIBERGLASS PANEL PRICE

 SCF-32
 \$580
 \$754

 SCF-48
 \$635
 \$822

 NSCF-48
 \$635
 \$821

Specifications and Prices

MODEL	DI	MENSIOI	vs					NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	CAPACITY	H.P.	AMP	VOLTS	PLUG	WEIGHT	CLASS	PRICE
FREE-STA	ANDING	ICE CRE	AM DIS	PENSERS —	O°F ST	ORAGE (ONLY				
Self-cont	ained										
SCF-32	32.5"	28"	37"	300	1/4	7.1	120	5-15P	334	110	\$13,566
SCF-48	48"	28"	37"	510	1/3	8.0	120	5-15P	414	110	\$15,909
FREE-STANDING MILK & ICE CREAM DISPENSERS — 0°F OR 40°F STORAGE Self-contained											
NSCF-48	48"	28"	37"	126/210	1/4	7.1	120	5-15P	390	110	\$16.866

Wire Basket Pricing									
MODEL	# OF BASKETS	LIST PRICE							
SCF-32	9	\$944							
SCF-48	12	\$1,259							
NSCF-48	15	\$1,573							

Accessories and Modifications

Wrap-around bumpers (SCF-32 only; adds 1.75" to length and depth)
Wrap-around bumpers (SCF-48 & NSCF-48 only; adds 1.75" to length and depth)
Four 4" diameter heavy duty polyurethane casters with corner bumpers (SCF & NSCF only adds 1.75" to L & D)\$555
Lid locking device (specify unit)
220 volt, 50/60 cycle, single phase electrical connections
LEXAN lid\$506
Wire basket (per three; see chart on left)\$315





SCN - Trimline All Purpose Counter

SLT - Trimline L-Shaped Heated Serving Counter

ACR - Air Curtain Refrigerators



SCN SERIES - TRIMLINE ALL PURPOSE COUNTERS SLT4 SERIES - TRIMLINE L-SHAPED HEATED SERVING COUNTERS

Product Information

SCN

- 20-gauge stainless steel exterior body
- Reinforced internally
- 14-gauge stainless steel top
- Standard on polyolefin casters

SLT

- 20-gauge stainless steel exterior body
- 16-gauge stainless steel top
- (4) 12 x 20 electrical individually controlled wells
- One main on/off switch
- 10' cord and plug
- 6" high flange feet
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



SCN-68



SLT4

Specifications and Prices

MODEL	I	DIMENSION	S				NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	AMPS	VOLTS	WATTS	PLUG	WEIGHT	CLASS	PRICE
SHELLEYSTEEL TRIMLINE ALL PURPOSE COUNTERS										
SCN-48	48"	20.25"	37"	N/A	N/A	N/A	N/A	165	100	\$4,884
SCN-68	68"	20.25"	37"	N/A	N/A	N/A	N/A	175	125	\$5,774
SHELLEYSTEEL TRIMLINE L-SHAPED HEATED SERVING COUNTERS										
SLT4	68.62"	30.25"	36"	22.0	120/208-230	N/A	14-30P	300	125	\$11,628

Accessories and Modifications

115-208V/15A outlet with 10A breaker*	\$933
Four individual drains, plumbed to common valve (SLT4 only)	\$1,664
Undershelf (48" SCN units only)	\$996
Undershelf (68" SCN units only)	\$1,510
Rack for one 12 x 20 pan (SLT4 only)	\$1,164
220V, 50/60 cycle, single phase electrical connection*	\$1,023

^{*} Inclusion of these options will alter the electrical specifications of unit.

Additional Warranties

Net Pricing

One year parts and labor contract ----- \$279

Two year parts and labor contract-----\$523



ACR - AIR CURTAIN REFRIGERATORS



ACR-26S

Product Information

- · Cabinet to be 20-gauge stainless steel
- Interior cabinet constructed of 22-gauge stainless steel, cleaning radii, sealed joints, and seams
- Units insulated with foamed in place high density polyurethane (minimum 2.00")
- Fully insulated 20-gauge stainless steel door with magnetic catch and 270° open position
- Door locks standard
- Full width rubber ended rear push/pull handle
- (4) 4.00" diameter gray rubber casters (all locking)
- Designed for 18.00" x 26.00" trays

- Patented air current design keeps cold air in and hot air out
- Microprocessor solid state control with temperature, time, clean condenser alert and self diagnostics
- 9' cord and plug supplied
- Environmentally friendly R404A refrigerant
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

MODEL Number	Di L	IMENSIO D	NS H	TRAY Capacity	CU. FT. Capacity	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
FREE-STA With "air				REFRIGER <i>i</i>	ATOR							
ACR-26S	26.50"	36.25"	79.25"	10	12.5	1/2	12.0	120	5-15P	592	110 \$	21,807
Acces	sories	and	Mod	lificati	ons							
Side and o	orner bu	mpers -										\$581

Additional Warranties Net Pricing One year parts and labor contract ------ \$279 Two year parts and labor contract ------ \$523 Five year compressor warranty 1/2 H.P. ------ \$139





DROP-INS

200/300 - Drop-In Freezers, Water Stations, and Ice Chests

N8000/N8100 - Drop-In Cold Pans

N8200 - Frost Tops

8100EF - LiquiTec® Refrigerated Cold Pans

N8600 - Combination Hot/Cold Wells

N8700 - Heated Food Wells

N8800 - Single Tank Hot Food Wells

N8000N - Narrow Line Drop Ins

DIS - Drop-In Dish Dispensers

CD, ND and SB - Drop-In Cup, Napkin, Tray, and Bread Dispensers

LT- Drop-In Tray and Rack Dispensers

BUILT-INS

MFSC/MF - Built-In Milk or Beverage Dispensers



200 SERIES - DROP-IN FREEZERS, WATER STATIONS, UNDERCOUNTER SINK AND FAUCETS

300 SERIES - ICE CHEST AND GLASS FILLER

Product Information





227



203







N225-N227 SERIES ONLY

- 18-gauge stainless steel top construction
- 26.81" overall height
- Die stamped top opening with raised edge
- High-density polyurethane foam throughout unit
- Freezer tank is constructed of 2BF with large cleanout
- Mechanically cooled 0° to 5° tank storage temperatures meeting NSF and UL requirements
- Folding removable cover with black rubber external handle for easy grip
- 9' cord and plug
- Durable 16-gauge compressor cage
- Environmentally friendly HFC-404A refrigerant
- Optional 220v-50 cycle
- Remote units available
- Non-marring press fit gasket
- Stainless steel louver sent loose for field installation
- Suitable for ice cream storage.

240 SERIES ONLY

- 20-gauge stainless steel top and body
- One piece stainless lift off cover with handle
- Stainless steel interior liner with coved corners
- 1" diameter drain plumbed out the bottom
- High-density polyurethane foam throughout unit

203/305 SERIES ONLY

- 20-gauge stainless steel top with raised die stamped opening
- Galvanized exterior body
- One piece stainless lift off cover with handle
- 1" diameter drain plumbed out the bottom
- High-density polyurethane foam throughout unit
- 305: ABS plastic interior line with coved corners
- 203: stainless steel interior liner with coved corners

204/248 SERIES ONLY

- 18-gauge stainless steel top with raised die stamped
- One piece stainless lift off cover with handle
- ABS plastic interior liner with coved corners
- 1" diameter drain plumbed out the bottom
- High-density polyurethane foam throughout unit
- Exterior tank is made of galvanized steel
- Glass filler is 9.5" high, over a die stamped drain opening fitted with chrome plated wire strainer

307 SERIES ONLY

Glass filler is 9.5" high, over a die stamped drain opening fitted with chrome plated wire strainer

One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL NUMBER		OVERALI D	<u>.</u> Н	CUTOUT SIZE	CABINET CAPACITY	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
DROP-IN	I FREEZ	ERS										
N225	16.56"	27.87"	26.75"	25.75" x 14.62"	' 6 gal.	1/5	5.3	115	5-15P	115	110	\$5,070
N227	30"	27.87"	26.75"	25.75" x 28"	12 gal.	1/5	5.3	115	5-15P	191	85	\$6,639
DROP-IN	I FREEZ	ERS WIT	TH ACRY	/LIC LID								
225L	16.56"	27.87"	26.75"	25.75" x 14.62"	' 6 gal.	1/5	5.3	115	5-15P	115	110	\$5,208
227L	30"	27.87"	26.75"	25.75" x 28"	12 gal.	1/5	5.3	115	5-15P	191	85	\$7,338

MODE	L		OVERALI	_	CUTOUT	ICE	SHIP	FREIGHT	Т
NUMB	ER DESCRIPTION	L	D	Н	SIZE	CAPACITY	WEIGHT	CLASS	PRICE
DROP	-IN WATER STATIONS AND IC	E STORA	AGE						
203	ice chest	20.25"	20.25"	23.25"	19.25" x 19.25"	90 lbs.	52	85	\$1,901
204	water & ice station	24"	21"	22.6"	21" x 17.75"	45 lbs.	47.5	85	\$1,938
204P	water & ice station	24"	21"	26.35"	21" x 17.75"	45 lbs.	47.5	85	\$2,308
240	ice chest with cover	21"	17.5"	17"	_	75 lbs.	36	85	\$2,317
248	water & ice station	31"	15"	22.6"	28" x 12.5"	45 lbs.	28	85	\$2,247
305	ice chest with cover	21.25"	15.25"	13"	17.75" x 12.5"	45 lbs.	18	85	\$1,142
307	glass filler	12"	12"	9.5"	_	_	7	85	\$658
UNDE	RCOUNTER SINKS, WATER S	TATIONS	AND IC	E STORA	GE				
242	undercounter sink & faucet	18"	13.5"	12.75"	16" x 12.5"	_	20	85	\$1,733
250	undercounter sink, ice chest and water station	46"	14.12"	22.75"	45" x 13"	45 lbs.	81	85	\$3,297

Drop-in accessories and modifications can be found on page 149.

Additional Warranties Net Pricing One year parts and labor contract ----- \$279 Two year parts and labor contract ----- \$523 Five year compressor warranty 1/5 H.P. ----- \$108



N8000 SERIES - ICE COOLED COLD PANS N8100B SERIES - MECHANICALLY COOLED COLD PANS N8000N SERIES - NARROW ICE COOLED COLD PANS N8100N SERIES - NARROW MECHANICALLY COOLED COLD PANS

Product Information

N8000 SERIES ONLY

- 20-gauge stainless steel top construction
- 2 BF stainless steel interior liner
- Sectional removable perforated bottoms
- · Adapter bars are provided standard for 12" x 20" openings
- Standard 1" plastic drain
- · High density polyurethane foam insulation throughout unit
- · Galvanized exterior body
- · Custom sizes available
- Non-marring press fit top gasket is supplied standard
- NSF-2 certified
- · One year parts and 90 day labor standard warranty. Additional warranties available, see below

N8100B/8100NB SERIES ONLY

- 20-gauge stainless steel top construction
- 2 BF stainless steel interior liner wrapped and spot clipped with refrigeration lines; thermal transfer compound is applied for superior cooling

12 X 20

PANS HELD

CUTOUT

- V-stamped pan rest recessed 2"
- · Mechanically cooled system

MODEL

- · Adapter bars are provided standard for 12" x 20" openings
- Standard 1" plastic drain
- · High density polyurethane foam insulation throughout unit
- Galvanized exterior body
- Non-marring press fit top gasket is supplied standard
- · NSF-7 certified
- Condensing unit is suspended below on a 16-gauge galvanized frame
- HFC-134A refrigerant
- 8' cord is standard
- · Stainless steel louver is provided for field installation
- Custom sizes available
- · One year parts and 90 day labor standard Additional warranties available, see below

NEMA

PLUG

SHIP

WEIGHT

FREIGHT

CLASS

LIST

PRICE



N8056



N8156-B

Specifications and Prices OVERALL

ICE COOLED COLD PANS 8" pan depth Adapter bars and perforated bottoms standard														
N8018	18"	26"	10.75"	1	17" X	25"	N/A	N/A	N/A	N/A	38		85	\$1,762
N8030	30.75"	26"	10.75"	2	29.75"	X 25"	N/A	N/A	N/A	N/A	84		85	\$1,94
N8043	43.5"	26"	10.75"	3	42.50"	X 25"	N/A	N/A	N/A	N/A	110		85	\$2,24
N8056	56.25"	26"	10.75"	4	55.25"	X 25"	N/A	N/A	N/A	N/A	139		85	\$2,61
N8069	69"	26"	10.75"	5	68" X	25"	N/A	N/A	N/A	N/A	160		85	\$2,92
N8081	81.75"	26"	10.75"	6	80.75"	X 25"	N/A	N/A	N/A	N/A	197		85	\$3,44
MECHAN	ICALLY C	00LEI	D PANS	8" pan de	oth Adapte	er bars s	standard							
N8118B	18"	26"	21.87"	1	17" X	25"	1/5	4.0	115	5-15P	100		85	\$4,90
N8130B	30.75"	26"	21.87"	2	29.75"	X 25"	1/5	4.0	115	5-15P	140		85	\$5,24
N8143B	43.5"	26"	21.87"	3	42.50"	x 25"	1/5	4.0	115	5-15P	173		85	\$5,70
N8156B	56.25"	26"	21.87"	4	55.25"	x 25"	1/4	7.0	115	5-15P	205		85	\$6,12
N8169B	69"	26"	21.87"	5	68" x	25"	1/4	7.0	115	5-15P	225		85	\$6,66
N8181B	81.75"	26"	21.87"	6	80.75"	x 25"	1/3	8.0	115	5-15P	258		85	\$7,18
	V LINE DR ed cold pa		IS											
N8046N	46.75" 1	18" 10).75"	2 45	.75" x 17	" N/A	N/A	N	V/A	N/A	N/A	100	85	\$1,94
N8068N	67.5" 1	18" 10).75"	3 66	5.5" x 17"	N/A	N/A	N	V/A	N/A	N/A	120	85	\$2,24
Mechani	cally cool	led co	ld pans											
N8146NB	46.75" 1	18" 21	1.81"	2 45	.75" x 17	" 1/5	4.0	1	115	N/A	5-15P	175	85	\$5,24
N8168NB	67.50" 1	18" 21	1.81"	3 66	5.5" x 17"	1/5	4.0	1	115	N/A	5-15P	240	85	\$5,70
Drop-in a	accessorie	es and	modific	ations c	an be fou	nd on	page 1	49.						

Additional Warranties
Net Pricing
One year parts
and labor contract \$279
Two year parts and labor contract\$523
Five year compressor warranty
1/5 H.P\$108
1/4 H.P\$108
1/3 H.P \$128



8100-EF SERIES - LIQUITEC® REFRIGERATED COLD PANS **N8100-FA SERIES - FORCED AIR COLD PANS**



8145-EF



N8131-FA

Product Information

8100-EF SERIES ONLY

- 18-gauge stainless steel top construction
- 2BF stainless steel liner wrapped and spot clipped with refrigeration lines; thermal transfer compound is applied for superior cooling
- · Mechanically cooled system
- Flush mounted die stamped drawn 12" x 20" individual 20-gauge wells
- · Wells to be depressed slightly into the top to hold condensation
- Standard 1/2" stainless steel drain
- · High density polyurethane foam insulation throughout unit
- · Galvanized exterior body
- · Thermostatic temperature with OFF position and expansion valve standard
- · Non-marring press fit top gasket is supplied standard
- · NSF7 certified
- · Condensing unit is suspended below on a 16gauge galvanized frame
- Environmentally friendly HFC-404A refrigerant
- · 8' cord is standard

MODFI

- · Stainless steel louver is provided standard for field installation
- "EFN" slimline models run 12" x 20" well left to right instead of front to back
- One year parts and 90 day labor standard warranty. Additional warranties available.

CUTOUT

12 x 20

N8100-FA SERIES ONLY

- 20-gauge stainless steel top construction
- 2BF stainless steel liner kinked to drain
- Stainless steel pan holds product flush with top
- Air curtain system with evaporator coil and fan package located below false bottom. Air movement over product maintains NSF7 requirements
- Standard 1" plastic drain
- High density polyurethane foam insulation throughout unit
- Galvanized exterior body
- On/off switch with pressure control, and expansion valve standard
- Non-marring press fit top gasket is supplied standard
- NSF7 certified
- Condensing unit is suspended below on a 16-gauge galvanized frame
- Environmentally friendly HFC-404A refrigerant

NFMA

SHIP

FRFIGHT

LIST

- 8' cord is standard
- Stainless steel louver is provided standard for field installation
- Air curtain assembly is removable without tools for easy cleaning

Specifications and Prices OVFRALL

NUMBER	L	D D	. Н		IZE	PANS HE			VOLTS	PLUG	WEIGHT	CLASS	PRICE
								, ,,,,,	VULTU	7 200	WEIGHT	ULAUU	THIOL
LiquiTec®													
8118-EF	18.20"	26"	23.25	' 17"	x 25"	1	7.5	1/4	115	5-15P	169	85	\$6,525
8132-EF	31.76"	26"	23.25	30.75	5" x 25	" 2	7.5	1/4	115	5-15P	215	85	\$6,976
8145-EF	45.32"	26"	23.25	44.25	5" x 25	" 3	7.5	1/4	115	5-15P	265	85	\$7,587
8159-EF	58.88"	26"	23.25	57.87	" x 25	" 4	7.5	1/4	115	5-15P	285	85	\$8,148
8172-EF	72.44"	26"	23.25	' 71.5'	" x 25"	5	7.5	1/4	115	5-15P	295	85	\$8,863
8186-EF	86"	26"	23.25	85.0	x 25"	6	7.5	1/4	115	5-15P	394	85	\$9,573
MODEL	-	VERAL	_		TOUT	12 x 20		<i>,,</i> ,	VOLTO	NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	3	IZE	PANS HE	LUAMPS	н.Р.	VOLTS	PLUG	WEIGHT	CLASS	PRICE
LiquiTec®	SLIM L	INE E	UTECTI	C FLUID	REFF	RIGERATI	ED COLD	PANS					
8148-EFN	47.66"	18"	23.25"	46.88"	x 17.2	25" 2	7.5	1/4	115	5-15P	235	85	\$7,664
8169-EFN	69.22"	18"	23.25"	68.50"	x 17.2	25 3	7.5	1/4	115	5-15P	285	85	\$8,939
8191-EFN	90.78"	18"	23.25"	90" x	17.25	" 4	7.5	1/4	115	5-15P	295	85	\$9,648
MODEL Number	L		RALL D	-	12 x 20 NS HEL			H.P. A	IMP VO	NEMA LTS PLUG		FREIGHT T CLASS	
FORCED A	AIR DRO	P-IN I	MECHA	NICALLY	COO	LED PAN	S						
N8131-FA	31.25"	26.	.67" 28	3.62"	2	30.25" x	25.50"	1/4	7.8 11	I5 5-15F	220	85	\$7,522
N8144-FA	44"	26.	.67" 28	3.62"	3	43.00" x	25.50"	1/2	9.2 11	I5 5-15F	267	85	\$8,151
N8157-FA				3.62"	-	55.75" x			9.2 11			85	\$8,567
N8169-FA				3.62"		68.50" x		-,	4.8 11			85	\$8,985
N8182-FA	82.25"	26.	.67" 28	3.62"	6	81.25" x	25.50"	3/4 1	4.8 11	15 5-20F	406	85	\$9,617
Drop-in ac	cessorie	s and	l modifi	cations	can be	e found o	n page 1	49.					





N8200 SERIES - FROST TOPS N8200G SERIES - GRANITE COLD SLAB

Product Information

N8200 SERIES ONLY

- 18-gauge stainless steel top construction
- Top has integral drain trough and 2.00" overhang around perimeter
- Top is elevated 1.68" above counter surface and angles approximately 45° into the trough
- The bottom interior of the top is serpentine wrapped, taped, then foamed with high density polyurethane foam insulation.
- · Exterior body is galvanized steel
- Condensing unit is suspended below on a 16-gauge galvanized frame
- · Environmentally friendly HFC-404A refrigerant
- 8' cord is standard
- Stainless steel louver is provided standard for field installation
- · Custom sizes available
- Standard 1/2" stainless steel tubing drain
- Unit is equipped with an on/off switch
- Non-marring press fit top gasket is supplied standard
- · NSF certified

N8200G SERIES ONLY

- 14-gauge stainless steel top with "Absolute Black" granite
- Thermal transfer compound installed between stainless steel and granite top
- Top has integral drain trough 1.5" deep around perimeter
- Top is elevated 1.25" above counter surface
- Unit foamed with high density polyurethane insulation
- · Exterior body is galvanized steel
- Condensing unit is suspended below on a 16gauge galvanized steel frame
- · Environmentally friendly HFC-404A refrigerant
- 8' cord is standard
- Stainless steel louver is provided standard for field installation
- Standard 3/4" stainless steel drain
- Unit is equipped with an ON/OFF switch
- NSF certified

ALL UNITS

 One year parts and 90 day labor standard warranty. Additional warranties available.





N8245G

Specifications and Prices

MODEL Number	L	OVERALL D	Н	12 x 20 PANS HELL	CUTOUT D SIZE	H.P.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
FROST TO	PS											
N8231	31.75"	26"	15.75"	_	30.75" x 25"	1/4	7.5	115	5-15P	142	85	\$5,429
N8245	45.63"	26"	15.75"	_	44.63" x 25"	1/4	7.5	115	5-15P	168	85	\$5,642
N8259	59.5"	26"	15.75"	_	58.50" x 25"	1/4	7.5	115	5-15P	193	85	\$6,119
N8273	73.38"	26"	15.75"	_	72.38" x 25"	1/4	8.0	115	5-15P	209	85	\$6,545
N8287	87.25"	26"	15.75"	_	86.25" x 25"	1/3	8.0	115	5-15P	239	85	\$7,210
MODEL NUMBER	L	OVERALL D	Н	12 x 20 PANS HELL	CUTOUT SIZE	Н.Р.	AMP	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
		D	Н			Н.Р.	AMP	VOLTS				
NUMBER		D	н 19"			<i>H.P.</i>	AMP 7.5	<i>VOLTS</i> 115				
NUMBER GRANITE	COLD SL	D AB		PANS HELL	O SIZE				PLUG	WEIGHT	CLASS	PRICE
NUMBER GRANITE N8231G	COLD SL/ 31.75"	D AB 25.87"	19"	PANS HELL	30.75" x 25"	1/4	7.5	115	PLUG 5-15P	WEIGHT 219	CLASS 85	PRICE \$7,527

Drop-in accessories and modifications can be found on page 149.

Additional Warranties
Net Pricing
One year parts
and labor contract \$279
Two year parts and labor contract \$523
Five year compressor warranty
1/4 H.P\$108
1/3 H.P\$128
1/2 H.P\$139



N8600 SERIES - COMBINATION HOT/COLD WELLS N8800 SERIES - SINGLE TANK HOT FOOD WELLS



N8643



N8845

Product Information

N8600 SERIES ONLY

- Dual temp hot or cold operation
- · 20-gauge stainless steel top construction
- Single "wet only" well with immersion heater(s) and 1" stainless steel drain
- Adapter bars standard to accommodate 12"x20" pans
- Remote control panel with 3-way Hot/Off/Cold power switch and thermostatic control for hot operation
- Thermostat for cold operation located by condensing unit
- Non-marring press fit top gasket is supplied standard
- High density polyurethane foam insulation throughout unit
- Stainless steel liner wrapped with spot clipped refrigeration lines; thermal transfer compound applied for superior cooling
- · Galvanized exterior body
- Condensing unit suspended below on a 16gauge galvanized frame

- HFC404A refrigeration system with thermostatic expansion valve
- Unit must be hard wired in field
- Stainless steel louver is provided standard for field installation

N8800 SERIES ONLY

- Adapter bars provided standard to accommodate 12" x 20" pans
- Single wet only well 8" deep made of 316 series stainless kinked to stainless 1" drain
- Single thermostatic temperature control wired to (1) main control panel with 2' of conduit and wire. Field install control panel at locations

ALL UNITS

 One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL NUMBER COMBINA	L	VERA D	Н		12 x 20 ANS HELD	S	TOUT IZE	H.P.	AMP	VOLTS	WATTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
N8630	30.75"						рап аері " х 25"		24.0	hts included 120	3000	N/A	164	85	\$9,678
N8643	43.5"	26"	25.7	75"	3	42.50	" x 25"	1/4	21.0	120/240	5000	N/A	198	85	\$10,176
N8656	56.25"	26"	25.7	75"	4	55.25	" x 25"	1/4	21.0	120/240	5000	N/A	233	85	\$10,818
N8669	69"	26"	25.7	75"	5	68"	x 25"	1/4	42.0	120/240	10000	N/A	266	85	\$11,671
N8681	81.75"	26"	25.7	75"	6	80.75	" x 25"	1/3	42.0	120/240	10000	N/A	301	85	\$13,014
MODEL NUMBER	L	OVER D		Н	12 x 20 PANS HEL		TOUT IZE	Н.Р.	AMP	VOLTS	WATTS	NEMA PLUG		FREIGHT CLASS	LIST PRICE
	L	D			PANS HEL		IZE	H.P. light inc		VOLTS	WATTS				
NUMBER	L	<i>D</i> OT F	00D		PANS HEL ELLS 6" p	D Si	IZE	light inc		<i>VOLTS</i> 120	<i>WATTS</i> 2000				
NUMBER SINGLE	<i>L</i> TANK H	<i>D</i> OT F 26	00 0	W	PANS HEL ELLS 6" p	D Sinan dept 30.75	IZE h Pilot	light ind	luded 17.0	120		PLUG N/A	WEIGHT	CLASS	PRICE
NUMBER SINGLE N8831	<i>L</i> TANK H 31.75"	<i>D</i> OT F 26	**************************************	1"	PANS HEL ELLS 6" p	oan dept 30.75 44.63	IZE h Pilot " x 25"	light ind	17.0 15/16	120 208-230	2000	PLUG N/A N/A	100	CLASS 85	PRICE \$2,604
NUMBER SINGLE N8831 N8845	<i>L</i> TANK H 31.75" 45.63"	D 26 26	**************************************	1" 1"	PANS HEL ELLS 6" µ 2 3 4	D Sin dept 30.75 44.63 58.5"	ize h Pilot " x 25" " x 25"	light ind N/A N/A N/A	17.0 15/16 20/22	120 208-230 208-230	2000 3000/3600	N/A N/A N/A N/A	100 136	85 85	\$2,604 \$3,056

Drop-in accessories and modifications can be found on page 149.



N8700 SERIES - HEATED FOOD WELLS N8700N SERIES - INDIVIDUALLY HEATED NARROW FOOD WELLS

Product Information

N8700ND SERIES ONLY

- Top is constructed of 18-gauge stainless steel
- Flush mounted die stamped drawn 12" x 20" individual 20-gauge wells
- Wells to be depressed slightly into the top to hold in condensation
- Standard 1/2" stainless steel drain(s)
- Non-marring press fit top gasket is supplied standard
- · Must be hard wired in the field
- · Wet and dry operation
- 11.87" x 19.87" single hot food wells are manifolded together standard to one main gate valve
- Unit shall be insulated on all sides with 1" of fiberglass and bottom to have 2" of fiberfrax blanket insulation
- Individual infinite temperature controls standard wired to one main control panel with 4' of conduit and wire. Field install control panel at location
- · Galvanized exterior body

N8700N SERIES ONLY

- Top is constructed of 18-gauge stainless
- Flush mounted die stamped drawn 12" x 20" individual 20-gauge wells

- · Wells to be depressed slightly into the top to hold in condensation
- Standard 1/2" stainless steel drain(s)
- · Non-marring press fit top gasket is supplied standard
- Must be hard wired in the field
- · Wet and dry operation
- 11.87" x 19.87" single hot food wells are manifolded together standard to one main gate valve
- Unit shall be insulated on all sides with 1" of fiberglass and bottom to have 2" of fiberfrax blanket insulation
- · Individual infinite temperature controls standard wired to one main control panel with 4' of conduit and wire. Field install control panel at location
- · Galvanized exterior body

ALL UNITS

· One year parts and 90 day labor standard warranty. Additional warranties available, see below

N8787-D

Specifications and Prices

MODEL	(OVERAL	LL	12 x 20	CUTOUT					NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	PANS HELL) SIZE	H.P.	AMP	VOLTS	WATTS	PLUG	WEIGHT	CLASS	PRICE
INDIVIDUA							' pan depth) <i>Pil</i>		ded 208-230 voi	t system			
N8717-D	17.88"	26"	9.5"	1	16.88" x 25'	· —	8.3	120	1000	N/A	41	85	\$1,918
N8731-D	31.75"	26"	9.5"	2	30.75" x 25'	· —	16.6	120	2000	N/A	99	85	\$3,015
N8745-D	45.63"	26"	9.5"	3	44.62" x 25'	, —	15.0/16.0	208/230	3000/4000	N/A	134	85	\$4,270
N8759-D	59.5"	26"	9.5"	4	58.5" x 25"	_	20.0/22.0	208/230	4000/4800	N/A	166	85	\$5,554
N8773-D	73.38"	26"	9.5"	5	72.37" x 25'	· —	24.0/27.0	208/230	5000/6000	N/A	186	85	\$6,830
N8787-D	87.25"	26"	9.5"	6	86.25" x 25'	, —	29.0/32.0	208/230	6000/7200	N/A	236	85	\$8,144
INDIVIDUA	LLY HEA	TED N	ARR0	W FOOD W	ELLS WITH	DRA	INS						
N8746ND	45.61"	15.87	9.5"	2 -	44.62" x 15"	N/A	17.0	120	2000	N/A	100	85	\$3,015
N8768ND	67.48"	15.87'	9.5"	3	66.50" x 15"	N/A	15/16	208-230	3000/3600	N/A	130	85	\$4,270
INDIVIDUA	LLY HEA	TED N	ARR0	W FOOD W	ELLS WITH	OUT I	DRAINS						
N8746N	45.61"	15.87	9.5"	2	44.62" x 15"	N/A	17.0	120	2000	N/A	100	85	\$2,873
N8768N	67.48"	15.87	9.5"	3	66.50" x 15"	N/A	15/16	208-230	3000/3600	N/A	130	85	\$4,066


N8700D - 14" overall height including drain connection.

Drop-in accessories and modifications can be found on page 149.


Additional Warranties Net Pricing One year parts and labor contract ----- \$279 Two year parts and labor contract ----- \$523




N8000-R: DROP-IN RADIAL ICE COOLED COLD PAN N8100-BR: DROP-IN RADIAL MECHANICALLY COOLED COLD PAN N8700-R: DROP-IN RADIAL HEATED ELECTRIC FOOD WELLS



N8059-R



N8176-BR



N8744-R

Product Information

N8000-R UNITS ONLY

- NSF certified
- A stainless steel holding clip adjusts for pans
- Push-in perimeter gasket
- 1" drain standard
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane Keeps energy costs low
- Removable perforated, false bottom
- One year parts and labor standard warranty N8100-BR UNITS ONLY
- NSF-7 certified performance
- A stainless steel holding clip adjusts for pans
- High density foamed in place environmentally friendly, Kyoto Protocol Compliant, Non ODP (Ozone Depletion Potential), Non GWP (Global Warming Potential) polyurethane Keeps energy costs low
- Push-in perimeter gasket
- Stainless steel louver provided
- Environmentally friendly HFC-134A refrigerant

- 1" drain standard
- Thermostat for temperature control
- One year parts and labor standard warranty
 N8700-R UNITS ONLY
- Top is constructed of 18-gauge stainless steel
- Flush mounted die stamped drawn 12"x20" individual 20-gauge wells
- Wells depressed slightly into the top to hold condensation
- Standard 1/2" stainless steel drain(s)
- Non-marring press fit top gasket
- Must be hard wired in the field
- Wet and dry operation
- 11.87"x19.87" single hot food wells are manifolded together standard to one main gate valve
- Unit shall be insulated on all sides with 1" of fiberglass and bottom to have 2" of fiberfrax blanket insulation
- Individual infinite temperature controls standard wired to one main control panel with 4' of conduit and wire. Field install control panel at location
- Galvanized exterior body
- One year parts and labor standard warranty

Specifications and Prices

MODEL NUMBER	L	OVERALL D	Н	12"x20" Pan Cap.	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
ice cooled rad	ial drop-in	1					
N8044-R	40.48"	26.05"	10.77"	2	100 lbs.	85	\$2,041
N8059-R	57.22"	26.05"	10.77"	3	118 lbs.	85	\$2,345
N8076-R	73.68"	26.05"	10.77"	4	145 lbs.	85	\$2,739
N8094-R	89.89"	26.05"	10.77"	5	164 lbs.	85	\$3,061

MODEL		OVERALI	<u>L</u>	12"x20"	H.P.	AMP	BTU	VOLTS/HERTZ/	NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	PAN CAP.	п.г.	AIVIF	LOAD	PHASE	PLUG	WEIGHT	CLASS	PRICE
Mechanical	y cooled	radial dı	rop-in									
N8144-BR	40.48"	26.05"	10.77"	2	1/5	4.0	379	115/60/1	5-15P	161 lbs.	85	\$5,493
N8159-BR	57.22"	26.05"	10.77"	3	1/5	4.0	569	115/60/1	5-15P	184 lbs.	85	\$5,971
N8176-BR	73.68"	26.05"	10.77"	4	1/4	7.0	758	115/60/1	5-15P	233 lbs.	85	\$6,416
N8194-BR	89.89"	26.05"	10.77"	5	1/4	7.0	948	115/60/1	5-15P	243 lbs.	85	\$6,976

MODEL	OVERALL			12"x20"	AMP	WATTS	<i>VOLTS/HERTZ/</i>	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	PAN CAP.	AIVIF	WAIIS	PHASE	WEIGHT	CLASS	PRICE
Heated rad	ial drop	ins								
N8744-R	40.48"	26.05"	9.08"	2	16.6	2000	120/60/1	99 lbs.	85	\$3,252
N8759-R	57.22"	26.05"	9.08"	3	15.0/16.0	3000/4000	208-230/60/1	134 lbs.	85	\$4,606
N8776-R	73.68"	26.05"	9.08"	4	20.0/22.0	4000/4800	208-230/60/1	166 lbs.	85	\$5,989
N8794-R	89.80"	26.05"	9.08"	5	24.0/27.0	5000/6000	208-230/60/1	186 lbs.	85	\$7,368

Drop-in accessories and modifications can be found on page 149.

Additional Warranties Net Pricing One year parts and labor contract ---\$279 Two year parts and labor contract --\$523 Five year compressor warranty 1/5 H.P. ------\$108 1/4 H.P. -----\$108



DIS - DROP-IN DISH DISPENSERS

Product Information

DIS SERIES ONLY

- Top flange and bottom brace to be 18-gauge stainless steel
- Vertical side channels to be 22-gauge stainless steel
- Flange, channels and bottom to be integrally welded
- Spring supports to be 14-gauge stainless steel
- Carrier head made of welded rods with a removable 18-gauge top plate
- Self-leveling mechanism, field adjustable by adding or removing springs
- High impact plastic guide posts mounted to flange
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below

DIS-ET/QT SERIES ONLY


- 4' cord and plug
- · Convection heating module and fan motor
- · Air intake shall be filtered
- · On/off switch and adjustable thermostat
- Outer 22-gauge stainless steel jacket
- QT- Shall have a stainless steel cover
- ET- Maintains temperatures between 120-140°F (49-60°C)
- QT- Maintains temperatures between 150-170°F (66-77°C)
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



DIS-1013ET with optional adjustment rods

Specifications and Prices

MODEL NUMBER	FLANGE DIAMETER	HEIGHT	CUTOUT DIAMETER	DISH Diameter	AMPS	VOLTS	NEMA PLUG	WATT	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
DROP-IN DIS Unheated	H DISPENS										
DIS-500	8.37"	28"	7.75"	3"-5"	N/A	N/A	N/A	N/A	7	100	\$709
DIS-575	9.12"	28"	8.5"	5"-5.75"	N/A	N/A	N/A	N/A	8	100	\$816
DIS-650	9.87"	28"	9.25"	5.75"-6.5"	N/A	N/A	N/A	N/A	9	100	\$861
DIS-725	10.62"	28"	10"	6.5"-7.25"	N/A	N/A	N/A	N/A	10	100	\$904
DIS-813	11.5"	28"	10.87"	7.25"-8.12"	N/A	N/A	N/A	N/A	11	100	\$948
DIS-913	12.5"	28"	11.87"	8.13"-9.12"	N/A	N/A	N/A	N/A	12	100	\$1,020
DIS-1013	13.5"	28"	12.87"	9.13"-10.12"	N/A	N/A	N/A	N/A	13	100	\$1,079
DIS-1200	15.38"	28"	14.75"	10.13"-12"	N/A	N/A	N/A	N/A	15	100	\$1,301
DIS-1450	17.88"	28"	17.25"	12"-14.5"	N/A	N/A	N/A	N/A	17	100	\$1,446
Even Temp heated dispensers											
DIS-500-ET	8.37"	28"	7.75"	3"-5"	5.5	120	5-15P	400	17	125	\$1,402
DIS-575-ET	9.12"	28"	8.5"	5"-5.75"	5.5	120	5-15P	400	17	125	\$1,489
DIS-650-ET	9.87"	28"	9.25"	5.75"-6.5"	5.5	120	5-15P	400	19	125	\$1,561
DIS-725-ET	10.62"	28"	10"	6.5"-7.25"	5.5	120	5-15P	400	21		\$1,646
DIS-813-ET	11.5"	28"	10.87"	7.25"-8.12"	5.5	120	5-15P	700	24	125	\$1,759
DIS-913-ET	12.5"	28"	11.87"	8.12"-9.12"	5.5	120	5-15P	700	25	125	\$1,841
DIS-1013-ET	13.5"	28"	12.87"	9.12"-10.12"	5.5	120	5-15P	700	27	125	\$1,910
DIS-1200-ET	15.37"	28"	14.75"	10.12"-12"	5.5	120	5-15P	700	32	125	\$2,154
DIS-1450-ET	17.87"	28"	17.25"	12"-14.5"	5.5	120	5-15P	700	37	125	\$2,308
Quick Temp heated dispensers											
DIS-813-QT	11.5"	28"	10.87"	7.25"-8.12"	5.5	120	5-15P	700	30	125	\$1,938
DIS-913-QT	12.5"	28"	11.87"	8.12"-9.12"	5.5	120	5-15P	700	32		\$2,193
DIS-1013-QT		28"	12.87"	9.12"-10.12"	5.5	120	5-15P	700	34	125	\$2,298
DIS-1200-QT	15.37"	28"	14.75"	10.12"-12"	5.5	120	5-15P	700	37	125	\$2,505
DIS-1450-QT	17.87"	28"	17.25"	12"-14.5"	5.5	120	5-15P	700	41	125	\$2,553







CD SERIES - CUP DISPENSERS SB SERIES - BREAD DISPENSERS ND SERIES - NAPKIN DISPENSERS



Product Information

CD SERIES ONLY

- Dispenser tube is constructed of stainless steel with an 18-gauge support flange
- Elevating mechanism consists of stainless steel spring and three equally spaced stainless steel friction strips fastened to a stainless steel collar
- Two compression springs are provided; one for paper cups, and one for foam cups
- Dispenser capacities will vary depending on the style of cup

SB SERIES ONLY

- Support flange and dispenser tube to be 18-gauge stainless steel
- · Cover to be 16-gauge stainless steel
- Bread elevating mechanism consists of a calibrated stainless steel spring, which supports the adjustable carrier
- · Removable mechanism
- Raising or lowering a self-locking disc contained within the carrier head accomplishes stacking height adjustment

ND SERIES ONLY

- Top flange to be 18-gauge stainless steel
- Dispenser bottom to be 22-gauge stainless steel
- Dispenser body shall have four 22-gauge vertical angle guides integrally welded to the top flange and bottom
- · Carrier head to be 22-gauge stainless steel
- Two extension springs support the carrier head
- Napkin cover to be 20-gauge stainless steel and snaps onto flange
- All models hold up to 500 paper napkins at an 18.00" stack height, capacity will vary
- · Special heights available

ALL UNITS

 One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

	- MODEL NUMBER		INGE METER	HEIGHT	CUTOUT DIAMETER	DISH DIAMETER	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE	
	DISPOSAB	LE CUP DIS	PENSERS							
	CD	7.38"		24.5"	5.12"	2.5"-4.63"	N/A	100	\$463	
	BREAD DIS	BREAD DISPENSERS								
	SB-1	6.6	33"	6.63"	28"	5.87" x 5.87"	15	100	\$1,671	
	MODEL NUMBER	L	D	Н	CUTOUT DIMENSION	NAPKIN DIMENSIONS	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE	
	NAPKIN DI	SPENSERS								
	ND-45	7.62"	6"	24"	7" x 5.62"	4" x 5.37"	12	100	\$861	
	ND-47	9.37"	6.25"	24"	8.75" x 5.87"	4.25" x 7.12"	12	100	\$861	
*	ND-48	10.25"	6.25"	24"	9.62" x 6.12"	4.5" x 8"	16	100	\$904	
*	ND-57	9.25"	7.12"	24"	8.62" x 6.75"	5.12" x 7"	16	100	\$904	
	ND-59	11"	6.75"	24"	10.37" x 6.37"	4.75" x 8.75"	12	100	\$861	
	ND-67	9.37"	8.17"	24"	8.75" x 8.5"	6.87" x 7.12"	12	100	\$861	

Shorten dispenser tubes to special length ----- add 10%

Drop-in accessories and modifications can be found on page 149.



^{*} Denotes items available for quick shipment

LT SERIES - DROP IN TRAY AND RACK DISPENSERS

Product Information

LT SERIES ONLY

- Top flange and bottom support to be 16-gauge stainless steel
- Dispenser body shall have four 14-gauge uprights, reinforced with 14-gauge stainless steel angles
- Top flange, uprights and bottom support to be integrally welded
- Dispenser platform carrier shall be 18-gauge stainless steel and removable for cleaning
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



LT-1418

Specifications and Prices

MODEL NUMBER	L	D	Н	CUTOUT DIMENSION	MAXIMUM TRAY SIZE	AMP	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
DROP-IN	TRAY AND	RACK DIS	PENSERS						
LT-1014	15.75"	22.12"	27.5"	11.75" x 21"	10" x 15"	N/A	43	100	\$1,611
LT-1216	21.75"	19.12"	27.5"	17.75" x 18"	12" x 16"	N/A	43	100	\$1,652
LT-1221	26.75"	19.12"	27.5"	22.75" x 18"	12" x 21"	N/A	45	100	\$1,733
LT-1418	23.75"	21.12"	27.5"	19.75" x 20"	14" x 18"	N/A	43	100	\$1,743
LT-1422	27.75"	21.12"	27.5"	23.75" x 20"	14" x 22"	N/A	45	100	\$1,775
LT-1622	27.75"	23.12"	27.5"	23.75" x 22"	16" x 22"	N/A	45	100	\$1,796
LT-1826	31.75"	25.12"	27.5"	27.75" x 24"	18" x 26"	N/A	48	100	\$1,897
LT-2020	26.75"	27.12"	27.5"	22.75" x 26"	20" x 21"	N/A	45	100	\$1,897
TWO STA	CK. DROP	-IN TRAY A	ND RACK D	DISPENSERS					
LT2-1014	27.75"	22.13"	27.5"	23.75" x 21"	11" x 15"	N/A	48	100	\$2,523
LT2-1216	23.12"	31.75"	27.5"	27.75" x 22"	12" x 16"	N/A	48	100	\$2,606
LT2-1221	31.75"	28.13"	27.5"	27.75" x 27"	12" x 21"	N/A	48	100	\$2,686

Drop-in accessories and modifications can be found on page 149.

Additional Warranties


Net Pricing

One year parts and labor contract ----- \$279

Two year parts and labor contract ----- \$523



MF/MFSC SERIES - BUILT IN MILK OR BEVERAGE DISPENSERS



MFSC-57 supplied with a lid

Wire Basket Pricing									
MODEL	# OF Baskets	LIST PRICE							
MF-2821	6	\$690							
MFSC-2821	6	\$690							
MF-31	12	\$1,381							
MFSC-31	12	\$1,381							
MF-44	18	\$2,071							
MFSC-44	18	\$2,071							
MF-57	24	\$2,760							
MFSC-57	24	\$2,760							
MF-2020	(NOT AVA	ILABLE)							
MFSC-2020	(NOT AVA	ILABLE)							

Product Information

- Exterior body to be 20-gauge galvanized steel
- Units insulated with foamed in place polyurethane
- 1" IPS drain
- Opening throat liner to be high impact plastic
- Exterior frame to be 14-gauge galvanized
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing
- (6) Anodized aluminum divider trays per opening on all units but MFSC-2020
- Dispenser platform carrier shall be 18-gauge stainless steel and removable for cleaning
- Insulated folding lid, stainless steel and high impact plastic
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

MF/MFSC SERIES ONLY

- · Opening throat liner is high impact plastic
- (1) louver provided to be field installed

MFSC SERIES ONLY

- Expansion valve
- Pressure control located near the condensing unit
- Cabinet shall maintain 36°F to 40°F (2°C to 4°C) with lids closed
- Refrigeration system shall be HFC-134A
- 9' cord and plug supplied

MF SERIES ONLY

- An expansion valve and copper tubing connection to remote refrigeration system is provided
- Temperature and pressure control not provided

Specifications and Prices

MODEL DIMENSIONS		S	CUTOUT						SHIP	FREIGHT	T LIST	
NUMBER	L	D	Н	DIMENSIONS	S CAP	H.P.	AMP	VOLTS	PLUG	WEIGHT	CLASS	PRICE
BUILT-IN MILK OR BEVERAGE DISPENSERS — 40°F STORAGE ONLY												
Self-contain	Self-contained											
MFSC-2020	43.25"	26.25"	28.25"	(1) 25.25" x 22	.25" N/A	1/4	5.0	120	5-15P	303	110	\$12,330
MFSC-2821	28.5"	26.25"	28.25"	(1) 10.75" x 2	21" 126	1/4	5.0	120	5-15P	267	110	\$10,037
MFSC-31	42"	26.25"	28.25"	(2) 10.75" x 2	1"† 252	1/4	5.0	120	5-15P	306	110	\$11,909
MFSC-44	55.5"	26.25"	28.25"	(3) 10.75" x 2	1Ӡ 378	1/4	5.0	120	5-15P	413	110	\$13,497
MFSC-57	69"	26.25"	28.25"	(4) 10.75" x 2	1Ӡ 504	1/4	5.0	120	5-15P	461	110	\$16,893
*Accommodates	20" x 20"	racks. †Re	quires 2.75	" between each cuto	ut							
Remote												
MF-2020	29.25"	26.25"	28.25"	(1) 25.25" x 22	.25" N/A	N/A	N/A	N/A	N/A	240	110	\$9,434
MF-2821	14.5"	26.25"	28.25"	(1) 10.75" x 2	21" 126	N/A	N/A	N/A	N/A	197	110	\$7,249
MF-31	28"	26.25"	28.25"	(2) 10.75" x 2	1Ӡ 252	N/A	N/A	N/A	N/A	238	110	\$8,821
MF-44	41.5"	26.25"	28.25"	(3) 10.75" x 2	1Ӡ 378	N/A	N/A	N/A	N/A	312	110	\$10,920
MF-57	55"	26.25"	28.25"	(4) 10.75" x 2	1Ӡ 504	N/A	N/A	N/A	N/A	335	110	\$14,303

^{*}MF-2020 accommodates 20" x 20" racks. †Requires 2.75" between each cutout.

Drop-in accessories and modifications can be found on page 149.

Additional Warranties Net Pricing One year parts and labor contract ------ \$279 Two year parts and labor contract ------- \$523 Five year compressor warranty 1/4 H.P. ------- \$108 1/3 H.P. ------ \$128



DROP-INS/BUILT-INS

DROP IN AND BUILT IN ACCESSORIES

DROP INS

200/000	
230 volt, 50 cycle electrical system (N225 and N227 only)	\$431
Locking device (N225, N225L, N227 and N227L only)	\$622
Pitcher filler in place of 12" glass filler (Part # M3234303)	\$371
Remote toggle switch assembly (shipped loose)	
for N225/N227(MK800033)	\$413

N8000, N8100B, 8100-EF, N8200, N8600, N8700, N8800 & N8000N

208-240 volt, 60HZ, 1 phase step-down transformer	
(models w/compressors) - export orders only \$7	746
230 volt, 50 HZ electrical system (models w/compressors)\$4	131
230 volt, 50 HZ or 208-240 volt, 60 HZ electrical system	
(N8717-D,N8746ND, N8746N, N8731-D&N8831 only)\$3	307
14-6, 14-8 or 14-10 adapter plates\$2	284
14-1 - Telescoping cover (Per individual 12 x 20 well)\$	559
Additional 2" x 20.88" adapter bars	885
Additional .88" x 20.75" adapter bars	675
Additional .88" x 12.75" adapter bars	\$75
1" high perforated false bottoms (one pan size;	
17.88" long units only)* \$2	215
1" high perforated false bottoms (two pan size)*\$	366
1" high perforated false bottoms (three pan size)*\$	515
Single service flip-up sneeze guards (per linear inch)	643
Single service flip-up sneeze guard with lights (per linear inch)	662
Double service flip-up sneeze guards (per linear inch)	556
Double service flip-up sneeze guard with lights (per linear inch)	674
Plexiglas end panel (each) on sneeze guards	888
Fan assist package (cold units)\$7	782
Adapter bars (N8100NB models only)	885
Relocate compressor (N8100B series)\$	959
Remote N8100B, 8100-EF, N8200, N8200G series	
(specify refrigerant)*Excludes N8100-FA Series (CREDIT) \$5	535
Three-phase electrical system (N8600 & N8700 Series only)\$1,0	
Omit drains N8700-D models	
N8717-D (CREDIT) \$1	194
N8731-D (CREDIT) \$2	216
N8745-D (CREDIT) \$2	253
N8759-D (CREDIT) \$2	292
N8773-D (CREDIT) \$3	327
N8787-D (CREDIT) \$3	381
Autofill kit (ship loose) for N8600 and N8800 (000-504-0030) \$6	
Autofill kit (ship loose) for N8700 (000-504-0031)\$6	
Remote toggle switch assembly (shipped loose)	
for N8100B, N8200, N8200G (MK800033)\$2	113

BUILT INSDIS SERIES

Shorten dispenser tubes to special lengthadd 10%
Stainless steel outer jacket for dispenser tubes
(standard on DIS-ET & DIS-QT)\$418
12" diameter stainless steel dish dispenser tray
(DIS 1200 or 1450 only)\$62
Non-marring rods or oval dishes and diameter adjustment
(-813 through -1450 only) installation reduces
dispenser diameter by 1.25" \$471
Hold-down rod for dispenser tubes\$117
220 volt, 50/60 cycle, single phase electrical connections\$242
Stainless steel tube cover
(-500 thru -725-ET and non-heated models)\$374
Stainless steel dome cover
(-813 through -1450 models only; standard on QT models; each) \$505
LT SERIES
Special heightsadd 10%
Shorten dispenser assembly to special length (LT units only)add 10%
MF/MFSC SERIES
Lid locking device (specify unit)\$654
220 volt, 50/60 cycle, single phase electrical connections\$1,021
Wire basket (per three) (see page 131 for complete pricing)\$345





CAB2- Mobile Enclosed Two Stack Dish Dispensers

CAB3- Mobile Enclosed Three Stack Dish Dispensers

CAB4- Mobile Enclosed Four Stack Dish Dispensers

CT- Mobile Cantilever Tray and Rack Dispensers

T/T2- Mobile Enclosed Tray and Rack Dispensers

TT/TT2- Mobile Open Frame Tray and Rack Dispensers

FT2-SN- Mobile Open Frame Tray and Rack Dispenser

SALD- Lettuce and Vegetable Spin Drier **DT/DTC/RCD/UTS/UTSP/CPS/SS/UC/UCE**-Utility Carts





CAB2 - MOBILE ENCLOSED TWO STACK DISH DISPENSERS

Product Information

Cabinet

- Cabinet top to be 16-gauge stainless steel, welded, polished and reinforced
- Outer body and corners to be 20-gauge stainless steel
- · Non-marring gray corner bumpers
- (4) 4.00" diameter polyolefin swivel casters (all locking)

Dispensers

- Top flange and bottom brace to be 18-gauge stainless steel
- Vertical side channels 22-gauge stainless steel
- Flange, channels and bottom to be integrally welded
- Spring supports to be 14-gauge stainless steel
- Carrier head made of welded rods with a removable 18-gauge top plate
- Self-leveling mechanism, field adjustable by adding or removing springs

• High impact plastic guide posts mounted to flange

QT/ET

- 9' cord and plug supplied
- Convection heating module and fan motor per dispenser
- Outer 22-gauge stainless steel jacket around dispenser
- · Air intake shall be filtered
- · On/off switch on each dispenser
- Each dispenser to have an adjustable thermostat
- QT- each dispenser shall have a stainless steel cover
- ET- Maintains temperatures between 120-140°F (49-60°C)
- QT- Maintains temperatures between 150-170°F (66-77°C)
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



Laminate & Fiberglass Pricing Chart

Must specify color selection on order.

MODEL	LAMINATE PRICE	FIBERGLASS PANEL PRICE
CAB2-500	\$542	\$721
CAB2-575	\$542	\$721
CAB2-650	\$542	\$721
CAB2-725	\$542	\$721
CAB2-813	\$560	\$729
CAB2-913	\$560	\$729
CAB2-1013	\$560	\$729
CAB2-1200	\$560	\$747
CAB2-1450	\$608	\$770

For a complete list of fiberglass colors, contact Delfield or visit the website at www.delfield.com.

Specifications and Prices

MODEL NUMBER	L		Н	DISH DIAMETER	AMPS	WATTE	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
		D			AIVIFS	WATTS	VULIS	PLUG	WEIGHT	GLASS	PHICE
MOBILE ENCLOS With unheated d			חפוע	DISPENSERS							
CAB2-500	28.25"	17"	36"	3"-5"	N/A	N/A	N/A	N/A	125	100	\$2,877
CAB2-575	28.25"	17"	36"	5"-5.75"	N/A	N/A	N/A	N/A	125		\$2,995
CAB2-650	28.25"	17"	36"	5.75"-6.5"	N/A	N/A	N/A	N/A	127	100	\$3,135
CAB2-725	28.25"	17"	36"	6.5"-7.25"	N/A	N/A	N/A	N/A	130	100	\$3,226
CAB2-813	32.25"	17"	36"	7.25"-8.12"	N/A	N/A	N/A	N/A	132		\$3,321
CAB2-913	32.25"	17"	36"	8.12"-9.12"	N/A	N/A	N/A	N/A	135	100	\$3,511
CAB2-1013	32.25"	17"	36"	9.12"-10.12"	N/A	N/A	N/A	N/A	142	100	\$3,607
CAB2-1200	37"	19"	36"	10.13"-12"	N/A	N/A	N/A	N/A	160	100	\$4,081
CAB2-1450	42"	21.5"	36"	12"-14.5"	N/A	N/A	N/A	N/A	176	100	\$4,988
With Even Temp	With Even Temp heated dispensers										
CAB2-500ET	28.25"	17"	36"	3"-5"	15.0	400	120	5-20P	144	125	\$4,326
CAB2-575ET	28.25"	17"	36"	5"-5.75"	15.0	400	120	5-20P	146	125	\$4,428
CAB2-650ET	28.25"	17"	36"	5.75"-6.5"	15.0	400	120	5-20P	148	125	\$4,605
CAB2-725ET	28.25"	17"	36"	6.5"-7.25"	15.0	400	120	5-20P	152	125	\$4,652
CAB2-813ET	32.25"	17"	36"	7.25"-8.12"	15.0	700	120	5-20P	160	125	\$4,758
CAB2-913ET	32.25"	17"	36"	8.12"-9.12"	15.0	700	120	5-20P	168	125	\$4,896
CAB2-1013ET	32.25"	17"	36"	9.12"-10.12"	15.0	700	120	5-20P	171	125	\$5,009
CAB2-1200ET	37"	19"	36"	10.12"-12"	15.0	700	120	5-20P	192	125	\$5,728
CAB2-1450ET	42"	21.5"	36"	12"-14.5"	15.0	700	120	5-20P	201	125	\$6,192
With Quick Temp	heated	disnens	eere								
CAB2-813QT	32.25"	17"	36"	7.25"-8.12"	15.0	700	120	5-20P	161	125	\$5,318
CAB2-913QT	32.25"	17"	36"	8.12"-9.12"	15.0	700	120	5-20P	166	125	\$5,358
CAB2-1013QT	32.25"	17"	36"	9.12"-10.12"	15.0	700	120	5-20P	169	125	\$5,568
CAB2-1200QT	37"	19"	36"	10.12"-12"	15.0	700	120	5-20P	186	125	\$6,423
CAB2-1450QT	42"	21.5"	36"	12"-14.5"	15.0	700	120	5-20P	201	125	\$6,951

Mobile Dispensing Equipment accessories and modifications can be found on page 159.



CAB3 - MOBILE ENCLOSED THREE STACK DISH DISPENSERS



CAB3-575
With optional wrap-around bumpers

Laminate & Fiberglass Pricing Chart

Must specify color selection on order.

MODEL	LAMINATE PRICE	FIBERGLASS PANEL PRICE
CAB3-500	\$542	\$721
CAB3-575	\$542	\$721
CAB3-650	\$542	\$721
CAB3-725	\$542	\$721
CAB3-813	\$560	\$729
CAB3-913	\$560	\$729
CAB3-1013	\$560	\$729
CAB3-1200	\$560	\$747
CAB3-1450	\$608	\$770

For a complete list of fiberglass colors, contact Delfield or visit the website at www.delfield.com.

Product Information

Cabinet

- Cabinet top to be 16-gauge stainless steel, welded, polished and reinforced
- Outer body and corners to be 20-gauge stainless steel
- Non-marring gray corner bumpers
- (4) 4.00" diameter polyolefin swivel casters (all locking)

Dispensers

- Top flange and bottom brace to be 18-gauge stainless steel
- Vertical side channels 22-gauge stainless steel
- Flange, channels and bottom to be integrally welded
- Spring supports to be 14-gauge stainless steel
- Carrier head made of welded rods with a removable 18-gauge top plate
- Self-leveling mechanism, field adjustable by adding or removing springs
- High impact plastic guide posts mounted to flange

QT/ET

- 9' cord and plug supplied
- Convection heating module and fan motor per dispenser
- Outer 22-gauge stainless steel jacket around dispenser
- · Air intake shall be filtered
- On/off switch on each dispenser
- Each dispenser to have an adjustable thermostat
- QT- Each dispenser shall have a stainless steel cover
- ET- Maintains temperatures between 120-140°F (49-60°C)
- QT- Maintains temperatures between 150-170°F (66-77°C)
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL				DISH				NEMA	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	DIAMETER	AMPS	WATTS	VOLTS	PLUG	WEIGHT	CLASS	PRICE
	MOBILE ENCLOSED THREE-STACK DISH DISPENSERS With unheated dispensers										
CAB3-500	41.25"	17"	36"	3"-5"	N/A	N/A	N/A	N/A	173	100	\$3,705
CAB3-575	41.25"	17"	36"	5"-5.75"	N/A	N/A	N/A	N/A	176	100	\$3,830
CAB3-650	41.25"	17"	36"	5.75"-6.5"	N/A	N/A	N/A	N/A	177	100	\$4,240
CAB3-725	41.25"	17"	36"	6.5"-7.25"	N/A	N/A	N/A	N/A	179	100	\$4,397
CAB3-813	47.25"	17"	36"	7.25"-8.12"	N/A	N/A	N/A	N/A	190	100	\$4,652
CAB3-913	47.25"	17"	36"	8.12"-9.12"	N/A	N/A	N/A	N/A	193	100	\$4,789
CAB3-1013	47.25"	17"	36"	9.12"-10.12"	N/A	N/A	N/A	N/A	196	100	\$4,896
CAB3-1200	53.25"	19"	36"	10.12"-12"	N/A	N/A	N/A	N/A	212	100	\$5,895
CAB3-1450	62"	21.5"	36"	12"-14.5"	N/A	N/A	N/A	N/A	229	100	\$6,570
With Even Tem	o heated	dispen	sers								
CAB3-500ET	41.25"	17"	36"	3"-5"	13.0	400	208	6-20P	207	125	\$5,761
CAB3-575ET	41.25"	17"	36"	5"-5.75"	13.0	400	208	6-20P	210	125	\$5,878
CAB3-650ET	41.25"	17"	36"	5.75"-6.5"	13.0	400	208	6-20P	213	125	\$6,495
CAB3-725ET	41.25"	17"	36"	6.5"-7.25"	13.0	400	208	6-20P	219	125	\$6,521
CAB3-813ET	47.25"	17"	36"	7.25"-8.12"	13.0	700	208	6-20P	233	125	\$6,761
CAB3-913ET	47.25"	17"	36"	8.12"-9.12"	13.0	700	208	6-20P	239	125	\$6,990
CAB3-1013ET	47.25"	17"	36"	9.12"-10.12"	13.0	700	208	6-20P	245	125	\$7,163
CAB3-1200ET	53.25"	19"	36"	10.12"-12"	13.0	700	208	6-20P	262	125	\$8,195
CAB3-1450ET	62"	21.5"	36"	12"-14.5"	13.0	700	208	6-20P	277	125	\$8,722
With Quick Tem	n heate	d dispe	nsers								
CAB3-813QT	47.25"	17"	36"	7.25"-8.12"	13.0	700	208	6-20P	243	125	\$7,364
CAB3-913QT	47.25"	17"	36"	8.12"-9.12"	13.0	700	208	6-20P	249	125	\$7,805
CAB3-1013QT	47.25"	17"	36"	9.12"-10.12"	13.0	700	208	6-20P	255	125	\$8,363
CAB3-1200QT	53.25"	19"	36"	10.12"-12"	13.0	700	208	6-20P	272	125	\$8,837
CAB3-1450QT	62"	21.5"	36"	12"-14.5"	13.0	700	208	6-20P	287	125	\$9,281

Mobile Dispensing Equipment accessories and modifications can be found on page 159.



CAB4 - MOBILE ENCLOSED FOUR STACK DISH DISPENSERS

Product Information

Cabinet

- Cabinet top to be 16-gauge stainless steel, welded, polished and reinforced
- Outer body and corners to be 20-gauge stainless steel
- · Non-marring gray corner bumpers
- (4) 4.00" diameter polyolefin swivel casters (all locking)

Dispensers

- Top flange and bottom brace to be 18-gauge stainless steel
- Vertical side channels 22-gauge stainless steel
- Flange, channels and bottom to be integrally welded
- Spring supports to be 14-gauge stainless steel
- Carrier head made of welded rods with a removable 18-gauge top plate
- Self-leveling mechanism, field adjustable by adding or removing springs
- High impact plastic guide posts mounted to flange

QT/ET

- 9' cord and plug supplied
- Convection heating module and fan motor per dispenser
- Outer 22-gauge stainless steel jacket around dispenser
- · Air intake shall be filtered
- · On/off switch on each dispenser
- Each dispenser to have an adjustable thermostat
- QT- Each dispenser shall have a stainless steel cover
- ET- Maintains temperatures between 120-140°F (49-60°C)
- QT- Maintains temperatures between 150-170°F (66-77°C)
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



CAB4-813

Laminate & Fiberglass Pricing Chart

lust	specify	colo	r se	lect	ion	on	order.	
	,							

MODEL	LAMINATE PRICE	FIBERGLASS PANEL PRICE
CAB4-500	\$542	\$721
CAB4-575	\$542	\$721
CAB4-650	\$542	\$721
CAB4-725	\$542	\$721
CAB4-813	\$560	\$729
CAB4-913	\$560	\$729
CAB4-1013	\$560	\$729
CAB4-1200	\$560	\$747
CAB4-1450	\$608	\$770

For a complete list of fiberglass colors, contact Delfield or visit the website at www.delfield.com.

Specifications and Prices

MODEL NUMBER	L	D	Н	DISH DIAMETER	AMPS	WATTS	VOLTS	NEMA PLUG	SHIP WEIGHT	FREIGHT LIST CLASS PRICE
MOBILE ENCLO			ISH D	ISPENSERS						
CAB4-500	27"	27"	36"	3"-5"	N/A	N/A	N/A	N/A	181	100 \$4,808
CAB4-575	27"	27"	36"	5"-5.75"	N/A	N/A	N/A	N/A	185	100 \$5,074
CAB4-650	27"	27"	36"	5.75"-6.5"	N/A	N/A	N/A	N/A	186	100 \$5,244
CAB4-725	27"	27"	36"	6.5"-7.25"	N/A	N/A	N/A	N/A	189	100 \$5,391
CAB4-813	32.25"	32.25"	36"	7.25"-8.12"	N/A	N/A	N/A	N/A	213	100 \$5,930
CAB4-913	32.25"	32.25"	36"	8.12"-9.12"	N/A	N/A	N/A	N/A	217	100 \$6,316
CAB4-1013	32.25"	32.25"	36"	9.12"-10.12"	N/A	N/A	N/A	N/A	221	100 \$6,640
CAB4-1200	36"	36"	36"	10.12"-12"	N/A	N/A	N/A	N/A	240	100 \$7,775
CAB4-1450	42"	42"	36"	12"-14.5"	N/A	N/A	N/A	N/A	263	100 \$10,037
With Even Tem CAB4-500ET	np heated 27"	dispensers 27"	36"	3"-5"	17.0	400	208	6-20P	226	125 \$7,278
CAB4-575ET	27"	27"	36"	5"-5.75"	17.0	400	208	6-20P	230	125 \$7,614
CAB4-650ET	27"	27"	36"	5.75"-6.5"	17.0	400	208	6-20P	234	125 \$8,058
CAB4-725ET	27"	27"	36"	6.5"-7.25"	17.0	400	208	6-20P	242	125 \$8,393
CAB4-813ET	32.25"	32.25"	36"	7.25"-8.12"	17.0	700	208	6-20P	270	125 \$8,924
CAB4-913ET	32.25"	32.25"	36"	8.12"-9.12"	17.0	700	208	6-20P	278	125 \$9,253
CAB4-1013ET	32.25"	32.25"	36"	9.12"-10.12"	17.0	700	208	6-20P	286	125 \$9,608
CAB4-1200ET	36"	36"	36"	10.12"-12"	17.0	700	208	6-20P	313	125 \$10,643
CAB4-1450ET	42"	42"	36"	12"-14.5"	17.0	700	208	6-20P	337	125 \$11,225
With Quick Ter	np heated	dispenser:	S	7 OF" 0 10"	17.0	700	000	C 00D	000	10F 60 F00
CAB4-813QT	32.25"	32.25"	36"	7.25"-8.12"	17.0	700	208	6-20P	290	125 \$9,599
CAB4-913QT	32.25"	32.25"	36"	8.12"-9.12"	17.0	700	208	6-20P	298	125 \$9,946
CAB4-1013QT	32.25"	32.25"	36"	9.12"-10.1"	17.0	700	208	6-20P	306	125 \$10,294
CAB4-1200QT	36"	36"	36"	10.12"-12"	17.0	700	208	6-20P	333	125 \$11,328
CAB4-1450QT	42"	42"	36"	12"-14.5"	17.0	700	208	6-20P	351	125 \$11,950

Mobile Dispensing Equipment accessories and modifications can be found on page 159.



CT - MOBILE CANTILEVER TRAY AND RACK DISPENSERS



CT-1826

Product Information

- Elevating mechanism cabinet to be 14gauge stainless steel
- Base to be 14-gauge stainless steel, reinforced with 14-gauge stainless steel support channels
- (4) 4.00" diameter polyolefin swivel casters (all locking)
- · Non-marring gray corner bumpers
- Dispenser platform carrier to be 16-gauge stainless steel and mounted on two stainless steel cantilever arms
- Self-leveling mechanisms shall be adjustable by adding or removing stainless steel extension springs located behind removable panel
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

Specifications and Prices

MODEL NUMBER	L	D	н	MAXIMUM TRAY SIZE	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
MOBILE CANT	TILEVER TRAY	AND RACK DIS	PENSERS				
CT-1216	13"	22"	37"	12" x 16"	106	100	\$3,705
CT-1221	13"	27.88"	37"	12" x 21"	132	100	\$3,723
CT-1418	15"	27.88"	37"	14" x 18"	145	100	\$3,778
CT-1422	15"	27.88"	37"	14" x 22"	145	100	\$3,808
CT-1622	17.25"	27.88"	37"	16" x 22"	159	100	\$3,891
CT-1826	21"	31.75"	37"	18" x 26"	165	100	\$4,123
CT-2020	21"	27.88"	37"	20" x 21"	168	100	\$4,123

Mobile Dispensing Equipment accessories and modifications can be found on page 159.

Additional Warranties

Net Pricing

One year parts and labor contract ----- \$279

Two year parts and labor

contract ----- \$523



T AND T2 - MOBILE ENCLOSED TRAY AND RACK DISPENSERS

Product Information

T SERIES ONLY

- Cabinet top to be 16-gauge stainless steel, welded, polished and reinforced
- Cabinet sides to be 20-gauge stainless steel
- Cabinet bottom to be 14-gauge galvanized steel
- (4) 4.00" polyolefin swivel casters (all locking)
- Dispenser platform carrier shall be 18-gauge stainless steel and removable for cleaning
- Non-marking corner gray bumpers
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing
- One year parts and 90 day labor standard warranty. Additional warranties available, see below

T/T2-H SERIES ONLY

- Heated dispenser has a stainless steel liner and 2.00" of fiberglass insulation
- On/off switch and 9' cord and plug standard
- Dispenser is heated with convection heated modules
- · Air intake is standard with filter
- Adjustable thermostat
- Temperatures between 150-170° F. (66-77°C)
- One year parts and 90 day labor standard warranty. Additional warranties available, see below



T-1418



interior view of T-1418

Specifications and Prices

MODEL		DIMENSIONS	-	MAXIMUM			NEMA	SHIP	FREIGHT	LIST		
NUMBER	L	D	Н	TRAY SIZE	AMP	VOLTS	PLUG	WEIGHT	CLASS	PRICE		
MOBILE ENC	MOBILE ENCLOSED TRAY AND RACK DISPENSERS											
T-1014	23.12"	16.75"	36"	10" x 15"	N/A	N/A	N/A	150	100	\$4,785		
T-1216	22.75"	20.12"	36"	12" x 16"	N/A	N/A	N/A	153	100	\$4,785		
T-1221	27.75"	20.12"	36"	12" x 21"	7.0	N/A	N/A	162	100	\$4,826		
T-1418	24.75"	22.12"	36"	14" x 18"	7.0	N/A	N/A	153	100	\$4,807		
T-1422	28.75"	22.12"	36"	14" x 22"	7.0	N/A	N/A	162	100	\$4,807		
T-1622	28.75"	24.12"	36"	16" x 22"	N/A	N/A	N/A	177	100	\$4,852		
T-1826	32.75"	26.12"	36"	18" x 26"	14.0	N/A	N/A	210	100	\$5,159		
T-2020	27.75"	28.12"	36"	20" x 21"	14.0	N/A	N/A	175	100	\$4,874		
TWO STACK,	MOBILE I	ENCLOSED	TRAY	AND RACK	DISPENS	ERS						
T2-1014	27.75"	22.12"	36"	10" x 15"	N/A	N/A	N/A	177	100	\$5,269		
T2-1216	32.75"	24.12"	36"	12" x 16"	N/A	N/A	N/A	177	100	\$5,269		
T2-1221	32.75"	29.12"	36"	12" x 21"	7.0	N/A	N/A	185	100	\$5,269		
HEATED MO	BILE ENCL	OSED TRAY	/ AND	RACK DISP	ENSERS							
T-1221H	27.75"	20.12"	36"	12" x 21"	7.0	120	5-15P	127	125	\$7,033		
T-1418H	24.75"	22.12"	36"	14" x 18"	7.0	120	5-15P	155	125	\$7,131		
T-1422H	28.75"	22.12"	36"	14" x 22"	7.0	120	5-20P	155	125	\$7,489		
T-1826H	32.75"	26.12"	36"	18" x 26"	14.0	120	5-20P	195	125	\$7,542		
T-2020H	27.75"	28.12"	36"	20" x 21"	14.0	120	5-20P	185	125	\$7,131		
TWO STACK,	HEATED I	MOBILE EN	CLOS	ED TRAY AN	D RACK I	DISPENSE	RS					
T2-1221H	32.75"	29.12"	36"	12" x 21"	7.0	120	5-20P	185	125	\$7,542		

Mobile Dispensing Equipment accessories and modifications can be found on page 159.

Laminate & Fiberglass Pricing Chart

Must specify color selection on order.

	•	
MODEL	LAMINATE PRICE	FIBERGLASS PANEL PRICE
T-1014	\$549	\$721
T-1216	\$549	\$721
T-1221	\$549	\$721
T-1418	\$549	\$721
T-1422	\$587	\$760
T-1622	\$587	\$760
T-1826	\$587	\$760
T-2020	\$587	\$760
all T2's	\$600	\$780
all T-H's	\$588	\$665

For a complete list of fiberglass colors, contact Delfield or visit the website at www.delfield.com.

Additional Warranties

Net Pricing

One year parts

and labor contract ----- \$279

Two year parts and labor contract----- \$523



TT AND TT2 - MOBILE OPEN FRAME TRAY AND RACK DISPENSERS



Product Information

- Tubing and base to be 16-gauge stainless steel
- Tubing and base to be integrally welded
- Base to be reinforced with 14-gauge stainless steel angles
- Non-marring gray corner bumpers
- (4) 4.00" diameter polyolefin swivel casters (all locking)
- Dispenser platform carrier shall be 18-gauge stainless steel
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing
- Each dispenser section holds 50-60 trays (varies per tray)
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



TT2-1418

Specifications and Prices

MODEL		DIMENSIONS	;	MAXIMUM	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	TRAY SIZE	WEIGHT	CLASS	PRICE
MOBILE OPEN	I FRAME TRA	Y AND RACK	DISPENSER	S			
TT-1014	21.25"	15.25"	37.75"	11" x 15"	102	100	\$3,053
TT-1216	18.25"	20.75"	37.75"	12" x 16"	102	100	\$3,124
TT-1221	18.25"	25.75"	37.75"	12" x 21"	105	100	\$3,199
TT-1418	20.25"	22.75"	37.75"	14" x 18"	102	100	\$3,199
TT-1422	20.25"	26.75"	37.75"	14" x 22"	105	100	\$3,199
TT-1622	22.25"	26.75"	37.75"	16" x 22"	106	100	\$3,298
TT-1826	24.25"	30.75"	37.75"	18" x 26"	111	100	\$3,334
TT-2020	26.25"	25.75"	37.75"	20" x 21"	111	100	\$3,334
TWO STACK.	MOBILE OPEI	N FRAME TR	AY AND RACI	(DISPENSERS			
TT2-1014	21.25"	26.75"	37.75"	11" x 15"	113	100	\$3,663
TT2-1216	36.5"	20.75"	37.75"	12" x 16"	165	100	\$4,184
TT2-1221	36.5"	25.75"	37.75"	12" x 21"	163	100	\$4,419
TT2-1418	40.5"	22.75"	37.75"	14" x 18"	165	100	\$4,419
TT2-1422	40.5"	26.75"	37.75"	14" x 22"	163	100	\$4,419
TT2-1622	44.5"	26.75"	37.75"	16" x 22"	170	100	\$4,652
TT2-1826	48.5"	30.75"	37.75"	18" x 26"	179	100	\$4,881
TT2-2020	52.5"	25.75"	37.75"	20" x 21"	179	100	\$4,881

Mobile Dispensing Equipment accessories and modifications can be found on page 159.



FT2-SN - MOBILE OPEN FRAME TRAY AND RACK DISPENSER SALD-1 - LETTUCE AND VEGETABLE SPIN DRIER

Product Information

FT2-SN SERIES ONLY

- Tubing and base is 16-gauge stainless steel
- · Tubing and base is integrally welded
- Base to be reinforced with 14-gauge stainless steel angles
- · Center housing to be two-piece molded fiberglass
- Center housing top to be 16-gauge stainless steel, which houses two napkin dispensers
- Silverware bin to have (10) holes and made of stainless steel
- Plastic silverware cylinders provided standard
- Non-marring gray corner bumpers
- (4) 4.00" diameter polyolefin swivel casters (all locking)
- Dispenser platform carrier shall be 18-gauge stainless steel
- Self-leveling mechanisms shall be adjustable by adding and removing stainless steel extension springs located inside the elevator housing

SALD-1/SALD-2 SERIES ONLY

- Body is 18-gauge stainless steel
- Legs are 1" diameter 16-gauge stainless steel tubing
- (3) 4.00" diameter polyolefin locking stem casters
- · Outer lid is 18-gauge stainless steel
- · Inner liner is perforated durable polyethylene
- · Water-tight motor and controls are mounted on the bottom of the unit
- 6' cord and plug supplied
- Unit has 1.50" drain
- · Adjustable ON/OFF timer for drying times up to 5 minutes
- Lid and cover storing hooks come standard
- SALD-1 & SALD-2 can not be shipped via UPS



FT2-SN-1418



SALD-1

Specifications and Prices

MODEL	_	DIMENSIONS		MAXIMUM	SHIP	FREIGHT	LIST
NUMBER	L	D	Н	TRAY SIZE	WEIGHT	CLASS	PRICE
TWO STACK, M	OBILE OPEN	FRAME TRA	Y AND RACK	DISPENSERS with silv	erware bin and	l napkin dispen	sers
Fiberglass, Spec	cify Color						
FT2-ŠN-1216	43.75"	22.12"	56.38"	12" x 16"	284	100	\$8,195
FT2-SN-1418	47.75"	22.12"	56.38"	14" x 18"	298	100	\$8,195
FT2-SN-1622	51.75"	22.12"	56.38"	16" x 22"	306	100	\$8,195

TWO STACK, MOBILE OPEN FRAME TRAY AND RACK DISPENSERS with silverware bin and napkin dispensers

Statilless Steel						
FT2-SN-1216SS 43.75"	22.12"	56.38"	12" x 16"	284	100	\$7,809
FT2-SN-1418SS 47.75"	22.12"	56.38"	14" x 18"	298	100	\$7,809
FT2-SN-1622SS 51.75"	22.12"	56.38"	16" x 22"	306	100	\$8,195

MODEL NUMBER	L	D	н	INNER LINER CAPACITY	R INNER DIAMETER	LINER DEPTH	AMPS	VOLTS	NEMA PLUG	SHIP WEIGHT		LIST RICE
SALAD AC	E LETTI	JCE A	ND VE	GETABLE SPI	N DRIER							
SALD-1	27"	27"	32.5"	20 gal.	15.62"	16.87"	2.7	115	5-15P	70	85 \$4,5	565
SALD-2	27"	27"	32.5"	20 gal.	15.62"	16.87"	1.35	230	5-15P	70	85 \$4. 9	976

Mobile Dispensing Equipment accessories and modifications can be found on page 159.


Additional Warranties

Net Pricina

One year parts

and labor contract ----- \$279

Two year parts and labor





UTS, UTSP, UC AND UCE - UTILITY CARTS



UTS-1

Product Information

UTS SERIES ONLY

- Silverware bin to have (10) holes made of stainless steel
- Plastic silverware cylinders provided standard

UTSP SERIES ONLY

- Silverware bin to accommodate ¼ size pans (provided) made of stainless steel
- UTSP-1 holds (4) pans and UTSP-2 holds (8) pans

ALL UNITS

- Tray shelves to be one piece molded fiberglass
- Tray shelves to be 14-gauge stainless steel on SS models only
- (4) 4.00" diameter polyolefin swivel casters (all locking)
- Non-marring vinyl sleeve bumper at each corner
- Vertical upper 1.00" diameter 16-gauge tubing frame and tubing bottom to be integrally welded
- One year parts and 90 day labor standard warranty.
 Additional warranties available, see below



UC-3

Specifications and Prices

MODEL NUMBER	L	DIMENSIONS D	н	SHIP WEIGHT	FREIGHT CLASS	LIST PRICE
TRAY AND SILV	/ERWARE CA	ARTS AND STARTER O	VERSHELVES			
UTS-1	35.25"	23.37"	46.69"	120	100	\$2,745
UTS-1SS	35.25"	23.37"	46.69"	125	100	\$2,615
UTSP-1	35.25"	23.37"	46.69"	125	100	\$3,047
UTSP-1SS	35.25"	23.37"	46.69"	130	100	\$3,067
UTSP-2	35.25"	23.37"	46.69"	140	100	\$4,019
UTSP-2SS	35.25"	23.37"	60.62"	145	100	\$3,965
UTILITY CARTS	3					
UC-2	35.25"	23.37"	35.75"	115	100	\$2,370
UC-2SS	35.25"	23.37"	35.75"	125	100	\$1,828
UC-3	35.25"	23.37"	35.75"	125	100	\$2,945
UC-3SS	35.25"	23.37"	35.75"	135	100	\$2,274
UCE-1727SS	25.25"	17"	35.75"	110	100	\$1,903

Mobile Dispensing Equipment accessories and modifications can be found on page 159.



MOBILE DISPENSING EQUIPMENT

MOBILE DISPENSING EQUIPMENT ACCESSORIES

CAB2, CAB3, AND CAB4 SERIES

UNDE, UNDO, AND UNDA SEITIES	
12" diameter stainless steel dish dispenser tray (-1200 and -1450 models only) Non-marring rods for oval dishes and diameter adjustment	\$62
(-813 through -1450 only) per dispenser installation reduces dispenser diameter by 1.25"	\$471
(-500 thru -725-ET and non-heated models)	\$374
Stainless steel dome cover (-813 through -1450 models only; standard on QT models; each)	\$505
Hold-down rod for dispenser tubesWrap-around bumpers	\$117
(-500 through -1200 only; adds 1.75" to length and depth)	
Wrap-around bumpers (-1450 only; adds 1.75" to length and depth Four 4" diameter polyurethane casters	•
(four locking) in lieu of standard casters Four 5" diameter polyurethane casters	\$566
(four locking) in lieu of standard castersFlange-mount feet in lieu of standard casters	\$678
CAB2-220 volt, 50/60 cycle, single phase electrical connections	\$315
CAB3-220 volt, 50/60 cycle, single phase electrical connections CAB4-220 volt, 50/60 cycle, single phase electrical connections	\$415 \$510
Shorten dispenser tubes to special length	- add 10%
CT SERIES	
Wrap-around bumpers for CT models (adds 1.75" to length and de Flange-mount feet in lieu of standard polyolefin casters (CT models	epth) \$456 s) \$263
Four 4" diameter heavy duty polyurethane casters (CT models) Four 5" diameter heavy duty polyurethane casters (CT models)	\$566 \$678
One pair napkin dispensers (CT models)	\$345
Six (6) hole silverware bins (CT models) Eight (8) hole silverware bins (CT models) Ten (10) hole silverware bin	\$7,65
Ten (10) hole silverware binStainless steel silverware cylinder in lieu of standard plastic cylinder	\$1,171 er:
CT models: (each)	\$59
Additional plastic silverware cylinder; CT models; (each)Additional stainless steel silverware cylinder; CT models; (each)	\$90
Push handles (CT models)	\$478 - add 10%
-p/	

T AND T2 SERIES

I AND 12 SERIES	
Wrap-around bumpers (adds 1.75" to length and depth)	\$456
Flange-mount feet in lieu of standard polyolefin casters	\$263
Four 4" diameter heavy duty polyurethane casters	\$566
Four 5" diameter heavy duty polyurethane casters	\$678
One pair napkin dispensersSix (6) hole silverware bin	\$345
Six (6) hole silverware bin	\$765
Eight (8) hole silverware bin	-\$1,013
Eight (8) hole silverware bin Ten (10) hole silverware bin	-\$1,173
Additional plastic silverware cylinder (each)	\$39
Additional stainless steel silverware cylinder (each)	\$90
Stainless steel silverware cylinder in lieu of standard plastic cylinder (each)	
plastic cylinder (each)	\$59
220 volt, 50/60 cycle, single phase	
electrical connections (T2 models only)	\$447
Special heightsa Stainless steel dust covera	dd 10%
Stainless steel dust cover	\$524
FT2-SN	
	0000
Flange-mount feet in lieu of standard polyolefin casters	\$263
Four 4" diameter heavy duty polyurethane casters	\$566
Four 5" diameter heavy duty polyurethane casters	\$678
Additional plastic silverware cylinderAdditional stainless steel silverware cylinder	\$39
Stainless steel silverware cylinder in lieu of standard plastic cylinder-	φE0
Special heightsa	ტეყ
a a special neights	uu 10 /6
SALD MODELS	
Extra polyurethane liner and inner lid (for SALD-1)	\$293
Extra polyarethane finer and finite ha (for OALD 1)	Ψ230
UTS, UTSP, CPS, SS, UC AND UCE	
Four 4" diameter heavy duty polyurethane casters	
with corner bumpers	\$566
Four 5" diameter heavy duty polyurethane casters	
with corner humners	\$678
Rolling bumpers (adds 2.5" to length & depth)	\$156
Rolling bumpers (adds 2.5" to length & depth)	\$345
Additional plastic silverware cylinder (UTS & UTS-SS only)(6230022)	\$39
Additional stainless steel silverware cylinder	
Additional stainless steel silverware cylinder (UTS & UTS-SS only)(3234052)	\$90
Stainless steel silverware cylinder in lieu of standard plastic cylinder (UTS & UTS-SS only)	
(UTS & UTS-SS only)	\$59
12" x 20" x 2.5" deep stainless steel pans (CPS & SS only; each)	\$218
SIX (b) noie silverware din	5/59
Eight (8) hole silverware bin	-\$1.013
Ten (10) hole silverware bin	-\$1,173



DOMESTIC U.S. TERMS AND CONDITIONS

- Prices. Unless otherwise specifically agreed, all prices are for material
 packed for domestic shipment and for delivery F.O.B. point of manufacture.
 Acceptance of your order is based on present costs, and the prices set forth
 herein are subject to increase by Seller at any time prior to delivery in respect
 to all or any portion of the material on order to the extent necessary to cover
 Seller's increased costs applicable thereto.
- Delivery. Shipping dates are approximate and based on prompt receipt of all necessary information. All risks of loss shall be on the Buyer from point of shipment. Buyer shall pay all transportation and delivery charges to final destination.
- 3. Default. If Buyer shall fail or refuse to accept delivery of the equipment or parts ordered hereunder or should default in the performance of any of the terms, covenants and conditions of this agreement, Seller may retain the cash deposited or paid to it and/or equipment accepted by it on account of the sale price and apply the same toward payment of its damages.
- 4. Delays. Seller shall not be liable for loss or damage due to delay in delivery, manufacture or installation resulting from any cause beyond Seller's reasonable control, including but not limited to, compliance with any regulation, orders or instructions of any federal, state or municipal government or any department or any agency thereof, acts of nature, acts or omissions of the Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, wars, riot, delays in transportation, or inability due to cause beyond the Seller's reasonable control to obtain necessary labor or materials from the Seller's usual sources; and any delays resulting from any such cause shall constitute cause for extending delivery dates and receipt of the goods shall constitute a waiver of all claims for damage. In no event shall Seller be liable for special or consequential damages.
- 5. Payment Terms. The terms of sale herein are subject to credit approval and Seller may at any time prior to delivery modify the terms of payment originally specified to require payment in advance. Lacking credit approval, sales will be made on a cash with order, pro forma invoice or cash on delivery basis. All printed prices are quoted F.O.B. Factory, subject to terms as printed and subject to change without notice.
 - If the total selling price is not paid when due, buyer shall pay late charges equal to the highest lawful contract rate of interest not to exceed 1 1/2% per month computed from the due date on the unpaid balance of the total selling price.
- Specifications. Quantities and sizes are subject to variation in accordance with Seller's standard practices, tolerances and the requirements of the job where the equipment covered by this order is to be installed.
- Installation. If the order acknowledgment provides for installation, Seller's obligation to deliver the equipment and provide for its installation shall in no event commence until the premises are ready to receive the equipment, and such obligations shall be subject to all the other terms hereof. Costs and expenses to Seller or its contractor due to delays in installation caused by interference by other contractors working on the premises will be charged to Buyer. Installation costs stated in this order are estimated, cover only installation of the equipment specified herein, and do not cover any other costs, including, but not limited to, costs of electrical work, carpentry, plumbing, sweeping, mopping, dusting or general cleanup. Seller or its contractor shall not be responsible for removing or disposing of packing material, cartons, boxes or other containers housing the equipment.
 Taxes. The amount of taxes stated on the order, if any, is approximate only.
- 8. laxes. The amount of taxes stated on the order, if any, is approximate only. Buyer is liable for the full amount of all taxes applicable to or as a result of a transaction, exclusive of franchise taxes and taxes measured by the net income of Seller. Buyer shall pay the amount of all such taxes at any time requested by Seller as if originally added to the price. If Seller pays the taxes, Buyer shall reimburse Seller therefor.
- 9. Insurance. Buyer shall provide and maintain adequate insurance for the product delivered against loss or damages by fire or other causes during the time between delivery and final payment, in an amount fully protecting Seller, and loss or damage by fire or other causes within such period shall not relieve Buyer from its obligations under this contract. Buyer shall provide and maintain adequate liability and workmen's compensation insurance covering all workers who may assist in the erection of product delivered.
- 10. Cancellation. Buyer may cancel its order, reduce quantities, revise specifications or extend schedules only by mutual agreement as to reasonable and proper cancellation charges which shall take into account expenses already incurred and commitments made by Seller, and Buyer shall indemnify Seller against any loss.
- 11. Standard One-Year Warranty. The Delfield Company ("Delfield") warrants to the Original Purchaser of the Delfield product (herein called the "Unit") that such Unit, and all parts thereof, will be free from defects in material and workmanship under normal use and service for a period of one (1) year from the date of shipment of the Unit to the Original Purchaser or, if the Original Purchaser returns the warranty card completely filled out including the date of installation within thirty (30) days of receipt of the Unit, one (1) year from the date of installation. During this one year warranty period, Delfield will repair or replace any defective part or portion thereof returned to Delfield by the Original Purchaser which Delfield determines was defective due to faulty material or workmanship. The Original Purchaser will pay all labor, crating, freight and related costs incurred in the removal of the Unit or

defective component and shipment to Delfield, except that during a period of either ninety (90) days from the date of shipment of the Unit to the Original Purchaser or, if the Original Purchaser returns the warranty card completely filled out including the date of installation within thirty (30) days of receipt of the Unit, ninety (90) days from the date of installation Delfield will pay all related labor costs. Delfield will pay the return costs if the Unit or part thereof was defective.

The term "Original Purchaser" as used herein means that person, firm, association, or corporation for whom the Unit was originally installed. This Warranty does not apply to any Unit or part thereof that has been subjected to misuse, neglect, alteration, or accident, such as accidental damage to the exterior finish; operated contrary to the recommendations specified by Delfield; or repaired or altered by anyone other than Delfield in any way so as to, in Delfield's sole judgment, affect its quality or efficiency. This Warranty does not apply to any Unit that has been moved from the location where it was originally installed. This Warranty also does not cover the refrigerator drier or the light bulbs used in the Unit. The warranty is subject to the user's normal maintenance and care responsibility as set forth in the Service and Installation Manual, such as cleaning the condenser coil, and is in lieu of all other obligations of Delfield. Delfield neither assumes, nor authorizes any other person to assume for Delfield, any other liability in connection with Delfield's products.

Removal or defacement of the original Serial Number or Model Number from any Unit shall be deemed to release Delfield from all obligations hereunder or any other obligations. express or implied.

Parts furnished by suppliers to Delfield are guaranteed by Delfield only to the extent of the original manufacturer's express warranty to Delfield. Failure of the Original Purchaser to receive such manufacturer's warranty shall in no way create any warranty, express or implied, or any other obligation or liability on Delfield's part in respect thereof.

If shipment of a replacement part is requested prior to the arrival in the Delfield factory of the part claimed to be defective, the Original Purchaser must accept delivery of the replacement part on a C.O.D. basis, with credit being issued after the part has been received and inspected at Delfield's plant and determined by Delfield to be within this Warranty.

Under no condition does this Warranty give the Original Purchaser the right to replace the defective Unit with a complete Unit of the same manufacturer or of another make. Unless authorized by Delfield in writing, this Warranty does not permit the replacement of any part, including the motor-compressor, to be made with the part of another make or manufacturer.

No claims can be made under this Warranty for spoilage of products for any reason, including system failure.

The installation contractor shall be responsible for building access, entrance and field conditions to insure sufficient clearance to allow any hood(s), vent(s) or Unit(s), if necessary, to be brought into the building. Delfield will not be responsible for structural changes or damages incurred during installation of the Unit or any exhaust system.

Delfield shall not be liable in any manner for any default or delay in performance hereunder caused by or resulting from any contingency beyond Delfield's control, including, but not limited to, war, governmental restrictions or restraints, strikes, lockouts, injunctions, fire, floods, acts of nature, short or reduced supply of raw materials, or discontinuance of the parts by the original part manufacturer

Except as provided in any Additional Four Year Protection Plan, if applicable, and the Service Labor Contract, if applicable, the foregoing is exclusive and in lieu of all other warranties, whether written or oral, express or implied. This Warranty supersedes and excludes any prior oral or written representations or warranties. Delfield expressly disclaims any implied warranties of merchantability, fitness for a particular purpose or compliance with any law, treaty, rule or regulation relating to the discharge of substances into the environment. The sole and exclusive remedies of any person relating to the Unit, and the full liability of Delfield for any breach of this warranty, will be as provided in this warranty.

Other than this Delfield Standard One Year Limited Warranty, any applicable Delfield Additional Four Year Protection Plan or applicable Delfield Service Labor Contract, the Original Purchaser agrees and acknowledges that no other warranties are offered or provided in connection with or for the Unit or any part thereof.

In no event will Delfield be liable for special, incidental or consequential damages, or for damages in the nature of penalties.

12. Applicable Law. Variation of Terms. The rights and obligations of Seller and Buyer under an order shall be governed by the laws of the state where accepted by Seller. No waiver, modification, or addition to any of the terms of this order shall be binding on Seller unless made in writing by The Delfield Company. The provisions of an order are intended by Buyer and Seller as a final expression of their agreement and are intended also as a complete and exclusive statement of all terms applicable to Buyer's order.



ORDERING AND SHIPPING

NOTE: Possession of this price list does not necessarily constitute an offer to sell by The Delfield Company.

This Price Guide supersedes all other price lists. Although reasonable care has been taken to insure the accuracy of information in this Price Guide, Delfield cannot be held liable for any errors or omissions. Prices shown in this Price Guide are for standard Delfield models with standard electrical characteristics as described in sales and technical literature. All prices and specifications are subject to change without notice.

Payment Terms

All shipments are F.O.B. point of manufacture. The terms of sale are subject to credit approval. These terms may be modified at any time prior to shipment. All shipments will be made on a *pro forma* invoice or C.O.D. basis unless otherwise approved.

If the total selling price is not paid when due, buyer shall pay late charges equal to the highest lawful contract rate of interest not to exceed 1 1/2% per month computed from the due date on the unpaid balance of the total selling price.

Shipping Carrier

Delfield reserves the right to ship merchandise via any responsible carrier available at the time equipment is ready for shipment. When carrier or shipping routing is designated by dealer, Delfield will attempt to comply. Delfield cannot be held responsible for carrier rate differences; this is beyond our control. Rate differences are entirely between carrier and purchaser.

Returned Goods

Permission must first be obtained from Delfield's home office before returning any merchandise. Returned merchandise is subject to a minimum 25% handling charge. All returned goods, cartons or crates must display our return authorization number. Any returned goods shipment lacking the return authorization number will be refused, with all additional freight costs to be borne by the returning party.

Concealed Damages

All of our crating conforms to general motor carrier specifications. If the container shows rough handling or visible damage, in order to minimize liability, a full inspection is necessary upon arrival. A notation must be placed on the freight bill and signed by the truck driver. Appearance of damage will necessitate removing the crate in the presence of the driver. Claims for damages must be filed at once by purchaser with the freight carrier.

Taxes

Prices shown do not include federal, state or other existing taxes. Applicable taxes will be charged and added to the invoice unless an exemption certificate and tax identification number is received.

Storage Charges

Our shipping commitment is determined in accordance with delivery requirements and our best ability to fabricate. If, after the equipment has been fabricated, the customer requests delay in shipment and warehousing is required, the following schedule will apply: 1) Any equipment held for shipment at the purchaser's request for a period of 30 days beyond the delivery date specified shall become immediately payable. 2) If equipment is held beyond 60 days after the delivery date specified, storage charges will be added.

Sanitation Codes

If you are placing equipment into an area which has certain sanitation requirements other than N.S.F. standards, Delfield must be advised of these specifications in detail before fabrication of the equipment, in order that we may quote additional costs, if any. Failure to notify Delfield before fabrication releases us from any obligation to modify our standards without additional charges.

Orders and Drawings

To assure prompt and correct fabrication, Delfield must have all necessary information on the original order. Do not overlook finishes, accessories, and other options needed for a finished installation.

Please check the following items when ordering:

- Are all model numbers correct?
- Are stainless steel or laminate finished ends required?
- Is the laminate pattern and/or color number included?
- · Are extra utility outlets needed?
- Are overshelves needed?
- Are end fillers and/or risers needed?
- · Are you using natural, manufactured or bottled gas?
- Is a special refrigerant required?
- Are all specifications of equipment by others included?
- Are the electrical specifications correct?
- · Are kick plates needed?
- Are special tops and backs needed for focal point operation?
- Is your shipping address complete, including zip code?
- Is special shipping required?
- Have you indicated the date required?

Service Parts

All orders for service parts have a minimum charge. This policy may be modified by Delfield without notice. Prices shown for parts in this price list are for use when ordering an accessory with an original unit. Prices may vary when ordered separately from the Parts Department.

Warranty

Warranty must be purchased at the time of sale only.



INDEX		DCCS-SD	68	KCS	104
		DCDM	69	KCSC-B	97
200	138	DCFS	74	KCSC-EF	97
300	138	DCFSR	75	KCTS	104
402	36	DC-FT	63	KCU	101
403	36	DC-H	61	KH	96
406	32	DCHS	69	KHC-NU	98
406-CA	32	DC-IC	62	KHCR-B	98
407	32	DC-L	63	KRB	104
407-CA	32	DC-MC	62	LT	147
4400N	37	DCRU	64	MF/MFSC	148
4400N-M	42	DCRU-H	64	N	130
4400N-S	41	DCRU-IC	65	N6	130
4500N	37	DCRU-L	66	N10	130
6000XL	10	DCRU-MC	65	N14	130
6000XL-R	11	DCRU-T	67	N8000	139
6100XL	10	DC-T	67	N8000N	139
6100XL-R	11	DC-TM	69	N8000-R	71, 144
8100-EF	140	DIS	145	N8100B	139
18600BSTM	38	ECOS-E	52	N8100-BR	71, 144
18600BUCM	38	ECSR24	52	N8100-FA	140
18600PDL	45	EHEI-E	52	N8100N	139
18600PTBM	45	EODC	53	N8200	141
18600PTL	45	EODC36I	53	N8200G	141
18600VD	25	EODC36S	53	N8600	142
ACR	136	ESIC36	53	N8700	143
ASM	56	ESOS	53	N8700N	143
CAB2	151	ESSW36	53	N8700-R	71, 144
CAB3	152	F5	57	N8800	142
CAB4	153	F15	58	ND	146
CD	146	F18RC119-ES1	27	NDF	130
CPS	158	F26/F27	49	NLFAC	131
CT	154	F28/F29	49	NSCF	133
CTP-NB	45	F2900VD	25	PWT	104
D4400N	37	FLEXISHIELD® FOOD SH	IELDS 74	SALD-1	157
D4400N-M	42	FT2-SN	157	SB	146
D4400N-S	41	KC	102	SC	93
D4500N	37	KCF	103	SCF	94, 133
DCBC	70	KCFM	103, 132	SCFM	94, 132
DCBU	70	KCFT-NU	99	SCFT-NU	90
DCBU	61	KCI	100	SCI	91
DCCS-DD	68	KCM	103, 132	SCM	94, 132

SCN1	135	SSRN/SARN/SMRN1	3
SCS			7
SCSC-B	88	SSRPTS/SARPTS/SMRPTS 1	7
SCSC-EF	88	SSRRI/SARRI/SMRRI 1	9
SCTRI	95	SSRRT/SARRT/SMRRT 2	20
SCTS	95	SSR/SAR/SMR 1	3
SCU	92	SSRS/SARS/SMRS 1	3
SE		ST4048 3	
SE-CS	81	ST4148 3	36
SE-C/SES-C	78	ST4400N 3	37
SE-F/SES-F	80	ST4400N-M 4	12
SE-HC/SES-HC	79	ST4400N-S 4	! 1
SE-H/SES-H	78	ST4500N 3	37
SE-ICE	82	STD4400N 3	37
SE-I/SES-I	79	STD4400N-M 4	12
SE-TS		STD4400N-S 4	
SE-U/SES-U		STD4500N	
SH	87	SWT9	95
SHC		T	
SHCR-B	89	T2 15	55
SLT4 1	135	T5 2	29
SPCS 1	124	T14D 2	9
SPF 1	19	T24C 2	9
SPF 1 SPH 1		T24C	
	115		9
SPH 1	115 122	T402	9 66
SPH 1 SPHM 1	115 122 123	T402 TT15	9 66 66
SPH 1 SPHM 1 SPM 1	115 122 123 116	T40	29 56 56 32
SPH 1 SPHM 1 SPM 1 SPR 1	115 122 123 116	T40	29 56 56 32
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1	115 122 123 116 121	T40	29 66 66 32 32
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1	115 122 123 116 121 118	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3	29 56 56 52 32 33
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1	115 122 123 116 121 118 117	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4	29 56 56 32 32 33 14
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 1	115 122 123 116 121 118 117 95	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4400N-S 4	29 56 56 52 32 33 14
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSD/SAD/SMD 1	115 122 123 116 121 118 117 95 14	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4400N-S 4 UC4500 3	29 56 56 32 33 14 13
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSD/SAD/SMD 5 SSFN/SAFN/SMFN 1	115 122 123 116 121 118 117 95 14 16	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4400N-S 4 UC4500 3 UCD4400N-M 4 UCD4400N-M 4	29 56 56 52 32 33 14 13
SPH 1 SPHM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSD/SAD/SMD 5 SSFN/SAFN/SMFN 5 SSFPT/SAFPT/SMFPT 6	115 122 123 116 121 118 117 95 14 16 17	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4500 3 UCD4400N-M 4 UCD4400N-M 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4	29 56 56 52 33 14 13 33 14
SPH 1 SPHM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSFN/SAFN/SMFN 5 SSFPT/SAFPT/SMFPT 5 SSFRI/SAFRI/SMFRI 5	115 122 123 116 121 118 117 95 14 16 17	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4500 3 UCD4400N-M 4 UCD4400N-M 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD 15	29 56 56 32 33 14 13 14 13 58
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB SSD/SAD/SMD SSFN/SAFN/SMFN SSFPT/SAFPT/SMFPT SSFRI/SAFRI/SMFRI SSF/SAF/SMF	115 122 123 116 121 118 117 95 14 16 17 19	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4500 3 UCD4400N-M 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD450 15 UTS 15	29 56 56 32 33 14 13 14 13 58
SPH 1 SPHM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSD/SAD/SMD 5 SSFN/SAFN/SMFN 5 SSFPT/SAFPT/SMFPT 5 SSFS/SAFS/SMFS 5	115 122 123 116 121 118 117 95 14 16 17 19 16 16	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4500 3 UCD4400N-M 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD450 15 UTS 15	29 56 56 32 33 14 13 14 13 58
SPH 1 SPHM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSD/SAD/SMD 5 SSFN/SAFN/SMFN 5 SSFPT/SAFPT/SMFPT 5 SSFS/SAFS/SMFS 5 SSFS/SAFS/SMFS 5 SSHPT/SAHPT/SMHPT 5	115 122 123 116 121 118 117 95 14 16 17 19 16 16 15	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4500 3 UCD4400N-M 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD450 15 UTS 15	29 56 56 32 33 14 13 14 13 58
SPH 1 SPHM 1 SPM 1 SPR 1 SPRDP 120, 1 SPRF 1 SPRH 1 SRB 5 SSD/SAD/SMD 5 SSFN/SAFN/SMFN 5 SSFN/SAFN/SMFN 5 SSFS/SAF/SMF 5 SSFS/SAFS/SMFS 5 SSHPT/SAHPT/SMHRI 5 SSHRI/SAHRI/SMHRI 5	115 122 123 116 121 118 117 95 14 16 17 19 16 16 15 19 20	T40 2 TT 15 TT2 15 UC4048 3 UC4148 3 UC4400 3 UC4400N-M 4 UC4500 3 UCD4400N-M 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD4400N-S 4 UCD450 15 UTS 15	29 56 56 32 33 14 13 14 13 58

DELFIELD REP GROUPS

Bowerman Associates, Inc.

Territory: Upstate New York

(315) 453-5288

www.ebowerman.com

Duskie, Utsey & Associates

Territory: North Carolina, South Carolina

(704) 663-0036

E-Source

Territory: Texas and Oklahoma (except for the El Paso area)

(214) 614-0215

www.esourceequipment.com

Food Equipment Reps

Territory: Florida (800) 226-8389

www.ferinc.net

Garland Canada

Territory: Canada and International

(888) 442-7526

The Hansen Group

Territory: Georgia

(770) 667-1544

www.thehansengroup.net

Hatch-Jennings, Inc.

Territory: Connecticut, Maine, Massachusetts,

New Hampshire, Vermont and Rhode Island

(800) 225-5090

kristenf@hatch-jennings.com

Kain-McArthur, Inc.

Territory: S. Illinois, Iowa, Nebraska, Missouri, Kansas

(913) 829-3700

www.kainmcarthur.com

Lane Marketing Group

Territory: Maryland, Washington DC and Virginia

(301) 858-5058

www.lanegroup.com

MarketSmart

Territory: Northern California, Northern Nevada

(925) 846-6237

www.marketsmartinc.com

Merkolat

Territory: Central America, South America,

Mexico and Caribbean

(561) 792-6341

Mirkovich & Associates, Inc.

Territory: Illinois and Wisconsin

(630) 792-0080

www.mirkovich.com

Moccia Enterprises, Inc.

Territory: Delaware, Southern New Jersey and Eastern

Pennsylvania

(856) 829-5562

www.mocciaent.com

Performance Food Equipment Group

Territory: Connecticut, Metropolitan New York,

Long Island and New Jersey

(201) 797-2266

Email: info@performreps.com

Performance Reps NW

Territory: Washington, Montana, Northern Idaho and

Boise, Alaska, Oregon and Hawaii

(800) 462-0006 www.prnw.com

Preferred Marketing Group

Territory: Southern California and Southern Nevada

(818) 994-9292

www.pmgnow.com

Redstone

Territory: Colorado, Wyoming, Utah and Idaho

(303) 922-6920

RepsSouth, Inc.

Territory: Mid and East Tennessee, Alabama and Florida

Panhandle

(615) 370-1311

www.repssouth.com

Vader & Landgraf

Territory: Minnesota, North Dakota, South Dakota and

Western Wisconsin

(612) 331-1251

www.vaderandlandgraf.com

The Wallin Group

Territory: Louisiana, Mississippi, Arkansas and Western

Tennessee

(504) 733-3344

www.wallingroup.com

Zink Marketing

Territory: Indiana, Michigan, Ohio, West Virginia, Kentucky,

Western Pennsylvania

(614) 899-9500



980 S. Isabella Road • Mt. Pleasant, MI 48858
1.800.733.8948 or +1 989-773-7981 • Fax: 1.800.669.0619 • www.delfield.com
All prices and specifications are subject to change without notice.

DPGAUG11 07/11

